Vermont State Cancer Plan

A statewide strategic plan to reduce the impact of cancer

on individuals, families and communities in Vermont

December, 2005

Revised: October, 2007





The Vermont Department of Health and Vermonters Taking Action Against Cancer, Vermont's cancer coalition, worked together to develop and update this strategic plan.

Readers are invited and encouraged to participate in the plan's implementation by joining one or more of the coalition's work groups. The Vermont State Cancer Plan will be periodically updated as new information becomes available and as progress is made toward our shared goals.

Plan updates, additional data, and other reports can be accessed at: <u>HealthVermont.gov/Cancer</u> and <u>vtaac.org</u>.

Table of Contents

Table of Contents	2
Dedication	3
Vermonters Taking Action Against Cancer (VTAAC)	4
Cancer Control and Prevention	
Why a strategic plan for cancer?	5
The Vermont Blueprint for Health	
Cancer in Vermont	7
Most Common Cancer Sites	8
Setting Priorities for Cancer Prevention and Control	9
Summary of Strategic Priorities for Action	
Preventing Future Cancers	
Tobacco Use Prevention and Cessation	
Obesity & Overweight	13
Nutrition	14
Physical Activity	15
Environmental Exposures	16
Breastfeeding	
Detecting New Cancers as Early as Possible	18
Colon Cancer	19
Breast Cancer	20
Cervical Cancer	21
Prostate Cancer	22
Improving Access to Cancer Treatment and Care	23
Improving Quality of Life for Cancer Survivors	24
Improving End-of-Life Care for Cancer Patients	25
Ways YOU can Take Action Against Cancer	26
Vermonters Taking Action Against Cancer	28
Brief History	28
Web Resources & Screening Recommendations	29
Leading Vermonters Taking Action Against Cancer	
Collaborating Partners	
Data Sources	31

Dedication

I am excited to dedicate the Vermont Cancer Control Plan to those Vermonters who are directly affected by cancer. Cancer is a life-altering experience. I know this from first hand experience as both caregiver and patient. A cancer diagnosis will likely touch every aspect of a person's life, not just at the time of diagnosis or during treatment, but for the duration of the person's life. And of course, all those who care for the person with cancer also feel the impact. This second Vermont Cancer Plan is a statewide effort to acknowledge the impact of cancer on quality of life.

The document that follows is the result of two years of work by Vermonters. One of the things that distinguishes this effort from any other is that cancer survivors and those whose lives have been touched by cancer have been active participants along with cancer advocates, health care providers and planners in developing this plan. This effort reflects a shared commitment to seeing the human face of cancer and not just the view of dry and impersonal statistics. We have an enormous task in front of us but I am encouraged by our progress to date.

I want to thank everyone who participated in the effort of developing the plan, but I especially want to acknowledge the cancer survivors who voluntarily gave considerable time and energy to the work. I want to dedicate the plan to those whose lives have been lost to cancer and to those of us who carry on after a cancer diagnosis.

Ellen Fein, MSW, LicSW CancerCoach Co-chair, Survivorship Work Group

December 2005

Vermonters Taking Action Against Cancer (VTAAC)

The Vermont Department of Health acknowledges the time, expertise and resources contributed by members of *Vermonters Taking Action Against Cancer* (VTAAC) in creating Vermont's second State Cancer Plan.

VTAAC is a statewide partnership of more than 200 organizations, individuals and healthcare professionals working together to reduce the impact of cancer on individuals, families and communities across Vermont.

The members of the various VTAAC planning working groups met periodically between June 2004 and September 2005 to identify critical issues related to the cancer burden in Vermont; prioritize goals, establish objectives and develop strategies to meet these goals. The Vermont Department of Health thanks these members and commends them for their commitment and hard work.

Comprehensive Cancer Control is an integrated, collaborative approach to reducing the burden of cancer in Vermont by coordinating priorities, resources and efforts among many organizations and individuals.

Funded by a grant from the Centers for Disease Control and Prevention (CDC), Vermont's Comprehensive Cancer Control program is one of 59 programs in place in states, tribes and territories of the United States.

National partners supporting comprehensive cancer control include the Centers for Disease Control and Prevention (CDC), the National Cancer Institute (NCI), American Cancer Society (ACS), American College of Surgeons (ACoS), Intercultural Cancer Council (ICC), and C-Change (formerly the National Dialogue on Cancer). State representatives of many of these organizations are involved with VTAAC workgroups and committees.

Cancer Control and Prevention

Every day there are victories in the battle against cancer: new treatments, new methods of screening and early detection, and more and more people taking advantage of them.

Many forms of cancer can be prevented – especially by avoiding tobacco, having a healthy diet and regular exercise habits – and the prospect of surviving cancers that are detected early continues to improve.

In addition, more attention is being paid to pain management and comfort needs of cancer survivors at the end of their lives, including ensuring that patients' health care wishes are followed if they cannot speak for themselves.

Why a strategic plan for cancer?

Cancer is the second leading cause of death in Vermont, claiming approximately 1,240 lives each year. For the past 40 years, the three leading causes of death in Vermont have been heart disease, cancer and stroke. Unlike the death rates for heart disease and stroke, the death rate for cancer has risen steadily over the last few decades.

Nearly two-thirds of cancer deaths in the U.S. can be linked to tobacco use, diet, obesity and lack of exercise, all of which can be changed through actions of individuals, communities and society.

Hundreds of organizations and individuals in our state are working to reduce the incidence, suffering and deaths due to cancer. Coordination among all of the people making a difference is needed to maximize resources and to efficiently deliver public health messages and services.

This plan will guide that coordination between the years of 2006 and 2010, and has been developed in agreement with Healthy Vermonter 2010 goals and American Cancer Society 2015 goals. It also reflects the goals and objectives identified in other state health plans, including Tobacco Control, Obesity Control, Environmental Health and the Vermont Blueprint for Health.

Over time, this plan will grow to include strategies and activities that relate to each objective. Strategies will focus on health disparities identified among various population subgroups. This information will be posted to VDH and VTAAC websites as it becomes available.

The Vermont Blueprint for Health

The Vermont Blueprint for Health is Vermont's response to the challenge of chronic health conditions, such as cancer. The Blueprint approach calls for fundamental change in the health care system at every level to help individuals and providers effectively prevent and manage chronic conditions.

The project is guided by a public-private partnership that includes state government, health insurance plans, business and community leaders, health care providers, and individuals living with chronic health conditions.

The Vermont Blueprint for Health is actively pursuing change in five broad areas:

- patient self-management
- provider practice
- community activation and support
- health information systems
- health system design

Effective chronic disease management – and optimal health outcomes – are best achieved when informed patients work closely with a team of healthcare providers to develop appropriate treatment and care plans.

The work of this team of health specialists must be integrated with office procedures and information systems that support efficient, effective health monitoring and follow-up.

Expert providers are an important part of the team, but daily management of any chronic condition is provided by the patient and family members. Self-management includes following the established treatment and follow-up plan, dealing with stresses and perhaps changing personal behaviors to enhance overall health and well-being.

Encouragement of increased physical activity, healthy food choices, smoke-free environments, and transportation services for those in need are some examples of community efforts to maintain optimal health and prevent many chronic diseases. Communities can encourage use of recreation paths and facilities for all ages, farmers markets for fresh fruits and vegetables and promoting smoke-free activities.

Many of these aspects of the Blueprint for Health are woven throughout the Vermont Cancer Plan in its prioritized goals, objectives, strategies and activities.


For more information about the Vermont Blueprint for Health, go to: HealthVermont.gov/Blueprint

Cancer in Vermont

Cancer is a major health issue for Americans. In the U.S., nearly one-half of all men and more than one-third of all women will develop cancer in their lifetime. The estimated number of cancer survivors in the U.S. has doubled in the past 20 years to approximately 10 million. More than 30,000 Vermonters are estimated to be living with, through, and beyond a diagnosis of cancer.

Cancer is the name for a group of more than 100 different diseases that have similar characteristics. Cancers develop gradually over a period of time as a result of a complex mix of factors related to lifestyle, environment and heredity. Each type of cancer is caused by a different set of factors, some well established (such as smoking tobacco causing lung cancer), some uncertain, and some unknown. Many cancers are thought to result from more than one factor.


Cancer occurs in people of all ages; however the risk of cancer increases significantly with age. The following chart identifies the incidence of new cancers at varying ages.




For more information about Cancer statistics for Vermont, go to: HealthVermont.gov/Cancer - Publications & Resources

Most Common Cancer Sites

Each year between 1997 and 2001, an average of 3,064 new cancer cases were diagnosed among Vermonters, and 1,236 people died with cancer. The five most common cancers diagnosed in men are prostate, lung, colon, bladder and melanoma. For women, the most commonly diagnosed cancers are breast, colon, lung, uterine and melanoma. These cancers account for 66 percent of all cancers among women, and 68 percent of all cancers among men.



Compared to the U.S., Vermont men have higher incidence rates of melanoma and lung cancer; Vermont women have higher incidence rates of melanoma and uterine cancer.



Compared to the U.S., Vermont men have higher death rates of colon and rectum cancer; Vermont women have higher death rates of uterine and bladder cancer.

Setting Priorities for Cancer Prevention and Control

Opportunities to significantly reduce the burden of cancer exist all along the continuum of care from prevention, early detection (screening), treatment, surviving cancer, pain management and end-of-life care. This plan promotes coordinated efforts throughout all of these areas over the next several years, and identifies priorities where we can have the highest impact for the most Vermonters with wise use of limited resources.

Prevention strategies for lung cancer (reducing smoking rate) and skin cancer (protection from sunlight), and screening tests for cancers of the colon, breast and cervix are all proven methods for reducing the burden of cancer. Therefore, these cancer sites are given priority in this plan. Our goals and objectives related to treatment access, quality of life and end-of-life care will impact Vermonters with any type of cancer.

Woven throughout these priorities are shared commitments to use sound epidemiology and cancer surveillance practices to guide our planning, research, collaborative activities, and resource use. In addition, we will continue to promote improvements in health among all Vermonters, and specifically addressing disparities among sub-populations.

The following list is a summary of the priorities identified by the members of VTAAC during our 2004-2005 planning process. Additions and revisions adopted in 2007 are noted as "(2007)" throughout this document.

The next section of this document identifies specific goals and objectives related to these priorities, including original baseline and target measures. Detailed strategies to reach these goals and objectives as well as activity and progress reports will be published periodically on our websites
HealthVermont.gov/cancer">HealthVermont.gov/cancer and www.vtaac.org.

We encourage you to help us reach these objectives by joining one or more VTAAC workgroups. Find out more at www.vtaac.org.

To track progress on the Vermont State Cancer Plan, go to: <u>HealthVermont.gov/Cancer</u> and click on: Cancer Plan Status Report

Summary of Strategic Priorities for Action

Prevent future cancers by reducing exposure to known risk factors

- reduce tobacco use among Vermont youth and adults
- increase percentage of Vermonters with children that prohibit smoking in their homes
- halt the increase in the prevalence of overweight and obesity among youth and adults (2007)
- increase daily consumption of fruits and vegetables by youth and adults
- increase regular, moderate physical activity among youth and adults
- increase number of Vermont homes that have been tested for radon
- increase sun protection by Vermonters when playing or working outside (2007)
- increase breast-feeding among Vermont mothers

Detect new cancers as early as possible through appropriate screening

- increase colon cancer screening among Vermonters age 50 and over
- increase breast cancer screening among women age 40 and over
- increase cervical cancer screening among women age 18 and over
- reduce the percentage of breast, colon and cervical cancers found at an advanced stage (2007)
- promote informed decision-making about prostate cancer screening among men age 50 and over

Increase access to high quality cancer treatment and follow-up care

- reduce financial, geographic and cultural barriers to appropriate cancer treatments
- increase provider education in multi-modality treatment assessment
- increase availability and use of transportation services to access cancer treatment
- increase participation in clinical trials
- increase the percentage of Vermonters covered by health insurance

Improve the quality of life for people living with, through and beyond cancer

- increase the percentage of cancer survivors receiving adequate emotional & psychological support (2007)
- increase the percentage of cancer survivors reporting their general health as good, very good or excellent (2007)

Improve end-of-life care for cancer patients

- improve Vermont's Pain Policy Grade
- increase availability and use of pain management, hospice, and palliative care
- promote reimbursement for hospice and palliative care among insurers
- increase the number of Vermonters enrolled in the electronic Advanced Directives Registry

Preventing Future Cancers

Cancer develops gradually over many years as a result of a complex mix of factors related to behaviors, genetics (heredity) and environment. Each type of cancer is caused by a different set of factors, some well established (such as cigarette smoking causing lung cancer), some uncertain and some unknown. Many cancers are thought to result from more than one risk factor.

A risk factor for cancer is a condition or an activity that increases a person's chance of developing a particular type of cancer. There is a wide range of risk factors associated with different types of cancers. Behavioral choices like over-exposure to ultraviolet light, tobacco use, alcohol consumption, poor diet, and lack of physical activity can increase a person's chance of getting cancer.

One of the primary ways to reduce the impact of cancer on Vermonters is to reduce the risk factors that can lead to cancer among Vermonters. Another is through regular screening tests. Cancers of the colon (large intestine) and cervix can actually be prevented by screening, since abnormal tissue can be found and removed before becoming cancerous.

Although not all types of cancers are preventable many can be prevented by not smoking, increasing physical activity, and eating a healthy diet that is low in fat, moderate in calories and high in fiber. These healthy lifestyle choices also significantly reduce the risk of other chronic diseases, such as heart disease and diabetes.

The following pages include goals and objectives toward preventing future cancers by reducing known risk factors. Many of these goals, objectives and strategies come directly from other statewide planning efforts relating to tobacco control, obesity prevention and other health issues. References and links to these plans and coalitions have been provided where appropriate.

Tobacco Use Prevention and Cessation

Using tobacco is the leading cause of all preventable deaths in the US and Vermont. Exposure to carcinogens (cancer-causing substances) in tobacco products accounts for about one-third of all cancer deaths in the United States each year. More than 820 Vermonters die each year from tobacco-related illnesses, including cancers of the lung, mouth and throat, cervix and bladder.

Lung cancer is the leading cancer killer among men and women, accounting for nearly 30 percent of all cancer deaths in Vermont. Smoking tobacco is a leading cause of lung cancer, and exposure to second-hand smoke is also dangerous, especially to children. Prohibiting smoking in cars and homes is one way to protect children and adults from second-hand smoke.

Goal: Reduce tobacco usage and exposure to second hand smoke.

Objectives:

• Reduce prevalence of smoking in the past month among youth in grades 8-12.

2003: 20% 2010: 16%

• Reduce prevalence of adult smoking.

2004: 20% 2010: 12%

• Increase the percentage of Vermont smokers with children who prohibit smoking in their homes.

2004: 58% 2010: 65%

Vermonters Taking Action Against Cancer

"It takes a hard-core smoker an average of seven attempts before they stop smoking for good. For me, receiving the counseling and patches [from the Vermont Quitline] was an absolute godsend.

And I knew I had to remove myself from the temptation to smoke. That meant not hanging out with people who smoke for a least a few months."


Robert Gaboriault of Burlington called the Quitline after smoking for 35 years.

For more information about Tobacco Control and the Vermont Quitline, go to: HealthVermont.gov/prevent/tobacco

Obesity & Overweight

Obesity and overweight have been linked to cancers of the colon, rectum, esophagus, kidney, endometrium, breast and thyroid, in addition to being risk factors for other chronic health conditions.

Body mass index (BMI) is an indicator of appropriate weight compared to height. A BMI higher than 25 indicates overweight, and a BMI higher than 30 indicates obesity. Over half (55%) of Vermonters age 18 and older were overweight or obese in 2003; up from 44 percent in 1992.



Goal: Reduce the risk of various cancers related to obesity among Vermonters. (2007)

Objectives:

 Halt the increase in the percentage of Vermonters who are over a healthy weight Adults: Body Mass Index (BMI) ≥30

2003: 20%; 2010: 22%

Youth grades 8-12 with a BMI for age $\geq 95^{th}$ percentile.

2003: 11%; 2010: 9%

For more information about Vermont's Fit & Healthy Program, go to: <u>HealthVermont.gov/fitandhealthy</u>

Nutrition

Poor nutrition is the second leading actual cause of death in the US. One-third of the cancer deaths in the U.S. are due to poor nutrition and lack of physical activity. A poor diet can lead to obesity, which is known to increase a person's risk for cancers of the breast, colon, endometrium, esophagus, and kidneys. Diets high in saturated fats and low in fiber have been linked to various cancers, including breast and colon.

Poor nutrition habits started in youth often continue into adulthood and increase a person's risk for malnutrition, obesity, cancer, diabetes, heart disease, and other chronic health conditions.

It is recommended that people eat at least two servings of fruit daily and at least three servings of vegetables daily. In Vermont, only about half of Vermont adults eat the recommended servings of fruit and vegetables each day. Among youth in grades 8-12 even less meet the recommendations.

Goal: Reduce the risk of various cancers through healthful eating habits.

Objectives:

• Increase the percentage of adults eating 3+ daily servings of vegetables.

1998: 41% 2010: 51%

• Increase the percentage of adults eating 2+ daily servings of fruit.

1998: 50% 2010: 54%

• Increase the percentage of youth in grades 8-12 eating 3+ daily servings of vegetables.

2003: 16% 2010: 18%

• Increase the percentage of youth in grades 8-12 eating 2+ daily servings of fruit.

2003: 40% 2010: 46%

For more information about Vermont's Fit & Healthy Program, go to: HealthVermont.gov/fitandhealthy

Physical Activity

Regular, moderate physical activity is essential to healthy living, as it not only helps to maintain a person's weight but influences hormone levels. Lack of regular physical activity is the 3rd leading cause of actual death in the US, and increases the risk of cancer of the colon, breast and perhaps endometrium.

The recommendation for exercise is 30 minutes a day, five days a week or more for adults. It has been found that more exercise is beneficial in reducing risk of breast and colon cancer. In 2003, only 55 percent of Vermonters engage in regular, moderate physical activity. While Vermont has met some of the goals for physical activity among all adults in Vermont, several sub-populations have not met these goals.

Goal: Reduce the risk of various cancers through increased regular physical activity.

Objectives:

• Increase the percentage of adults (age 18+) who engage in moderate physical activity 30+ minutes per day, 5 days per week.

2003: 55% 2010: 63%

• Increase the percentage of adolescents who engage in moderate physical activity 30+ minutes per day 5 or more days per week.

2003: 26% 2010: 30%

For more information about Vermont's Fit & Healthy Program, go to: HealthVermont.gov/fitandhealthy

Environmental Exposures

Cancer develops over several years and has many causes. Several factors both inside and outside the body contribute to the development of cancer. Scientists consider "environmental exposures" for cancer to be anything outside the body that can increase a person's risk for developing cancer.

Exposure to a wide variety of natural and man-made substances in the environment accounts for at least two-thirds of all the cases of cancer in the United States. These environmental factors include lifestyle choices like cigarette smoking, excessive alcohol consumption, poor diet, lack of exercise, excessive sunlight exposure, and sexual behavior that increases exposure to certain viruses. Other factors include exposure to certain medical drugs, hormones, radiation, viruses, bacteria, and toxic chemicals that may be present in the air, water, food, and workplace.

Objectives to reduce exposure to tobacco smoke, obesity and limited physical activity may be found on previous pages in this document.

Lung cancer is the leading cancer killer for both men and women in Vermont, accounting for nearly 30 percent of all cancer deaths. Smoking tobacco is a leading cause of lung cancer, followed by exposure to radon gas and asbestos fibers. Radon gas is widespread in Vermont and the risk of exposure can easily be reduced through air testing and proper ventilation. As of 2004, Vermont had met its Healthy Vermonters goal of 20 percent of homes being tested for radon. However, the U.S. Environmental Protection Agency recommends that all households be tested for radon gas. Second-hand smoke is also a major risk factor for cancer, especially among children.

Ultraviolet radiation from the sun is the most significant risk for skin cancer. Exposure to ultraviolet radiation, either from the sun, tanning beds, or sunlamps causes premature skin aging and DNA damage. This can lead to melanoma and other forms of skin cancer.

Goal: Reduce environmental exposures including second-hand tobacco smoke, radon gas in homes, and ultraviolet radiation.

Objectives:

• Continue to increase the percentage of Vermont households tested for radon gas.

2004: 22% 2010: 20%

- Reduce the percentage of Vermont adults reporting sunburns in the past 12 months. (2007) 2004: 45% 2010: 40%
- Increase the percentage of adults age 18+ who follow protective measures that may reduce the risk of skin cancer.

2006: 74% 2010: 85%

- Increase the percentage of youth who report using sunscreen or sun block with a sun protective factor (SPF) of 15 or higher when outside on a sunny day for more than an hour. (2007) 2006: 41% 2010: 45%
- Reduce the percentage of youth who have used a tanning booth or sun lamp in the past 12 months. (2007)

2006: 15% 2010: 7%

Breastfeeding

Some studies suggest that breastfeeding may slightly lower breast cancer risk, especially among women who breastfeed for a cumulative total of 1.5 to 2 years or more. Of Vermont women over age 40 (regardless of the number of children they have had), only 14.9 percent have breastfed for a period of greater than 1.5 years over their lifetime (2004 data).

Breastfeeding also increases healthy nutrition among infants and decreases risk of obesity among children.

Data from the 2004 Behavioral Risk Factor Surveillance System (BRFSS), a statewide telephone survey of adults, show that of Vermont women who have ever given birth, more than one-third (34.5%) have never breastfed an infant.

More information on breast cancer risk can be found at www.cancer.org.

Goal: Increase breastfeeding rates among Vermont mothers to increase health of children and decrease breast cancer risks.

Objectives:

• Increase the percentage of Vermont mothers who report ever breastfeeding. 2004: 66% 2010: 75%

For more information on breastfeeding resources in Vermont, go to: <u>HealthVermont.gov/family/breastfeed/resources</u>

Detecting New Cancers as Early as Possible

Cancers of the lung, breast, prostate, and colon accounted for about 55 percent of all new cancers diagnosed in Vermont between 1997 and 2001.

Many cancers can be treated quickly and effectively if they are detected and treated in early stages before cancer cells spread to surrounding organs or tissues. There are screening tests to detect some types of cancers at an early stage, and some tests can actually remove abnormal tissue before they become cancerous.

In this plan, we have emphasized early detection for common cancers that can be easily treated if found early by established screening techniques. These include cancers of the breast, colon, cervix and prostate.

Links to recommendations for healthy people and those at increased risk can be found below. Every Vermonter is encouraged to talk with their health care providers about cancer prevention and appropriate screening strategies based on age, gender, race and family medical history.

Most recommended cancer screenings are covered by most public and private health insurance plans. Check your schedule of benefits for information about coverage, deductibles and required co-payments. Green Mountain Care is a family of low-cost and free health coverage programs for uninsured Vermonters, including VHAP, Medicaid, Catamount Health, Dr. Dynasaur, and Prescription Assistance. Offered by the state of Vermont and its partners, Green Mountain Care programs provide coverage for health services such as doctor visits, emergency care, prescription medicines, and more. Programs offer no or low co-payments and premiums to keep out-of-pocket costs reasonable.

The Ladies First program covers screening for breast and cervical cancer for women who meet eligibility criteria. Medicare covers screening for cancers of the breast, cervix, vagina, colon and prostate.

For more information on cancer screening recommendations, go to: www.cancer.org/docroot/PED/ped_2.asp?sitearea+PED

or: www.cancer.org and search for Early Detection

For information about low-cost and free healthcare coverage, go to: www.greenmountaincare.org, or call 1-800-250-8427

For information about the Ladies First breast & cervical cancer screening program, go to:

HealthVermont.gov/prevent/ladies_first.aspx">https://example.com/html/>
HealthVermont.gov/prevent/ladies_first.aspx

For information about Medicare cancer screening coverage, go to: www.medicare.gov/Health/cancer.asp

Colon Cancer

In Vermont, cancers of the colon (large intestine) and rectum are the second most common cancer diagnosed in women and the third most common cancer diagnosed in men. From 1997 to 2001, approximately 186 cases of colon cancer were diagnosed in women and 186 cases were diagnosed in men in Vermont each year. The colon cancer incidence rate in Vermont men is about 1.3 times higher than in women. During the same time period, approximately 72 women and 62 men died of colon cancer in Vermont each year. Colon cancer incidence and mortality rates among Vermont men and women do not differ significantly from the U.S. white rates.

Colon cancer is one of the few cancers that can be prevented through a screening test. Colonoscopy, a procedure for detecting cancer throughout the colon, can detect <u>and</u> remove small growths (or polyps) in the colon and rectum before they become cancerous.

Screening for colon cancer is recommended for all individuals over the age of 50, including one of the following: fecal occult blood test (FOBT) every year, sigmoidoscopy every five years, FOBT annually and sigmoidoscopy every five years, colonoscopy every 10 years, or double-contrast barium enema every five to 10 years.

Almost half of the eligible population in Vermont has never been screened for colon cancer (2004 data). People with risk factors, such as African-Americans or having family members diagnosed with cancer of the colon or rectum, should begin screening at 40 years of age.

The five-year survival rate of colon cancer is 90 percent when diagnosed at an early stage. Regrettably, only about one-third of colon cancers are diagnosed at an early, localized stage. Vermont has a similar stage distribution to the U.S.

Goal: Increase the use of appropriate screening methods for cancers of the colon and rectum.

Objectives:

• Increase the percentage of Vermonters aged 50+ receiving the recommended screening tests.

2004: 59% 2010: 65%

• Increase screening and follow-up rates among people with high risk indicators for colon cancer such as family or personal medical history.

Data available in 2008 2010: to be determined

• Increase the percentage of patients referred for colon cancer screening.

2006: 83% 2010: 91%

• Reduce the rate of colorectal cancers diagnosed at an advanced stage among men and women age 50 and over. (2007)

2004: 73.1 per 100,000 2010: 65.8 per 100,000

Breast Cancer

Breast cancer is the most common cancer diagnosed in women. From 1997 to 2001, approximately 465 breast cancer cases were diagnosed among Vermont women each year. Breast cancer is the second leading cause of cancer death among women. During the same time period, an average of 97 Vermont women died from breast cancer annually. Breast cancer incidence and mortality rates for Vermont women are comparable to U.S. rates among white women. Breast cancer among men accounts for less than one percent of all cases nationally.

In the U.S., breast cancer mortality significantly decreased from 1997 to 2001, but there has been no significant change in breast cancer incidence. In Vermont, there has been no significant change in breast cancer incidence or mortality. The incidence of breast cancer, as with many cancers, is extremely low in childhood and increases dramatically with age. Breast cancer is most often found in women over the age of 50.

Sixty-five percent of breast cancers are diagnosed at the localized stage, and three percent of breast cancers are diagnosed at the distant stage. According to national survival data, 98 percent of women with localized breast cancer survive for at least five years; only 27 percent of women diagnosed with distant breast cancer survive for at least five years.

Regular self-breast exams, clinical breast exams by a healthcare provider and mammograms are effective methods to detect lumps and cancerous tumors in the breast early. In 2004, 75 percent of Vermont women 40 and older had a mammogram in the preceding two years, which surpassed the Healthy Vermonters objective of 70 percent.

Goal: Increase the use of appropriate screening methods for breast cancer.

Objectives:

• Increase the percentage of women age 40 and over getting a mammogram within the past 2 years.

2004: 75% 2010: 85%

• Reduce the rate of breast cancers diagnosed at an advanced stage among women age 40 and over. (2007)

2004: 90.2 per 100,000 2010: 81.2 per 100,000

For information about the Ladies First breast & cervical cancer screening program, go to: HealthVermont.gov/prevent/ladies_first.aspx

Cervical Cancer

From 1997 to 2001, approximately 31 cases of cervical cancer were diagnosed in Vermont women each year, making it the tenth most commonly diagnosed cancer among Vermont women. Cervical cancer ranks twelfth in causes of cancer deaths in women with about 10 women dying each year.

Cervical cancer incidence rates for Vermont women are statistically higher than the U.S. rates. Mortality rates are comparable to U.S. rates. While both the incidence and mortality of cervical cancer have decreased in the U.S. between 1997 and 2001, there has been no significant change in cervical cancer incidence or mortality in Vermont.

Women of all ages are at risk for cervical cancer, including those in younger age groups and older women. Ninety-four percent of newly diagnosed cervical cancer cases are in women age 30 and older; 30 percent of these cases are in women 65 and older. Vermont women aged 70 to 74 have a statistically higher incidence rate compared to the U.S., while the rates of all other Vermont age groups are comparable to U.S. rates.

Infection with certain strains of the Human Papilloma Virus (HPV), which is transmitted sexually, may result in cervical cancer. While recently licensed vaccines should reduce the number of HPV infections, the best way to reduce the risk of dying from cervical cancer is through effective screening. Regular screening with the Pap test can detect cervical cancer in its earliest stages, when it is most treatable. Vermont has not reached its goal for screening, and rates vary among different groups of women. Vermont's high rates among older women point to the need to continue screening women beyond the age of 65 for cervical cancer.

National survival data show that 93 percent of women diagnosed with localized cervical cancer survive for at least five years, while only 18 percent of women diagnosed with distant cervical cancer survive that long. Only 63 percent of cervical cancers are diagnosed at the localized stage, and 9 percent are diagnosed at the distant stage.

Goal: Increase the use of appropriate screening methods for cervical cancer.

Objectives:

- Increase percentage of women (age 18+) who have had a Pap test in the past 3 years. 2004: 84% 2010: 90%
- Reduce the rate of cervical cancers diagnosed at an advanced stage among women age 20 and over. (2007)

2004: 5.2 per 100,000 2010: 4.7 per 100,000

For information about the Ladies First breast & cervical cancer screening program, go to:

HealthVermont.gov/prevent/ladies_first.aspx">https://example.com/html/>
HealthVermont.gov/prevent/ladies_first.aspx

Prostate Cancer

In the United States and Vermont, prostate cancer is the most commonly diagnosed cancer in men. A man's risk of developing prostate cancer in his lifetime is one in six. In Vermont, prostate cancer is the second leading cause of death due to cancer, representing 32 percent of all cancer deaths in men.

From 1997-2001, approximately 445 prostate cancer cases were diagnosed, and approximately 205 men died from this cancer each year in Vermont. Prostate cancer incidence and mortality rates for Vermont men are not significantly different compared to U.S. white men.

The incidence of prostate cancer increases dramatically with age. In Vermont, approximately 65 percent of all prostate cancer cases are diagnosed in men 65 and older, with men aged 75 to 79 having the highest age-specific incidence of prostate cancer in 1997-2001.

Compared to the U.S. white rate, Vermont men aged 50 to 54 had a higher incidence rate of prostate cancer, while Vermont men aged 80 to 84 had a lower prostate cancer incidence rate (1997-2001).

Prostate cancer is more common among African-American men than among white men; and African-American men are twice as likely to die from the disease. Men with close family members (a brother or father) who have had prostate cancer are more likely to get it themselves, especially if their relatives were young when they got the disease.

Medical experts disagree about whether regular screening for prostate cancer is recommended. However, they do agree that all men should receive all available information on the pros and cons of prostate cancer screening before making an informed decision.

Medical experts who encourage regular screening believe current scientific evidence shows that finding and treating prostate cancer early, when treatment might be more effective, may save lives. These experts recommend that all men with a life expectancy of at least 10 or more years should be offered the prostate specific antigen (PSA) test and a digital rectal exam (DRE) annually beginning at age 50. They also recommend offering earlier screening tests to black men, and men who have a father or brother with prostate cancer.

Medical experts who do not recommend regular screening want convincing evidence that finding early-stage prostate cancer and treating it, saves lives. They believe that some of these cancers may never affect a man's health and treatment could cause temporary or long-lasting side effects.

Goal: Increase the use of appropriate screening methods for prostate cancer.

Objectives:

• Promote informed decision-making about prostate cancer screening among Vermont men age 50 and over.

Improving Access to Cancer Treatment and Care

Effective treatment of cancer requires a multi-disciplinary team approach. This team includes medical specialists like surgeons, radiation oncologists, medical oncologists, nurses, social workers, radiologists and pathologists; as well as a network of family, friends, and caregivers all surrounding and supporting a well-informed patient. Working together, this team and the person diagnosed with cancer may decide to use a single treatment method or a combination of methods.

The treatment plan depends on the type and location of the cancer, the stage of the disease, the patient's age and general health and other factors. Cancer may be treated with surgery, radiation, chemotherapy, hormones, or immunotherapy. Proper nutrition, general health and emotional support also play important roles in effective treatment and optimum recovery.

Clinical trials have lead to many advances in cancer care. Many of today's most effective cancer treatment approaches are based on results from previous trials. By participating in clinical trials, patients have the opportunity to contribute to the research process and have access to innovative treatment options.

Not all Vermonters diagnosed with cancer are receiving the appropriate standard of care. Reasons include high out-of-pocket costs, lack of insurance coverage, lack of appropriate referrals from primary care providers, lack of reliable transportation, long distances from treatment centers and unpredictable weather conditions.

Goal: Increase access to high quality cancer treatment and follow-up care.

Objectives:

- Increase the number of primary care providers educated about the need for people with cancer to be assessed in a multi-modality setting.
- Increase the number of Vermonters who used the American Cancer Society's Road to Recovery program to obtain their cancer treatment.

2005: 536 2010: 600

• Increase the number of Vermonters enrolled in clinical trials, as measured by participants in studies at the Vermont Cancer Center.*

2005: 105 people 2010: 135 people

• Increase the percentage of Vermonters covered by insurance for all or part of the year. 2004: 85% 2010: 100%

*Note: Although facilities across Vermont can enroll patients on Phase III clinical trials, the Vermont Cancer Center is the only NCI designated facility for Phase I, II, and III therapeutic clinical trials.

Improving Quality of Life for Cancer Survivors

Medical advances in the way cancer is diagnosed and treated have improved survival rates of many cancers, and people are living longer after diagnosis. The most recent U.S. estimate shows that for all people diagnosed with cancer from 1995 through 2000, 66 percent survived cancer more than five years compared with a 61 percent five-year survival rate for people diagnosed with cancer from 1989 through 1994.

Even after successful treatment of cancers, general and specific health issues continue for survivors. In 2004, as many as one in five Vermonters diagnosed with cancer more than one year ago reported that their general health status was only 'fair' or 'poor', as opposed to good, very good or excellent. Almost six percent of all cancer survivors in Vermont were not covered by health insurance in 2004.

In addition, many cancer survivors are missing opportunities for vaccinations to help prevent serious illness from pneumonia and influenza. Only 59.2 percent of cancer survivors reported receiving an annual flu shot in 2004, and less than half (48.8%) have ever gotten a pneumococcal immunization.

Cancer survivors face numerous physical, psychological, social, spiritual and financial issues throughout treatment and for the remaining years of their lives; and could benefit tremendously from a coordinated statewide effort to support them. Emotional and psychological support are leading needs identified by cancer survivors in Vermont.

In 2004, there were over 30,000 Vermonters who had been diagnosed with cancer. The Vermont Cancer Survivor Network was created by and for cancer survivors to improve the quality of life for Vermonters living with, through, and beyond cancer. Through a web-based forum, annual Survivor Celebration Days, and the Kindred Connections program, cancers survivors in Vermont can give and get critical emotional support from other cancer survivors.

Goal: Improve the quality of life of Vermonters who are living with, through and beyond any diagnosis of cancer.

Objectives:

• Increase the percentage of cancer survivors who report always or usually receiving emotional/psychological support when needed. (2007)

2004: 83% 2010: 91%

• Increase the percentage of cancer survivors who report that their general health is good or excellent. (2007)

2004: 78% 2010: 86%

For more information about the Vermont Cancer Survivor Network, go to: VCSN.net

Improving End-of-Life Care for Cancer Patients

Suffering from mild or severe pain is a major complaint among people living with cancer. Most pain can be managed safely and effectively, yet only about one-fourth of all pain sufferers receive proper treatment.

The National Pain Policy Progress Report Card is a way for states to measure their progress in finding an effective balance between controlling narcotic pain management drugs and ensuring their medical availability for patients who need them. The coordinated work of the Vermont Pain Initiative helped raise Vermont's pain policy "grade" from a C+ in 2003 to a B+ in 2006.

Palliative care refers to medical care that focuses on comfort and quality of life for a patient in pain, rather than a cure for an underlying illness. Palliative care addresses pain and symptoms resulting from illness and treatment; and is a team approach that attends to the physical, emotional, psychological and spiritual needs of a patient and his or her family.

Hospice programs provide end-of-life care when the goal of medical treatment shifts from cure to comfort. Hospice focuses on living out the remaining months of a patient's life with respect and dignity in an environment that promotes quality of life.

Hospice and palliative care services may be provided in a patient's home, assisted living facilities, nursing homes, hospitals or other facilities like Vermont Respite House; and coverage of services varies depending on insurance coverage.

An advance directive is a written document, signed by an individual and two witnesses, that outlines the individual's wishes for medical treatment in the future when he or she no longer can (or wishes to) make decisions about what to do. Also called a living will or a durable power of attorney for healthcare, an advance directive ensures your end-of-life and other critical healthcare decisions will be honored.

Goal: Improve end-of-life care for cancer patients through effective pain management and palliative care.

Objectives:

- Improve Vermont's grade on the Pain Policy Progress Report Card. (2007) 2003: C+ 2010: "A"
- Increase availability and use of pain management, hospice, and palliative care.
- Promote reimbursement for hospice and palliative care among insurers.
- Increase number of Vermonters enrolled in the Vermont Advance Directive Registry. 2007: 700 2010: 1,000

Find out more about advance directives and the Vermont electronic registry at: HealthVermont.gov/vadr/index.aspx

Ways **YOU** can Take Action Against Cancer

If you are a Vermont resident, you can:

Avoid all tobacco products and second-hand smoke.

Support smoke-free environments, and create smoke-free zones around children inside and outside.

Eat a nutritious and balanced diet and maintain a healthy weight.

Increase your daily physical activity.

Have your home checked for radon gas.

Know when to be screened and obtain screenings on schedule.

If diagnosed, consider enrolling in a clinical trial.

Show your support and care for those who are diagnosed.

Volunteer with your hospital, health department, faith community or local groups who support cancer control efforts.

Health care professionals can:

Make sure patients get appropriate cancer screening tests.

Refer patients to smoking cessation classes and nutrition programs.

Be sure your cancer cases are reported in a timely manner.

Find out how to enroll patients in clinical trials.

Make earlier referrals to hospice for end of life care.

A hospital can:

Assure that your cancer cases are reported in a timely manner.

Provide meeting space for cancer support groups.

Collaborate to sponsor community screening and education programs.

Maintain American College of Surgeons membership.

A local health department or health officer can:

Provide cancer awareness information and data to citizens and groups.

Collaborate in community-based coalitions.

Work with healthcare providers to promote screening programs and case reporting.

Provide space for community survivor support groups.

Assess community needs and implement policy and environmental changes to reduce cancer risks.

Assure access to care for the uninsured and underinsured.

If you are an employer, you can:

Establish a smoke-free work place policy.

Provide healthy foods in vending machines and cafeterias.

Encourage employees to increase physical activity.

Collaborate with hospitals to host screening events.

Provide health insurance coverage.

A school or university can:

Include cancer prevention messages in health classes.

Provide healthy foods in vending machines and cafeterias.

Increase physical education requirements.

Make your entire campus a smoke-free environment.

A faith-based organization can:

Provide cancer prevention information to members.

Collaborate with other community-based groups.

Learn how to provide healthy potlucks and meeting meals.

Open your building for walking clubs in cold weather.

Encourage members to get cancer screening tests on time.

A community-based organization can:

Provide cancer awareness information to constituents.

Promote cancer screening among clients.

Encourage participation in clinical trials.

Collaborate to provide community prevention programs.

A professional organization can:

Provide continuing education credits on cancer topics.

Include clinical trials information in meeting agendas.

Form speakers' bureaus to provide cancer education.

Train facilitators for survivor support groups.

(**This list of actions was adapted from the Missouri Cancer Control Coalition.)

I Pledge to Take Action Against Cancer in the following ways:

	To not smoke, especially around children
	Eat more fruits and vegetables & Get more exercise every day
	Talk to my health care provider about appropriate cancer screening
	Volunteer to support cancer survivors in my community
	Learn more about clinical trials and end-of-life health care planning
П	Get involved with a VTAAC work group!

Vermonters Taking Action Against Cancer (Vermont's Cancer Coalition)

Vermonters Taking Action Against Cancer (VTAAC) is a statewide partnership of more than 150 organizations, individuals and health care professionals working together to reduce the impact of cancer on individuals, families and communities in Vermont.

Organizational members include the Vermont Department of Health; the American Cancer Society; the Vermont Cancer Center at the University of Vermont; agencies, departments and programs of Vermont state government; Vermont hospitals and primary care practices; cancer treatment and research centers; health care professional associations; cancer advocacy organizations; insurance providers; and community groups.

Individual members are involved as researchers, oncologists, surgeons, epidemiologists, program administrators, health educators, policy makers, cancer survivors, advocates, nutritionists, family members, and others.

Brief History

This publication is a summary of Vermont's second cancer control and prevention planning process. The first statewide cancer plan was published in 1989 and represented the collaboration between the Vermont Department of Health staff and partners from around the state. A progress report was published in the mid-1990's documenting achievements and ongoing challenges toward reaching the goals and objectives from that original plan.

In 2003, another group was convened to begin work on a new Vermont State Cancer Plan. Stakeholders were invited, data was analyzed, a conference was held, workgroups were formed, goals were identified, and objectives were prioritized. This publication represents the results of that process, and provides an overview of a collaborative statewide strategic plan created to reduce the impact of cancer in Vermont.

Detailed, evolving strategies to reach our goals and objectives are currently being developed and will be posted at <u>HealthVermont.gov/Cancer</u>. We welcome your participation in the development and implementation of these strategies and activities.

Vermonters Taking Action Against Cancer

"I joined VTAAC because of the cancers in myself, my family and my friends, and the knowledge that through advocacy I could make a positive difference."

—Tracy Adams of Fair Haven, prostate cancer survivor and ACS ambassador

Web Resources & Screening Recommendations

- American Cancer Society, <u>www.cancer.org</u>, 1-800-ACS-2345
- Centers for Disease Control and Prevention, www.cdc.gov/cancer
- Harvard Center for Cancer Prevention, Your Cancer Risk, www.yourdiseaserisk.harvard.edu/
- American Society of Clinical Oncology (ASCO) and People Living With Cancer, <u>www.oncology.com</u>
- National Cancer Institute, http://cancer.gov/cancerinformation, 1-800-4CANCER
 Breast Cancer, www.cancer.gov/cancerinfo/types/cervical
 Colon and Rectal Cancer, www.cancer.gov/cancerinfo/types/cervical
 Colon and Rectal Cancer, www.cancer.gov/cancerinformation/canceritypes/colon-and-rectal
 Lung Cancer, www.cancer.gov/cancerinformation/canceritype/lung/
 National Lung Screening Trial, www.nci.nih.gov/NLST
 Lymphoma, www.cancer.gov/cancerinformation/canceritype/lymphoma/
 Melanoma www.cancer.gov/cancerinformation/canceritype/lymphoma/
 Prostate Cancer, http://www.cancer.gov/cancerinformation/canceritype/lymphoma/
 Prostate Cancer, http://www.cancer.gov/cancerinformation/canceritype/lymphoma/
 Prostate Cancer, http://www.cancer.gov/cancerinformation/canceritype/lymphoma/
- American Lung Association, www.lungusa.org
- Leukemia and Lymphoma Society, www.leukemia-lymphoma.org
- American Society of Hematology, <u>www.hematology.org</u>
- Prostate Cancer Foundation, www.prostatecancerfoundation.org
- Vermont Cancer Survivor Network (VCSN), www.vcsn.net

To request copies of this report, contact:

Vermont Department of Health Comprehensive Cancer Control Program P.O. Box 70, Burlington, Vermont 05402 (802) 865-7706 or (800) 464-4343, ext. 7706

This report is posted at: **HealthVermont.gov/Cancer** and also at: **vtaac.org**

Leading Vermonters Taking Action Against Cancer

The Vermont Department of Health gratefully acknowledges the contributions of time, energy, and thoughtfulness contributed by many partners over many months to bring this second statewide cancer plan into being. The Department would like to specifically recognize those individuals and organizations that have volunteered to serve on the Coalition's Steering Committee and lead workgroups over the past three years. Without their efforts and guidance, this plan could not have been completed.

John "Tracy" Adams, Survivor, Volunteer/Ambassador, American Cancer Society

Edward "Teddy" Aribisala, MSc, MBA, Administrator, Cancer Services, Southwestern VT Regional Cancer Center

Susan Cleary, RN, CCM, Nurse Case Manager, Blue Cross / Blue Shield of Vermont

Matthew Conway, MD, FACS, Rutland Surgical Associates

Moira Cook, Director, Middlebury District office, Vermont Department of Health

David Cranmer, Patient Advocate, Leukemia/Lymphoma Society

Debbie Dameron, MSPH, VP for Cancer Control, Vermont, American Cancer Society

Laurel Decher, PhD, Chronic Disease Epidemiology Chief, Vermont Department of Health

Joanne Fedele, RN, MS, Community Health Planner, North Country Health System

Ellen Fein, MSW/LCSW, Cancer Coach/Mountain View Medical

Bev Flanagan, MSN, ANP, Public Health Nursing Specialist, Vermont Department of Health

Karen Garbarino, MPH, Chronic Disease Director, Vermont Department of Health

Robyn R. Hayden, RM, MSN, Adult Nurse Practitioner, Surgical Oncology/Breast Care Center, FAHC

Tracey Hayes, MPH, RD, Community Health Outreach, Mt. Ascutney Hospital and Health Center

Anne Ireland, RN, MSN, AOCN, Oncology Consultant, Fletcher Allen Health Care

Penrose Jackson, Director of Community Wellness, Fletcher Allen Health Care

Ali Johnson, CTR, Vermont Cancer Registry Chief, Vermont Department of Health

Suzanne Kelly, MSW, Director of Women's Health & Prevention, Vermont Department of Health

Russell Leshne, Cancer Information Service of New England

Jill Lord, RN, MS, CHPN, Director of Patient Care Services, Mt. Ascutney Hospital and Health Center

Linda M. McKenna, MBA, RPAC, Admin Leader, Community Cancer Center, Rutland Regional Medical Center

Carol Miklos, Communications Officer, Vermont Cancer Center, University of Vermont

Letha Mills, MD, Southwestern Vermont Regional Cancer Center

Judith Murphy, EdD, Community Executive / Pain Management Coordinator, American Cancer Society

Amy Nickerson, MS, RD, Senior Planner, Vermont Department of Aging & Independent Living

John A. Olson, MEd, Coordinator, Comprehensive Cancer Control, Vermont Department of Health

Elizabeth Peterson, MPH, Senior Epidemiologist, Vermont Department of Health

Dennis Sanders, MD, Clinical Associate Professor of Medicine, Medical Oncology, UVM College of Medicine Seline Skoug, Executive Director, Casting for Recovery

J. Scott Strenio, MD, Medical Director, Office of Vermont Health Access

James Wallace III, MD, Medical Director, Division of Radiation Oncology, Fletcher Allen Health Care

David Yandell, ScD, Director of Vermont Cancer Center, University of Vermont

Eva Zivitz, BA, RN, CHPN, Palliative Care Program Planning Director, Rutland Regional Medical Center

This publication (and planning process) was supported by Cooperative Agreement number U55-CCU121972 from the Centers for Disease Control and Prevention (CDC). It's contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

Collaborating Partners

American Cancer Society – Vermont Chapter

Blue Cross Blue Shield of Vermont

Cancer Coach

Casting for Recovery

Fletcher Allen Health Care – Radiation Oncology

Fletcher Allen Health Care – Surgical Oncology/Breast Care Center

Leukemia/Lymphoma Society - NY/VT Chapter

Mount Ascutney Hospital and Health Center

National Cancer Institute – Cancer Information Service of NE

North Country Health System

Rutland Regional Medical Center

Rutland Regional Medical Center -Community Cancer Center

Southwestern Vermont Regional Cancer Center

Vermont Cancer Center of the University of Vermont & Fletcher Allen Health Care

Vermont Cancer Survivors Network

Vermont Center for Cancer Medicine

Vermont Agency of Human Services

Vermont Department of Health

Vermont Department of Aging and Independent Living

Vermont Office of Vermont Health Access

Data Sources

Vermont Vital Records System

Vermont Cancer Registry

Vermont Behavioral Risk Factor Surveillance System (BRFSS)

National Cancer Institute SEER Program

National Center for Health Statistics