


WATER SUPPLY OUTLOOK

for the

LOWER COLORADO

COLORADO BASIN RIVER FORECAST CENTER





JUNE 1, 2002


VIRGIN RIVER SUMMARY

The May 1st snow pack was zero. Stream flow forecasts are much below average, ranging from 26% to 8%. If the April-July forecast for the Virgin River at Virgin, Utah verifies, it will be the lowest runoff in 94 years of record. If the forecast for Littlefield, Arizona verifies, it will be the lowest runoff in 73 years of record. April runoff was 29% of average. May runoff was only 20% of average.


Forecast of the Virgin River drops drastically—from 22% to 8% of average—downstream of St. George, Utah.

April-July stream flow forecasts for the Virgin River are as follows:

Virgin River:
Much Below Average



VIRGIN RIVER BASIN CONDITIONS - JUNE 1, 2002




Specific Site Forecasts—Water Year 2002


April through July volume (kaf) forecasts.

Stream	Station	Most	Percent	Reas.	Reas.
		Probable	e Med.	Max	Min
SANTA CLARA	PINE VALLEY, NR	1.35	25	2.5	0.54
VIRGIN	VIRGIN	16.5	26	25	10.1
	HURRICANE, NR	15	22	25	13.2
	LITTLEFIELD	5.6	8	15.7	4

Monthly Precipitation for May 2002



Seasonal Precipitation, October 2001 - May 2002



ADDITIONAL INFORMATION

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through April by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, Salt River Project, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet).

Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above Average Above Average Near Average Below Average Much below Average Greater than 130% 111-130% 90-110% 70-89% Less than 70% Forecast Period:

Variable. Current month through May 31.

Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season.

Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded.

Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded.

Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact: Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · http://www.cbrfc.gov