



Virgin River Summary

Forecasts are only provided for the Virgin River basin. Individual forecasts for April-July range from 345% to 405% of average. The April and May flows have been very high, for example the April-May flow of 168 kaf for Virgin at Virgin is 260% of the average 4 month (April-July) snowmelt runoff for Virgin at Virgin. All sites are forecasted to experience a record year for snowmelt runoff. However, unless augmented by additional rainfall, these flows should not result in flooding.

April-July stream flow forecasts for the Virgin River are as follows:




BASIN CONDITIONS - JUNE 1, 2005




SPECIFIC SITE FORECASTS-WATER YEAR 2005

April through July volume (kaf) forecasts.

Stream	Station	Most	Percent	Reas.	Reas.
		Probable	Med.	Max	Min
SANTA CLARA	PINE VALLEY, NR	19	345	24	14.8
VIRGIN	VIRGIN	230	359	275	200
	HURRICANE, NR	250	362	300	225
	LITTLEFIELD	300	405	350	240





Seasonal Precipitation, October 2004 - May 2005

Colorado Basin River Forecast Center - National Weather Service Page 4

Additional Information

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through April by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, Salt River Project, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet). Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above MedianAbove MedianNear MedianBelow MedianMuch below MedianGreater than 130%111-130%90-110%70-89%Less than 70%Forecast Period:

Variable. Current month through May 31. Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season. Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded. Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded. Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact: Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · http://www.cbrfc.gov