

**DEPARTMENT OF COMMERCE****National Oceanic and Atmospheric Administration**

RIN 0648-AS67

**Fisheries of the Caribbean, Gulf of Mexico, and South Atlantic; Reef Fish Fishery of the Gulf of Mexico; Gulf Red Snapper Individual Fishing Quota Program**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Notice of determination of extended duration of catastrophic conditions.

**SUMMARY:** In accordance with the regulations implementing the individual fishing quota (IFQ) program for the commercial red snapper fishery in the Gulf of Mexico, the Administrator, Southeast Region, NMFS (RA) has determined that catastrophic conditions still exist in certain parts of Louisiana and Texas, specifically from Cameron, Louisiana southwest to Galveston Island, Texas, as a result of recent hurricanes. The RA, therefore, is extending authorization for the use of paper-based forms for basic required IFQ administrative functions, e.g., landing transactions, through December 31, 2008. Although electronic transactions are to be used if power to the affected area has been restored, paper-based forms will be authorized in the areas from Cameron, Louisiana southwest to Galveston Island, Texas. The determination of catastrophic conditions and allowance of alternative methods for completing required IFQ administrative functions is intended to facilitate continuation of IFQ operations during the period of catastrophic conditions.

**DATES:** The RA is authorizing IFQ participants within this affected area to use paper-based forms from October 24, 2008 through December 31, 2008.

**FOR FURTHER INFORMATION CONTACT:** IFQ Customer Service, telephone 727-425-7627, fax 727-824-5308, e-mail [SER-IFQ.Support@noaa.gov](mailto:SER-IFQ.Support@noaa.gov).

**SUPPLEMENTARY INFORMATION:**

Regulations implementing the IFQ program for the commercial red snapper fishery in the Gulf of Mexico (50 CFR 622.16) require that IFQ participants have access to a computer and Internet access and that they conduct administrative functions associated with the IFQ program, e.g., landing transactions, online. However, these regulations also specify that during

catastrophic conditions, as determined by the RA, the RA can authorize IFQ participants in the affected area who are unable to submit information electronically to use paper-based forms to complete IFQ administrative functions for the duration of the catastrophic conditions. In a notice published September 24, 2008 (73 FR 55052), the RA published his determination that catastrophic conditions existed in those areas of the states of Louisiana and Texas from the mouth of the Mississippi River west to Freeport, Texas, and authorized the use of paper-based forms until October 24, 2008.

Power has been restored in portions of the previously affected area, but some communities along the northeast coast of Texas and western coast of Louisiana are still without power and have significant damage to infrastructure. The RA has determined that catastrophic conditions from Hurricanes Gustav and Ike still exist from Cameron, Louisiana southwest to Galveston Island, Texas. Therefore, the RA is extending the authorization for IFQ participants within this affected area to use paper-based forms through December 31, 2008. NMFS will provide additional notification to affected participants via NOAA weather radio, fishery bulletins, and other appropriate means.

NMFS previously provided each IFQ dealer the necessary paper forms (sequentially coded) and instructions in the event catastrophic conditions exist. Paper-based forms for such functions as landing transactions must be returned to the RA as soon as possible after the transaction has been completed. The electronic system for submitting information to NMFS will continue to be available to all participants, and participants in the affected area are encouraged to continue using this system, if accessible.

The administrative program functions available to participants in the area affected by catastrophic conditions will be limited under the paper-based system. There will be no mechanism for transfers of IFQ shares or allocation under the paper-based system in effect during catastrophic conditions. Assistance in complying with the requirements of the paper-based system will be available via IFQ Customer Service 1-866-425-7627 Monday through Friday between 8 a.m. and 4:30 p.m. eastern time.

**Authority:** 16 U.S.C. 1801 *et seq.*

Dated: October 21, 2008.

**James P. Burgess,**

*Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service.*

[FR Doc. E8-25413 Filed 10-23-08; 8:45 am]

BILLING CODE 3510-22-S

**DEPARTMENT OF COMMERCE****National Oceanic and Atmospheric Administration**

RIN 0648-XK27

**Incidental Takes of Marine Mammals During Specified Activities; Beach Boulevard AICWW Bridge Blasting Project, Duval County, FL**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Notice of a proposed marine mammal incidental take authorization; request for comments.

**SUMMARY:** NMFS has received an application from the Jacksonville Transportation Authority (JTA) for an Incidental Harassment Authorization (IHA) to take small numbers of marine mammals, by harassment, incidental to the removal and replacement of support structures for the Beach Boulevard Bridge over the Atlantic Intracoastal Waterway (AICWW) in Duval County, FL. Pursuant to the Marine Mammal Protection Act (MMPA), NMFS is requesting comments on its proposed IHA for these activities.

**DATES:** Comments and information must be received no later than November 24, 2008.

**ADDRESSES:** Comments on the application should be addressed to Michael Payne, Chief, Permits, Conservation and Education Division, Office of Protected Resources, National Marine Fisheries Service, 1315 East-West Highway, Silver Spring, MD 20910-3225. The mailbox address for providing email comments is [PR1.0648-XK27@noaa.gov](mailto:PR1.0648-XK27@noaa.gov). NMFS is not responsible for e-mail comments sent to addresses other than the one provided here. Comments sent via e-mail, including all attachments, must not exceed a 10-megabyte file size.

A copy of the application containing a list of the references used in this document may be obtained by writing to the address specified above, telephoning the contact listed below (see **FOR FURTHER INFORMATION CONTACT**), or visiting the internet at: <http://www.nmfs.noaa.gov/pr/permits/incidental.htm>.

Documents cited in this notice may be viewed, by appointment, during regular business hours, at the aforementioned address.

**FOR FURTHER INFORMATION CONTACT:**  
Howard Goldstein or Ken Hollingshead,  
NMFS, (301) 713-2289.

**SUPPLEMENTARY INFORMATION:**

**Background**

Sections 101(a)(5)(A) and (D) of the MMPA (16 U.S.C. 1361 *et seq.*) direct the Secretary of Commerce to allow, upon request, the incidental, but not intentional, taking of marine mammals by U.S. citizens who engage in a specified activity (other than commercial fishing) within a specified geographical region if certain findings are made and either regulations are issued or, if the taking is limited to harassment, a notice of a proposed authorization is provided to the public for review.

An authorization shall be granted if NMFS finds that the taking will have a negligible impact on the species or stock(s) and will not have an unmitigable adverse impact on the availability of the species or stock(s) for subsistence uses, and if the permissible methods of taking and requirements pertaining to the mitigation, monitoring and reporting of such takings are set forth to achieve the least practicable adverse impact. NMFS has defined "negligible impact" in 50 CFR 216.103 as "...an impact resulting from the specified activity that cannot be reasonably expected to, and is not reasonably likely to, adversely affect the species or stock through effects on annual rates of recruitment or survival."

Section 101(a)(5)(D) of the MMPA established an expedited process by which citizens of the United States can apply for an authorization to incidentally take small numbers of marine mammals by harassment. Except with respect to certain activities not pertinent here, the MMPA defines "harassment" as:

any act of pursuit, torment, or annoyance which (i) has the potential to injure a marine mammal or marine mammal stock in the wild [Level A harassment]; or (ii) has the potential to disturb a marine mammal or marine mammal stock in the wild by causing disruption of behavioral patterns, including, but not limited to, migration, breathing, nursing, breeding, feeding, or sheltering [Level B harassment].

Section 101(a)(5)(D) establishes a 45-day time limit for NMFS review of an application followed by a 30-day public notice and comment period on any proposed authorizations for the incidental harassment of marine mammals. Within 45 days of the close

of the comment period, NMFS must either issue or deny issuance of the authorization.

**Summary of Request**

On May 5, 2008, NMFS received a letter from the JTA, requesting an IHA. The requested IHA would authorize the take, by harassment, of small numbers of Atlantic bottlenose dolphins (*Tursiops truncatus*) incidental to explosive demolition performed for the purpose of removing support structures for the Beach Boulevard Bridge on the AICWW in Duval County, Florida. The Beach Boulevard Bridge spans approximately 300 ft (91.5 m) over open water. The U.S. Army Corps of Engineers (ACOE) and St. Johns River Water Management District (SJRWMD) have issued Environmental Resource Permits to JTA for the replacement of the existing Beach Boulevard Bridge over the AICWW. The ACOE issued permit SAJ-2003-9340 on November 22, 2005, to expand State Road 212 (Beach Boulevard) from San Pablo Road to Penman Road in Jacksonville, Duval County, Florida. The permit included authorization to replace Beach Boulevard Bridge over the AICWW. The blasting of the bridge will reduce the amount of time that tugs and barges are active in the AICWW, thereby reducing risks to wildlife. Additional information on the blasting project is contained in the application, which is available upon request (see **ADDRESSES**).

**Specified Activities**

The purpose of the blasting project is to remove twelve support structures from the old bridge by explosive demolition. While dismantling and discarding the existing bridge spam will be routine, the strength and mass of the bridge footers pose a dismantling problem. After careful consideration, the bridge contractor, Superior Construction, has determined that demolishing the footers with explosives is the most practical means of destroying them. The new, fully permitted bridge will consist of separate eastbound and westbound spans. The new westbound bridge, which is 100 percent constructed and in use, occurs where no bridge structure previously existed. The location of the future eastbound bridge, which has not yet been started, coincides almost exactly with the existing bridge, necessitating the full removal of the latter. The existing bridge support piers are undersized, relative to the future span's requirements, and must be removed to make room for construction equipment and the new bridge, particularly its support piles. The permitted method of

removal of the old bridge allows for the footers to be removed via non-explosive means from barges. The barges would have to be relocated regularly by a large tug boat for up to three months due to the quantity of concrete involved and the limited reach of the equipment.

Under the existing permits, the most practical way of demolishing the old bridge supports is to use a hydraulic hoe ram, the equivalent of a large jack hammer, mounted on a barge, maneuvered by a tug boat, and literally chip the concrete supports into tens of thousands of pieces. For demolition of the piers adjacent to the channel, a barge with a large chipper will operate from the channel and chip at an angle away from the channel. This way, nearly all of the small amount of rubble that falls toward the channel will land in the chipper barge.

There are only two practical ways of taking down the bridge supports one method entails the aforementioned hoe ram which would chip the concrete into tens of thousands of pieces, the other involves explosives. Under a hoe ram only (i.e., no blasting) scenario, the risks to wildlife stem from tugs and barges operating in the AICWW, for a total of 900 hours (90 days x 10 hours per day). An additional impact would be incurred by the protracted percussion pounding of the hammer. In a blasting scenario, risks to wildlife include the three blast events, and tug/barge activity in the AICWW totaling 400 hours (40 days x 10 hours per day). A Blasting Plan document has been prepared for this proposed action (see JTA's application).

**Background**

The JTA currently is in the process of replacing the Beach Boulevard Bridge across the AICWW. The project area is depicted in Location Map, Exhibit 1 of JTA's application. The new bridge will consist of separate eastbound and westbound spans. The new westbound bridge, which has been constructed and is in use, occurs where no bridge structure previously existed. The location of the future eastbound bridge, which has not yet been started, coincides almost exactly with the bridge that is being replaced, necessitating the full removal of the latter. The existing bridge's support piers are undersized, relative to the future span's requirements, and must be removed to make room for construction equipment and the new bridge, particularly its support piles. JTA proposes to demolish the piers with controlled explosives.

**Baseline Conditions**

The over water portion of the western side of the old bridge is supported by

four piers of bent piles. The eastern, over water portion is supported by four similar piers and four bascule pier piles. Concrete coffer dams support the footers on both sides of the navigable channel. The below-water plan view of these twelve supports is indicated on Salient Features, Plan View, Exhibit 2 of JTA's application. The supports on both sides are protected from erosional scour by much rip rap and numerous gabions. A navigation channel is between the two sets of bent pile piers. A protective fender system is in place. Over the years, much rock, gravel, and rip rap has been placed in the open water under the bridge.

#### *Blasting Details*

As preface to preparing the 12 structures (the number of supports below the mean low water elevation) for explosive demolition and consistent with the current permits, each structure will be chipped to approximately 5 ft (1.5 m) National Geodetic Vertical Datum (NGVD). Once the supports have been lowered to 5 ft NGVD, the below water and remaining above water portions will be removed by explosives.

Three separate blast events will take place during the project. The locations and sequence of the blasts are indicated on Exhibit 5 of JTA's application. In preparation for each blasting event, floating turbidity curtains will be deployed within 40 ft (12.2 m) of the structures to be blasted. The curtains will minimally be 6 ft (1.8 m) long. Curtains longer than 6 ft would be torn and carried away by the currents at the bridge and ultimately become waste. Once the curtains are in place, the target concrete will be drilled, explosives will be placed in the drill holes, and the drill holes will be stemmed. Mats to contain debris will be draped over the above water portion of the supports. Only after all the measures described in the Marine Wildlife Safety Plan and Manatee, Marine Mammal, Sea Turtle Survey Watch Plan have been implemented (see Exhibit 7 in JTA's application for the location of wildlife spotters), will the blast events occur. The duration of each event will be approximately two seconds. The first blast is tentatively scheduled for the first week in December 2008 and will focus on demolishing the four western supports and underlying coffer dam. The second event will occur about 10 days later and destroy the supports and coffer dam on the immediate eastern side of the channel. The final blast event will take place on or about December 31, 2008 and will eliminate the four supports situated east of the channel and west of the eastern bridge abutment. The

existing fenders will be removed immediately prior to the final blasting event.

The radius of dangerous effect or "harm" for underwater explosives is based on a Navy Diver formula derived for human divers. Importantly, the formula is based on an uncontrolled blast suspended in the water column; the formula yields an artificially high radius in instances of controlled or contained blasts, like the kind proposed at the Beach Boulevard Bridge. The Navy Diver formula used for the Safety Zone is:

$$R = [520(W)^{1/3}] + 500$$

where R = Safety Zone radius and W = weight of explosives in pounds per delay (0.009 second minimum separation). With 16.5 pounds (lbs) of dynamite the maximum explosives per delay, the Safety Zone is 1,824 ft (556.4 m). The max/delay of dynamite (16.5 lbs) is equivalent to 13.2 lbs of TNT. This radius is depicted in Exhibit 7 of JTA's application.

#### *Demolition Debris*

Approximately 3,604 cubic yards (cy) of blast debris is anticipated (8 bascule piers, 2,900 cy; 2 coffer dams, 440 cy; and the eastern four piers, 264 cy). All of the debris would also have been generated by chipping demolition. Most of the debris will remain close to its source. Some will fall along side slopes and the bottom of the AICWW channel. The average size of the blast debris will be 6 to 9 inches. A small percentage of the debris will be finer particles, including dust. Some may become displaced by as much as 0.5 cy. The use of mats on the above water portions of the supports will prevent fragments from traveling through the air. Due to the resistance, portions of the supports will prevent fragments from traveling through the air. Due to the resistance of the water itself, none of the underwater demolition debris will be propelled beyond a 40 ft (12.2 m) radius, see Exhibit 8 of JTA's application. Unfortunately, the high water flow velocities under the bridge preclude most turbidity control measures. This problem will be largely offset by the fact that most of the debris will quickly settle due to its mass. The very fine material will not have major impacts since the AICWW continuously transports a considerable load of suspended fine materials in the water column.

A modicum of rebar is embedded in the piers. This will likely remain in place through the blasting. Some rebar may topple into the water. All accessible rebar will be removed by heavy equipment (see the Debris

Removal section below). A very small percentage of the rebar may remain in the AICWW.

The non-explosive deconstruction of the bridge will yield mostly large disassembled pieces and large jack-hammered pieces. These will be removed by trucks using the remaining bridge. The existing grates, which directly overlie the navigation channel, will be easily removed, without impeding navigation. A small amount of the span pieces inevitably will fall into the water beneath the bridge, outside the channel. These will be removed during the removal of the blast rubble (see the Debris Removal section below).

#### *Debris Removal*

Quick removal of any blasting debris from the navigation channel is imperative. Any debris which affects the cross-sectional and profile integrity of the channel will be removed via the dual barge method described below, within 6–8 hours of the blasting event.

Exhibit No. 3 (in JTA's application) indicates bottom contours as determined in 2006. The contours were generated with side scanning sonar that recorded continuously along nine east/west traverses spaced 50 ft (15.2 m) apart. A new bottom contour survey will be produced a few weeks prior to any chipping demolition. The survey will result from a side-scanning sonar recording bottom depths continuously along 40 east/west traverses spaced 10 ft (3.1 m) apart. The 2008 survey will also have 5 ft (1.5 m) contours and serve as the reference for all post-demolition debris removal. The survey will be forwarded to ACOE and SJRWMD prior to any chipping demolition. Following demolition, debris will be removed from the bottom so that only an incidental quantity remains post-development. After debris removal, a final survey of the bottom will be prepared and submitted to ACOE and SJRWMD. The survey will be generated using a side-scanning sonar which records bottom depths continuously along 40 east/west traverses spaced 10 ft apart. The contour level will be 5 ft.

Two barges will be used during debris removal. One will have either a large back hoe or a small crane that will lift debris from the waterway. The second barge will hold the debris. Whether on the east or west side of the navigation channel, the paired barges will be oriented north/south, thereby keeping the navigation channel largely unobstructed. A land based back hoe or crane will empty the barge loads into awaiting dump trucks. Creosote soaked piles will be taken to Trail Ridge Land Fill in western Duval County, Florida.

Concrete and rebar will be taken to one of several approved C & D land fills in Duval County, Florida. JTA knows of no other practical means of debris removal/disposal.

Additional details regarding the proposed explosive demolition project can be found in the Supplemental Environmental Assessment (SEA): "Supplemental Assessment on an Authorization for the Incidental Take of Marine Mammals Associated with Confined Underwater Blasting as a Construction Method for Removing Support Structures of the Beach Boulevard AICWW Bridge Project in Duval County, Florida by the Jacksonville Transportation Authority." The SEA can also be found online at: <http://www.nmfs.noaa.gov/pr/permits/incidental.htm#signapplications>

#### Proposed Dates, Duration, and Location of Specified Activity

The bi-directional bridge which is being replaced has been closed and currently is undergoing partial disassembly in preparation for demolition. Nearly all of the above water part of the bridge will be demolished via chipping. The below-water portions and a small-amount of the above water portions of the bridge will be demolished by the use of explosives. The first proposed blasting event will occur on or shortly after December 1, 2008, and the subsequent two blasts will be completed by December 31, 2008.

The existing Beach Boulevard Bridge traverses the AICWW in Sections 36 and 38, Township 2 South, Ranges 28 and 29 East, Duval County, Jacksonville, Florida (see Exhibit 1 of the Blasting Plan in JTA's application for more

information). Approximate coordinates of the site are as follows: 30° 17' 17" North latitude, 81° 26' 18" West longitude.

#### Description of Marine Mammals and Habitat Affected in the Activity Area

Several cetacean species and a single species of sirenian are known to or could occur in the Duval County study area and off the Southeast Atlantic coastline (see Table 1 below). Species listed as Endangered under the U.S. Endangered Species Act (ESA), includes the humpback, sei, fin, blue, North Atlantic right, and sperm whale. The marine mammals that occur in the proposed blasting area belong to three taxonomic groups: mysticetes (baleen whales), odontocetes (toothed whales), and sirenians (the manatee). Table 1 below outlines the cetacean species and their habitat in the region of the proposed project area.

TABLE 1. THE HABITAT AND CONSERVATION STATUS OF MARINE MAMMALS INHABITING THE PROPOSED STUDY AREA IN THE SOUTHEAST U.S. ATLANTIC OCEAN

Species	Habitat	ESA <sup>1</sup>
<b>Mysticetes</b>		
North Atlantic right whale ( <i>Eubalaena glacialis</i> )	Coastal and shelf	EN
Humpback whale ( <i>Megaptera novaeangliae</i> )	Pelagic and banks	EN
Bryde's whale ( <i>Balaenoptera brydei</i> )	Pelagic and coastal	NL
Minke whale ( <i>Balaenoptera acutorostrata</i> )	Shelf, coastal, and pelagic	NL
Blue whale ( <i>Balaenoptera musculus</i> )	Pelagic and coastal	EN
Sei whale ( <i>Balaenoptera borealis</i> )	Primarily offshore, pelagic	EN
Fin whale ( <i>Balaenoptera physalus</i> )	Slope, mostly pelagic	EN
<b>Odontocetes</b>		
Sperm whale ( <i>Physeter macrocephalus</i> )	Pelagic, deep seas	EN
Cuvier's beaked whale ( <i>Ziphius cavirostris</i> )	Pelagic	NL
Gervais' beaked whale ( <i>Mesoplodon europaeus</i> )	Pelagic	NL
True's beaked whale ( <i>Mesoplodon mirus</i> )	Pelagic	NL
Blainville's beaked whale ( <i>Mesoplodon densirostris</i> )	Pelagic	NL
Dwarf sperm whale ( <i>Kogia sima</i> )	Offshore, pelagic	NL
Pygmy sperm whale ( <i>Kogia breviceps</i> )	Offshore, pelagic	NL
Killer whale ( <i>Orcinus orca</i> )	Widely distributed	NL
Short-finned pilot whale ( <i>Globicephala macrorhynchus</i> )	Inshore and offshore	NL
False killer whale ( <i>Pseudorca crassidens</i> )	Pelagic	NL
Mellon-headed whale ( <i>Peponocephala electra</i> )	Pelagic	NL
Pygmy killer whale ( <i>Feresa attenuata</i> )	Pelagic	NL

TABLE 1. THE HABITAT AND CONSERVATION STATUS OF MARINE MAMMALS INHABITING THE PROPOSED STUDY AREA IN THE SOUTHEAST U.S. ATLANTIC OCEAN—Continued

Species	Habitat	ESA <sup>1</sup>
Risso's dolphin ( <i>Grampus griseus</i> )	Pelagic, shelf	NL
Bottlenose dolphin ( <i>Tursiops truncatus</i> )	Offshore, inshore, coastal, estuaries	NL
Rough toothed dolphin ( <i>Steno bredanensis</i> )	Pelagic	NL
Fraser's dolphin ( <i>Lagenodelphis hosei</i> )	Pelagic	NL
Striped dolphin ( <i>Stenella coeruleoalba</i> )	Pelagic	NL
Pantropical spotted dolphin ( <i>Stenella attenuata</i> )	Pelagic	NL
Atlantic spotted dolphin ( <i>Stenella frontalis</i> )	Coastal to pelagic	NL
Spinner dolphin ( <i>Stenella longirostris</i> )	Mostly pelagic	NL
Clymene dolphin ( <i>Stenella clymene</i> )	Pelagic	NL
<b>Sirenians</b>		
West Indian (Florida) manatee ( <i>Trichechus manatus latirostris</i> )	Coastal, rivers and estuaries	EN

<sup>1</sup> U.S. Endangered Species Act: EN = Endangered, T = Threatened, NL = Not listed

The two species of marine mammals that are known to commonly occur in close proximity to the blasting area of the St. Johns River, AICWW, and Beach Boulevard (otherwise known as State Road 212- U.S. Highway 90) are the West Indian (Florida) manatee and Atlantic bottlenose dolphin.

#### Florida Manatee

The West Indian manatee in Florida and U.S. waters is managed under the jurisdiction of the U.S. Fish and Wildlife Service (USFWS) and is listed as Endangered under the Endangered Species Act (ESA). They primarily inhabit coastal and inshore waters. The Atlantic population of this species frequents the AICWW (Pablo Creek) project vicinity, particularly as a migration route in the spring and fall, but may be found anytime during the year. The immediate area near the project site is considered foraging habitat and animals may potentially loaf for long periods of time in the marina basin adjacent to the site, which increases the likelihood of manatee presence during the explosive demolition of the structures. Manatee occurrences are extremely rare during winter months (December, January, and February) in typical years because of the cold water temperatures in the waterway and lack of warm water refuge sites nearby. To minimize potential involvement with manatees from underwater explosions, the optimal timeframe to utilize explosives is during the winter months of the year. The USFWS considers this timeframe “the

manatee construction window” for utilizing explosives.

#### Atlantic Bottlenose Dolphins

Atlantic bottlenose dolphins are distributed worldwide in tropical and temperate waters, and in U.S. waters occur in multiple complex stocks along the U.S. Atlantic coast. According to the 2005 NOAA stock assessment report, bottlenose dolphins inhabiting water less than 66 ft (20 m) deep are divided into 36 separate inshore or coastal stocks while animals in water 66–656 ft (20–200 m) deep constitute three continental shelf stocks.

These complex stock segments of coastal bottlenose dolphins are based on a combination of geographical, ecological, and genetic research. However, because the data of structure of stocks is complex, coastal and continental shelf stocks may overlap, the exact structure of these stocks continues to be revised as research is completed. Analytical results of the overall genetic variation indicate a minimum of five stocks of coastal bottlenose dolphins along the U.S. Atlantic coast.

The proposed action would occur inshore at a depth of less than 66 ft (20.1 m) and, therefore, has the potential to affect the coastal stocks. From genetic analysis, the bottlenose dolphin population around Duval County, Florida consists of part of the Western North Atlantic Coastal Morphotype stock. This stock may also include demographically distinct coastal and resident estuarine populations that are

defined by seasonal migratory and transient movements throughout large home ranges. The movement along the southern portion of the Atlantic coast is poorly understood and is currently under study. The resident estuarine stocks are likely demographically distinct from coastal stocks and are currently included in the coastal management unit definitions. The estimated population for the U.S. Western North Atlantic Coastal Morphotype stock of Atlantic bottlenose dolphins, which are based on aerial surveys and counts conducted in winter 1995 and summer 2002, is approximately 17,466 animals; but these estimates do not include all estuarine waters and the abundance may be negatively biased.

Based upon available data and analysis, seven management units with the range of the coastal morphotype of western North Atlantic bottlenose dolphin have been defined, yet the population structure is probably more complex and will continue to be refined as research efforts continue. The best abundance estimate of the Northern Florida management unit is 448 individuals. The Atlantic bottlenose dolphin is not listed as threatened or endangered under the ESA, and the U.S. coastal migratory stock is considered depleted and the management units are considered strategic under the MMPA.

NMFS defines seven geographic management units within the range of the coastal morphotype of the Western North Atlantic bottlenose dolphin. The bottlenose dolphin stocks within the

Western North Atlantic population are complex, and resident estuarine stocks likely exist, but they are currently included in coastal management unit definitions. Abundance estimates do not exist for estuarine waters. Further, each management unit definition likely encompasses seasonal residents and migratory or transient animals. Genetic analyses, photo-identification, radio transmitters, and stable isotope ratios of oxygen were used to identify the stocks.

The AICWW Beach Boulevard Bridge project site is in the Northern Florida management unit for Atlantic bottlenose dolphin coastal morphotypes. Atlantic bottlenose dolphins are known to occur in the project area at or within a few hundred feet of the project several times a week. Dolphins, when present near the project site, usually occur in groups of two or three. Bottlenose dolphin occurrence in the Jacksonville area is year-round, however significant seasonal variation exists.

Based on photo-identification and behavioral data, Caldwell (2001) identified three behaviorally differentiated bottlenose dolphin communities in the Jacksonville, Florida area. These three distinct communities have been called Northern, Southern, and Coastal. The Northern community has year-round residency and random social affiliations, with a mean group size of 5 individuals. The Southern community has seasonal residency and non-random social affiliations, with a mean group size of 22 individuals. The Coastal community has no residency and random social affiliations, with a mean group size of 17 individuals. The social structure on a small geographic scale of these three distinct populations varies based on significant genetic differentiation and behavior. Although the three Jacksonville area communities use contiguous habitats, the Northern and Southern communities are primarily inshore, and the Coastal community generally uses the coastal waters of the Jacksonville area from the beach to 1.9 miles (3 km) offshore (Caldwell, 2001). The Southern and Coastal communities have partially overlapping ranges, while the Northern and Southern community's ranges may generally be separated by the St. John's River. Also, the Southern and Coastal communities are behaviorally and genetically differentiated from the Northern community (Caldwell, 2001).

In Florida and other states along the U.S. East Coast, bottlenose dolphin abundance and density is often correlated with water temperature and season. Significantly fewer dolphins were observed during the winter season

when water temperature falls below 16 degrees Celsius (Caldwell, 2001).

NMFS anticipates that no bottlenose dolphins will be injured or killed during the three proposed blasting events. The specific objective of JTA's wildlife watch plan is to ensure that no dolphins (or manatees) are in the area during the blast detonations. Because of the circumstances and the proposed mitigation and monitoring requirements discussed herein this document, NMFS believes it highly unlikely that the proposed activities would result in injury (Level A Harassment), serious injury or mortality of bottlenose dolphins, however, they may temporarily avoid the area where the proposed explosive demolition will occur. The JTA has requested the incidental take of six bottlenose dolphin for the proposed action. The estimated abundance of the Western North Atlantic Coastal stock is approximately 17,466 animals and the estimated abundance of the North Florida management unit is approximately 448 animals. NMFS has determined that the number of requested incidental takes for the proposed action are small relative to population estimates, of Atlantic bottlenose dolphins.

Further information on the biology and local distribution of these species and others in the region can be found in JTA's application, which is available upon request (see **ADDRESSES**), and the NMFS Marine Mammal Stock Assessment Reports, which are available online at: <http://www.nmfs.noaa.gov/pr/species/>

#### **Potential Effects of Activities on Marine Mammals**

In general, potential impacts to marine mammals from explosive detonations could include both lethal and non-lethal injury (Level A Harassment), as well as Level B Harassment. In the absence of mitigation, marine mammals may be killed or injured as a result of an explosive detonation due to the response of air cavities in the body, such as the lungs and bubbles in the intestines. Effects are likely to be most severe in near surface waters where the reflected shock wave creates a region of negative pressure called "cavitation."

A second potential possible cause of mortality is the onset of extensive lung hemorrhage. Extensive lung hemorrhage is considered debilitating and potentially fatal. Suffocation caused by lung hemorrhage is likely to be the major cause of marine mammal death from underwater shock waves. The estimated range for the onset of extensive lung hemorrhage to marine

mammals varies depending upon the animal's weight, with the smallest mammals having the greatest potential hazard range.

NMFS' criteria for determining non-lethal injury (Level A Harassment) from explosives are the peak pressure that will result in: (1) the onset of slight lung hemorrhage, or (2) a 50-percent probability level for a rupture of the tympanic membrane (TM). These are injuries from which animals would be expected to recover on their own.

NMFS has established dual criteria for what constitutes Level B Harassment: (1) An energy based temporary threshold shift (TTS) received sound levels 182 dB re 1  $\mu\text{Pa}^2\text{-s}$  cumulative energy flux in any 1/3 octave band above 100 Hz for odontocetes (derived from experiments with bottlenose dolphins (Ridgway *et al.*, 1997; Schlundt *et al.*, 2000); and (2) 12 psi peak pressure cited by Ketten (1995) as associated with a safe outer limit for minimal, recoverable auditory trauma (i.e., TTS). The Level B Harassment zone, therefore, is the distance from the mortality, serious injury, injury (Level A Harassment) zone to the radius where neither of these criterion is exceeded.

The primary potential impact to the Atlantic bottlenose dolphins occurring in the St. Johns River and AICWW from the proposed detonations is Level B harassment incidental to noise generated by explosives. In the absence of any mitigation or monitoring measures, there is a very small chance that a marine mammal could be injured or killed when exposed to the energy generated from an explosive force on the sea floor. However, NMFS believes the proposed monitoring and mitigation measures will preclude this possibility in the case of this particular activity.

Non-lethal injurious impacts (Level A Harassment) are defined in this proposed IHA as TM rupture and the onset of slight lung injury. The threshold for Level A Harassment corresponds to a 50-percent rate of TM rupture, which can be stated in terms of an energy flux density (EFD) value of 205 dB re 1  $\mu\text{Pa}^2\text{-s}$ . TM rupture is well-correlated with permanent hearing impairment (Ketten, 1998) indicates a 30-percent incidence of permanent threshold shift (PTS) at the same threshold). The farthest distance from the source at which an animal is exposed to the EFD level for the Level A Harassment threshold is 295 ft (89.9 m).

Level B (non-injurious) Harassment includes temporary (auditory) threshold shift (TTS), a slight, recoverable loss of hearing sensitivity. One criterion used for TTS is 182 dB re 1  $\mu\text{Pa}^2\text{ s}$  maximum

EFD level in any 1/3- octave band above 100 Hz for toothed whales (e.g., dolphins). A second criterion, 23 psi, has recently been established by NMFS to provide a more conservative range of TTS when the explosive or animals approaches the sea surface, in which case explosive energy is reduced, but the peak pressure is not. The distance for 23 psi is 1,180 ft (359.8 m) (NMFS will apply the more conservative of these two distances).

Level B Harassment also includes behavioral modifications resulting from repeated noise exposures (below TTS) to the same animals (usually resident) over a relatively short period of times. Threshold criteria for this particular type of harassment are currently still being considered. One recommendation is a level of 6 dB below TTS (see 69 FR 21816, April 22, 2004), which would be 176 dB re 1  $\mu\text{Pa}^2$  s. Due, however, to the infrequency of detonations, the short overall time period of the project, and the continuous movement of marine mammals in the AICWW, NMFS believes that behavioral modification from repeated exposures to the same animals is highly unlikely.

The Safety Zone radius of the blast is determined by using the Navy Diver Formula for an uncontrolled blast suspended in the water column. In the current instance, the formula is conservative since the charges to be used for Beach Boulevard Bridge footers will be confined within the footers, effectively reducing both the pressure and impulse of a water shock wave. In addition, boreholes will be stemmed at the in collars to further contain the pressures. The Safety Zone radius formula in feet is expressed by the following:  $R = 520 (W)^{1/3} + 500$  ( $R$  = exclusion zone radius,  $W$  = weight of explosive in pounds per delay)

For the designed maximum explosives per delay of 16.5 pounds, the resulting Safety Zone is 1,824 ft. The max/delay of explosives is 16.5 lbs dynamite, which is equivalent to 13.2 lbs TNT. A maximum psi of 23 is used to determine the TTS distance and a maximum psi of 100 is used to determine the PTS distance. Cole's equation for determining max pressures created by free-field underwater explosions used is expressed by the following:  $P = 21,600 (W^{1/3} / R)^{1.13}$  ( $P$  = pressure,  $W$  = TNT weight/delay,  $R$  = radius in feet)

TTS Distance:

$$R = (13.2^{1/3}) / (23/21,600)^{0.885} = 1,180 \text{ ft}$$

PTS Distance:

$$R = (13.2^{1/3}) / (100/21,600)^{0.885} = 295 \text{ ft}$$

NMFS considers the Safety Zone radius calculated using the Navy Diver Formula conservative for marine

mammals when compared to the calculated distances for TTS and PTS. The calculated Safety Zone will be used for both Atlantic bottlenose dolphin and the Florida manatee. Blasting is anticipated to be completed with three shots occurring over a two to three week period. The time frame for the blasting is subject to change dependent upon weather, tides, etc.

#### Possible Effects of Activities on Marine Mammal Habitat

The JTA expects the effects on marine mammal habitat to be minimal. The existing land cover and land use within the project area include the two bridge abutments, the open water of the AICWW, salt marsh, a marina to the northeast, and a navigable water body to the southeast. The salt marsh, largely occurring north and south of the western bridge abutment, is dominated by grasses (*Spartina alterniflora* and *Juncus roemerianus*). Invertebrates (mollusks, polychaetes, crustaceans, and insects) and terrestrial vertebrates (mammals, wading birds) are common marsh associates. Fish frequent the marsh at high and mid-tides. The remainder of the submerged area is mud and sand. Polychaetes, crustaceans, and mollusks likely occur in areas where tidal flow velocity is not high. Fish occur over the bottoms. There is no submerged aquatic vegetation in the area.

The vast majority of the debris from the demolition will be gravel size and larger, as well as a small amount of sand-sized pieces (indicated in the Demolition Debris section and Exhibit 7 of the Blasting Plan). The blast debris will not disperse across an area wider than 80 ft (24.4 m).

No components of the bridge will be purposefully placed in the AICWW; only those demolition fragments which are impractical to keep out of the water will end up on the bottom. The bascule grates and all of the rebar in those portions of the supports that will be chipped will undergo controlled removal. Most of the rebar in those portions of the supports that will be demolished by explosives will remain intact and in place, and therefore will be easily cut and removed with heavy machinery. Only a small portion of the support structure rebar will end up in the AICWW.

Most of the horizontal portions of the bridges (i.e., spans) will be deconstructed through the use of cranes, large chippers, and trucks. Very little of this portion of the bridge will fall into the water. The vertical supports will be shipped to an elevation of 5 ft (1.5 m), with nearly all of the concrete fragments

falling into the open water away from the channel, and the steel rebar cut and hauled away for disposal or recycling. Rubble generated by the explosive demolition of the remaining above water stubs and all of the submerged portions of the supports will be removed in accordance with the Debris Removal section of the Blasting Plan.

The profile and cross-section of the channel will be re-established within 6–8 hours of each of the three blasting events, as referenced in the Debris Removal section of the Blasting Plan. Debris in the project area, but outside of the channel, will be removed within 30 days of the final blasting event.

It is anticipated that the blasting events will not physically impact the marine mammal habitat in the AICWW except for the blast debris which falls to the bottom. The anticipated biological impact of the explosive demolition is that benthic and water column dwelling vertebrate and invertebrate species near the blasts will be killed by pressure waves. Restoration of the physical habitat adjacent to the AICWW channel will begin within an hour or two of the two related blast events and will entail debris removal. Restoration of the physical habitat at the bridge will be completed within 30 days of the final blasting and will involve re-establishing the pre-blast contours through the use of a clamshell dredge and/or large back hoe.

The activity will have a small and inconsequential impact to the physical habitat at/near the bridge. The blasting events will have an ephemeral impact on the biological component of the near bridge habitat. Temporary disturbance of the project area during the proposed blasting activities is not expected to reduce post-construction use of the area by resident and transient species. The project is not expected to result in loss of bottlenose dolphin habitat. Habitat modifications, if any, are anticipated to be inconsequential and are not expected to have any effect on the dolphin species and/or stock.

The blasting versus non-blasting discussion hinges on whether the additional 500 hours of permitted tug/barge activity without several trained wildlife observers represents a greater risk to wildlife than the three proposed blast events which include a Watch Plan specifically designed and implemented to minimize risk provided the suggested mitigation and monitoring is implemented by JTA.

Impacts to navigation in the AICWW are expected to be low, whether blasting occurs or not. However, it is obvious that a project entailing 400 hours of tug/

barge activity will be less impacting than 900 hours of tug/barge operations.

The only two practical means of removing the existing footers is by chipping or explosives, with chipping the no-action alternative, in this case. Chipping while protracted, is in fact possible. However, risks to wildlife, slight risks to boat navigation and brief channel closures are all positively correlated to the demolition duration. Therefore, explosive demolition, while not risk-free, is superior to chipping.

The location and nature of the blasting combine to indicate that impacts to the AICWW will be limited. The footprint of the bridge in the blasting area comprises a channel that experiences high scour, and shallower bottoms that are covered with rip rap, gravel, and rocks. It is highly manipulated and artificial setting. The blasting will consist of three brief shock waves and result in more rubble falling on top of the existing rubble.

Five complications to further impact minimization exist. First the area is tidally influenced with the normal tidal range over 4 ft (1.2 m). The constant ebb and flow limits turbidity control measures. Second, the AICWW is comparatively narrow at the bridge crossing, leading to strong currents. Third, the currents are bi-directional, eliminating any minimization measures that might be implementable at a uni-directional flow location. Fourth, interstitial gaps in the rip rap and general rubble all but prevent turbidity containment, particularly when combined with the three aforementioned complications. Finally, maintenance of navigation in the channel severely limits possible remediation and containment of blast rubble coming from the eight footers next to the channel.

The JTA anticipates no loss or modification to the habitat used by Atlantic bottlenose dolphins in the AICWW. The primary source of marine mammal habitat impact resulting from the explosive demolition is noise, which is intermittent (maximum 3 times per year) and of limited duration. The effects of debris (which will be recovered following test activities), were analyzed in JTA's application and concluded that marine mammal habitat would not be affected.

NMFS anticipates that the action will result in no impacts to marine mammal habitat beyond rendering the areas immediately around the bridge support structures less desirable shortly after the blasting event. Three blasting events over a two to three week period are anticipated during the validity of the IHA.

Blasting impacts to the AICWW estuarine water column and bottoms will consist of three rapidly moving pressure waves. Excepting a very small area (approximately 40 ft or 12.2 m) immediately around the blasts, the substrate will not be affected. The estuarine water column will be affected for a distance less than 1,824 ft (556.4 m) from the blasts (according to the commonly used blasting safety formula). The impacts will be localized and instantaneous. Impacts to marine mammal, invertebrate, and fish species are not expected to be detrimental.

#### Proposed Mitigation

In the absence of acoustic measurements (due to the high cost and complex instrumentation needed), in order to protect endangered, threatened, and protected species, the following equation has been adopted by the JTA for the blasting project to determine the zone for potential harassment, injury or mortality from an open water explosion and to assist the JTA in establishing mitigation and monitoring to reduce impacts to the lowest level practicable. This equation is believed to be conservative because they are based on humans, who are more sensitive than dolphins, and on unconfined charges, while the proposed blasts in the AICWW will be confined (stemmed) charges. The equation, based on the Navy Diver Formula, is:

$$\text{Safety Zone radius} = 520 (\text{lbs/delay})^{1/3} + 500$$

The Safety Zone is the approximate distance in feet beyond which injury (Level A Harassment) is unlikely from an open water explosion and mortality is not expected. This zone will be used for implementing mitigation measures for both Florida manatees and Atlantic bottlenose dolphins.

In the AICWW or any area where explosives are required to remove bridge support structures, marine mammal protection measures will be employed by the JTA. For each explosive charge, the JTA will ensure that a detonation will not occur if a marine mammal is sighted by a dedicated biologically-trained observer within the safety zone, a circular area around the detonation site with the following radius:  $R = 520(W)^{1/3} + 500$  (520 times the cube root of the weight of the explosive charge in pounds) where: R = radius of the safety zone in ft; W = weight of the explosive charge in lbs per delay (9 ms minimum separation).

Although the area inside the Safety Zone is considered to be an area for potential injury, the JTA and NMFS believe that because all explosive charges will be stemmed (placed in

drilled hole and tamped with rock), the areas for potential mortality and injury will be significantly smaller than this area and, therefore, it is unlikely that even non-serious injury would occur if as is believed to be the case, monitoring and mitigating this zone will be effective. Since bottlenose dolphins are commonly found on the surface of the water, implementation of a mitigation and monitoring program is expected by NMFS to be effective.

The JTA will implement mitigation measures and a monitoring program that will establish the Safety Zone radius to ensure that bottlenose dolphins will not be injured during blasting and that impacts will be at the lowest level practicable. Additional mitigation measures include: (1) confining the explosives in a borehole with drill patterns restricted to a minimum of 8 ft (2.4 m) separation from any other loaded borehole; (2) restricting the hours of detonation from 2 hours after sunrise to 1 hour before sunset to ensure adequate observation of marine mammals in the Safety Zone; (3) staggering the detonation for each explosive hole in order to spread the explosive's total overpressure over time; (4) capping or stemming the boreholes containing explosives with angular rock or crushed stone (sized at 1/20 to 1/8 of the borehole diameter) to a minimum of 12 inches in depth in order to reduce the outward potential of the blast, thereby reducing the chance of injuring a marine mammal; (5) matching, to the extent possible, the energy needed in the "work effort" of the borehole to the rock mass to minimize excess energy vented into the water column; (6) establishing a Safety Zone (1,824 ft) for confined blasting based on the maximum weight of explosives detonated (16.5 lbs per 25 ms delay) and calculated using the Navy Diver Formula; (7) conducting a marine protected species watch (as described in the Marine Wildlife Safety Plan and Manatee, Marine Mammal, Sea Turtle Survey Watch Plan) with no less than five NMFS-qualified observers from a small water craft, aircraft, and/or an elevated platform on the explosives barge, beginning at least 60 minutes before and continuing for at least 30 minutes after each detonation to ensure that there are no marine mammals in the area at the time of detonation; (8) allowing animals to leave the Safety Zone under their own volition; and (9) conducting blasts during time periods of the year when there are low marine mammal abundance densities. Avoiding periods when marine mammals are in the blasting zone is another mitigation



measure to protect marine mammals from underwater explosions. Given the poor water clarity and available habitat in the immediate area of the project, the USFWS recommended demolition utilizing explosives during the "manatee construction window" (December-February) when the occurrence or density of marine mammals in the Jacksonville area is at its lowest.

### Proposed Monitoring

The JTA will be implementing a Marine Wildlife Safety Plan and a Manatee, Marine Mammal, and Sea Turtle Watch Plan (Watch Plan) that will minimize the possibility of incidental take to pressure waves from the blast to the fullest extent practicable. JTA is working on the Watch Plan with USFWS, SJRWMD, Florida Fish and Wildlife Conservation Commission (FWC), and ACOE. The Watch Plan has been prepared to ensure the protection of those species large enough to be located visually within the zone of blasting activities influence.

A nearly identical Watch Plan was used during the demolition of the Fuller Warren Bridge, which spans approximately 3,600 ft (1,097.6 m) over open water in downtown Jacksonville, Florida. The Beach Boulevard Bridge spans approximately 300 ft (91.5 m) over open water. Applying the same specifications for a project that is more than an order of magnitude smaller in scale represents an effort to provide more than adequate protection for large wildlife including bottlenose dolphins.

The observer monitoring program will take place in a large circular area around the blasting site (also referred to as the Watch Zone). Any marine mammal(s) in the Safety, or Watch Zone will not be forced to move out of those zones by human intervention. Detonation shall not occur until the animal(s) move(s) out of the Safety Zone on its own volition.

Monitoring and mitigation will consist primarily of surveying and taking action to avoid detonating charges when protected species are within the Safety Zone radius. The marine wildlife safety observer team will consist of five members. The team will have a chief observer, who will be the aerial observer in a helicopter, and four other stationary ground and/or waterborne observers. Observers will be equipped with two-way radios, binoculars, a sighting log, map, signal flags, and polarized sunglasses.

Proposed monitoring requirements in relation to JTA's blasting activities will include observations made by the applicant and their associates.

Information recorded will include species counts, numbers of observed disturbances, and descriptions of the disturbance behaviors before, during and after blasting activities. Observations of unusual behaviors, numbers, or distributions of marine mammals and sea turtles in the activity area to NMFS and USFWS so that any potential follow-up observations can be conducted by the appropriate personnel. In addition, observations of tag-bearing marine mammal, sea turtles, and fish carcasses as well as any rare or unusual species of marine mammals and fish will be reported to NMFS and USFWS.

If at any time injury or death of any marine mammal occurs that may be a result of the proposed blasting activities, the JTA will suspend activities and contact NMFS immediately to determine how best to proceed to ensure that another injury or death does not occur and to ensure that the applicant remains in compliance with the MMPA.

Several mitigation measures to reduce the potential for harassment from explosive demolition activities would be (or are proposed to be implemented) implemented as part of the blasting construction activities. The potential risk of injury or mortality would be avoided with the following proposed mitigation and monitoring measures. Monitoring of the test area will continue throughout the activity until the last detonation is complete. The activity would be postponed if:

(1) Any marine mammal is visually detected with the Safety Zone (1,824 ft). The delay would continue until the animal(s) that caused the postponement is confirmed to be outside the Safety Zone (visually observed swimming out of the range and not likely to return).

(2) Any marine mammal is detected in the Safety Zone and subsequently is not seen again. The activity would not continue until the last verified location is outside the Safety Zone and the animal is moving away from the activity area, or the animal has not been seen for at least 30 minutes within the Safety Zone.

(3) Large schools of fish are observed in the water within the Safety Zone. The delay would continue until large schools are confirmed to be outside the Safety Zone.

In the event of a postponement, pre-activity monitoring would continue as long as weather and daylight hours allow. If a charge failed to explode, mitigation measures would continue while operations personnel attempted to recognize and solve the problem, i.e., detonate the charge.

A formal Plan Coordination Meeting will be held no later than three days

before the first detonation event to review the items listed above, to discuss the responsibilities of all parties, and to review and approve the schedule of events. Attendees will include the contractor's representative, the entire Marine Wildlife Safety Observer team, the blasting consultant, the USFWS, FWC, the USCG, and other interested environmental parties such as NMFS and Florida Marine Patrol. The agenda will be coordinated by Superior Construction with the blasting contractor, USFWS, and FDEP. It will include the latest information about the possible presence of marine mammals during the operation, the logistics of the detonation schedule, the communications plan, and the responsibilities of all parties involved. A summary report will be submitted to all interested parties.

Post-activity monitoring is designed to determine the effectiveness of pre-activity monitoring and mitigation by reporting any sightings of dead or injured marine mammals. Post-detonation monitoring, concentrating on the area down current of the test site, would commence immediately following each detonation and continue for at least one hour after the last detonation. The monitoring team would document and report to the appropriate marine mammals killed or injured during the activity and, if practicable, recover and examine any dead animals. The species, number, location, and behavior of any animals observed by the tams would be documented and reported to the project leader.

West Indian manatees, which are federally listed as Endangered under the ESA and managed by the USFWS, are not expected in the St. John's River and AICWW (Pablo Creek) during the time periods when the activities would be conducted. However, if manatees are sighted during the activities, the JTA would follow similar mitigation and monitoring procedures in place for bottlenose dolphins to avoid impacts, suspending activities in any areas manatees are occupying.

### Proposed Reporting

After completion of all detonation events, the Chief Observer will submit a summary report to regulatory agencies. This report will contain the observer's logs, provide the names of the observers, and their positions during the event, the number and location of marine mammals sighted during the monitoring period, the behavior observations of the marine mammals, and the actions that were taken when the animals were observed in the project area.

The JTA will notify NMFS and the Regional Office prior to initiation of each explosive demolition session. Any takes of marine mammals other than those authorized by the IHA, as well as any injuries or deaths of marine mammals, will be reported to the Southeast Regional Administrator, within 24 hours. A draft final report must be submitted to NMFS within 90 days after the conclusion of the blasting activities. The report will include a summary of the information gathered pursuant to the monitoring requirements set forth in the IHA, including dates and times of detonations as well as pre- and post-blasting monitoring observations. A final report must be submitted to the Regional Administrator within 30 days after receiving comments from NMFS on the draft final report. If no comments are received from NMFS, the draft final report will be considered to be the final report.

#### ESA

For the reasons already described in this **Federal Register** Notice, NMFS has determined that the described proposed blasting activities and the accompanying IHA may have the potential to adversely affect species under NMFS jurisdiction and protected by the ESA. The ACOE, on behalf of the JTA, requested a section 7 consultation pursuant to the ESA with NMFS. Since ESA-listed species are not expected to be adversely affected by the proposed activities provided the described protected species avoidance measures for the use of explosives are implemented, a Letter of Concurrence was prepared by the NMFS Southeast Regional Office, dated October 9, 2008.

#### National Environmental Policy Act (NEPA)

NMFS prepared an Environmental Assessment (EA) on an Authorization for the Incidental Take of Marine Mammals Associated with Confined Underwater Blasting as a Construction Method for Civil Works Projects along the Coast of Florida by the Jacksonville District of the U.S. Army Corps of Engineers, which analyzed the issuance of multiple IHAs over several years for these activities, as well as is currently preparing a Supplemental Environmental Assessment (SEA) for the proposed action. The proposed action is similar to the action that was analyzed in the 2005 EA and the EA and 2008 Supplemental EA remains applicable. A copy of the EA and SEA are available upon request (see **ADDRESSES**).

#### Preliminary Determinations

Based on JTA's application, as well as the analysis contained herein, NMFS has preliminarily determined that the impact of the described blasting project will result, at most, in a temporary modification in behavior by small numbers of Atlantic bottlenose dolphin, in the form of temporarily vacating the Beach Boulevard AICWW Bridge area to avoid blasting activity and potential for minor visual and acoustic disturbance from dredging and detonations. The effect of the blasting project is expected to be limited to short-term and localized TTS-related behavioral changes.

Due to the infrequency, short time-frame, and localized nature of these activities, the number of marine mammals, relative to the population size, potentially taken by harassment is small. In addition, no take by injury or death is anticipated, and take by Level B Harassment will be at the lowest level practicable due to incorporation of the proposed monitoring and mitigation measures mentioned previously in this document. NMFS has further preliminarily determined that the anticipated takes will have a negligible impact on the affected species or stock of marine mammals. No injury (Level A Harassment), serious injury, and/or mortality is authorized for marine mammals. The provision requiring that the activity not have an unmitigable adverse impact on the availability of the affected species or stock for subsistence uses does not apply to this proposed action as there are no subsistence users within the geographic area of the proposed project.

#### Proposed Authorization

As a result of these preliminary determinations, NMFS proposes to issue an IHA to the JTA for the harassment of small numbers (based on populations of the species and stock) of Atlantic bottlenose dolphin incidental to the explosive demolition of bridge support structures, provided the previously mentioned mitigation, monitoring, and reporting requirements are incorporated.

#### Information Solicited

NMFS requests interested persons to submit comments and information concerning this proposed project and NMFS' preliminary determination of issuing an IHA (see **ADDRESSES**). Concurrent with the publication of this notice in the **Federal Register**, NMFS is forwarding copies of this application to the Marine Mammal Commission and its Committee of Scientific Advisors.

Dated: October 20, 2008.

**James H. Lecky,**

*Director, Office of Protected Resources,  
National Marine Fisheries Service.*

[FR Doc. E8-25414 Filed 10-23-08; 8:45 am]

**BILLING CODE 3510-22-S**

#### DEPARTMENT OF COMMERCE

#### National Oceanic and Atmospheric Administration

#### National Sea Grant Review Panel

**AGENCY:** National Oceanic and Atmospheric Administration, Commerce.

**ACTION:** Notice of public meeting.

**SUMMARY:** This notice sets forth the schedule and proposed agenda of a forthcoming meeting of the Sea Grant Review Panel. Panel members will discuss and provide advice on the National Sea Grant College Program in the areas of program evaluation, strategic planning, education and extension, science and technology programs, and other matters as described in the Agenda below.

**DATES:** The announced meeting is scheduled for two and one half days: Tuesday, November 11 through Thursday, November 13, 2008.

**ADDRESSES:** The meeting will be held at the Hilton Baton Rouge Capitol Center, Baton Rouge, Louisiana.

**FOR FURTHER INFORMATION CONTACT:** Ms. Melissa Pearson, National Sea Grant College Program, National Oceanic and Atmospheric Administration, 1315 East-West Highway, Room 11717, Silver Spring, Maryland 20910, 301-713-1083.

**SUPPLEMENTARY INFORMATION:** The Panel, which consists of a balanced representation from academia, industry, state government and citizens groups, was established by Section 209 of the Sea Grant Program Improvement Act of 1976 (Pub. L. 94-461, 33 U.S.C. 1128). The Panel advises the Secretary of Commerce and the Director of the National Sea Grant College Program with respect to operations under the Act, and such other matters as the Secretary refers to them for review and advice. The agenda for the meeting can be found at [http://www.seagrants.noaa.gov/leadership/review\\_panel.html](http://www.seagrants.noaa.gov/leadership/review_panel.html).

Dated: October 17, 2008.

**Mark E. Brown,**

*Chief Financial Officer/Chief Administrative Officer, Office of Oceanic and Atmospheric Research.*

[FR Doc. E8-25370 Filed 10-23-08; 8:45 am]

**BILLING CODE 3510-KA-P**