

APPENDIX G

SITE ASSESSMENT REPORT
FOR THE
EASTERN SANDUSKY COUNTY DUMPS SITE
CLYDE, SANDUSKY COUNTY, OHIO

LEACH DUMP SITE

1672 CR 236
Clyde, Ohio 43410
Latitude: 41.2978° North
Longitude: -83.0112° West

June 29, 2012

TABLE OF CONTENTS

1.	SITE BACKGROUND	1
1.1	SITE DESCRIPTION	1
1.2	SITE HISTORY	1
1.2.1	Ohio EPA Records Review	1
1.2.2	U.S. EPA Records Review.....	1
1.2.3	Whirlpool Corporation Reports Review	1
1.2.4	Environmental Database Search	2
2.	SITE ASSESSMENT ACTIVITIES	5
2.1	GEOPHYSICAL SURVEY	5
2.2	SUBSURFACE SOIL CHARACTERIZATION	5
2.3	GROUNDWATER WELL INSTALLATION AND SAMPLING	6
3.	RESULTS	7
3.1	PHYSICAL FINDINGS	7
3.1.1	Geophysical Survey Results	7
3.1.2	Subsurface Soil Physical Results	7
3.1.3	Groundwater Physical Results	8
3.2	LABORATORY ANALYTICAL FINDINGS.....	8
3.2.1	Subsurface Soil Analytical Results	8
3.2.2	Groundwater Analytical Results	9
4.	CONCLUSIONS	10

LIST OF FIGURES

- G1 Site Location Map
 - G2 Site Features Map
 - G3 Sample Locations and EM Survey Results Map
 - G4 Soil and Groundwater Analytical Results Exceeding Screening Criteria Map
-

LIST OF TABLES

- G1 Soil Sampling Results Summary Table
 - G2 Ground Water Sampling Results Summary Table
-

LIST OF APPENDICES

- G1 Historical Documents Summary
- G2 EDR Report
- G3 Photographic Documentation
- G4 Geophysical Survey Report and Figures
- G5 Boring Logs
- G6 Analytical Data Validation Reports

ABBREVIATIONS AND ACRONYMS

ALS	ALS Laboratory Group
AUL	Activity and Use Limitation
bgs	Below ground surface
CFR	Code of Federal Regulations
EDR	Environmental Data Resources, Inc.
EM	Electromagnetic
ft	Feet, Foot
GPR	Ground-Penetrating Radar
HDPE	High-Density Polyethylene
MCL	Maximum Contaminant Level
NCP	National Oil and Hazardous Substances Pollution Contingency Plan
NGS	National Geochemical Survey
OSC	On-scene Coordinator
PCB	Polychlorinated Biphenyl
RSL	Regional Screening Level
START	Superfund Technical Assessment and Response Team
SVOC	Semivolatile Organic Compound
TAL	Target Analyte List
TCLP	Toxicity Characteristic Leaching Procedure
U.S. EPA	United States Environmental Protection Agency
USGS	United States Geological Survey
VOC	Volatile Organic Compound

1. SITE BACKGROUND

1.1 SITE DESCRIPTION

The Leach Dump Site (Site) is located in a rural/residential area approximately 0.25 mile west of the Golembiowski Dump Site and less than 1 mile west of the City of Clyde. The approximate geographic coordinates for the Leach Dump Site are latitude 41.2978° North and longitude -83.0112° West (**Figure G-1**). The waste footprint on the Site encompasses approximately 4.1 acres, according to the Sandusky County Auditor's Tax Map Department (**Figure G-2**).

1.2 SITE HISTORY

1.2.1 Ohio EPA Records Review

According to historical documents obtained from the Ohio EPA, reports provided by Whirlpool Corporation (Whirlpool), and information provided during interviews with representatives of Whirlpool, wastewater treatment lagoon sludge from the Whirlpool Clyde Facility was disposed of at the Site. The wastewater sludge was placed on the ground surface. No subsurface disposal occurred at the Site. Between December 2001 and February 2002, the wastewater sludge disposed of at the Site was excavated and transported to the Ottawa County Landfill for disposal. U.S. EPA has received a report from Whirlpool detailing the removal activities at the Leach Dump Site. A summary of the historical documents obtained from Ohio EPA is provided in **Appendix G1**.

1.2.2 U.S. EPA Records Review

No records were obtained from the U.S. EPA for the Site.

1.2.3 Whirlpool Corporation Reports Review

Whirlpool provided two reports regarding the investigation and removal action at the Site. The Phase II Subsurface Assessment, August 2000, was performed to characterize and delineate the extent of the nonhazardous porcelain coating residuals previously disposed of at the Site. The report indicated that two distinct areas contained the residuals: Area 1, located on the western side of the Site, along South Creek, and Area 2, located in the center of the Site. Three distinct types of residuals were noted at the Site, described in the report as Type A (green, brown, white

or pinkish, friable, nonpetroleum odor), Type B (grayish green, gray, or black, heavy petroleum hydrocarbon odor), and Type C (black, strong heavy petroleum hydrocarbon odor). The excavation of the residuals is documented in the report Whirlpool Corporation Improvements to Grover and Miller Properties, August 2002. A total of 25,615 cubic yards of residuals were excavated and removed from the Site from December 2001 through February 2002.

1.2.4 Environmental Database Search

To supplement information obtained from Ohio EPA and Whirlpool, the following reports were obtained and reviewed from Environmental Data Resources, Inc. (EDR):

- *Radius Map Report with GeoCheck* – An electronic search of the standard environmental record sources. This report contains certain information obtained from a variety of public and other sources reasonably available to EDR.
- *Aerial Photo Decade Package* – Historical aerial photographs were provided from a variety of sources reasonably available to EDR.
- *Historical Topographic Map Report* – Topographic maps were provided from a variety of sources reasonably available to EDR.
- *Certified Sanborn Map Report* – Sanborn maps were not available for the property.
- *City Directory Abstract* – City directories were not available to EDR for this parcel.
- *Building Permit Report* – Building permit data was not available to EDR for Clyde, Ohio.
- *Environmental Lien Search Report* – This report includes results from a search of currently available land title records for environmental cleanup liens and other activity and use limitations (AULs).
- *Property Tax Map Report* – Property tax maps were not available to EDR for this parcel.

Copies of the reports are provided in **Appendix G2**. Summaries of each of the standard environmental record source reviews are provided below.

1.2.4.1 Radius Map Report with GeoCheck

A total of four properties listed on various federal and state databases were located within 1 mile of the Site:

Name	Address	Direction/Distance	Database
Leach Disposal Site	CR-236	Site	DERR; HIST LF
Whirlpool Corporation	119 Birdseye St.	ENE ½-1 (0.987 mi)	CORRACTS
Clyde Paint and Supply Company	435 W. Mulberry St.	E ½-1 (0.799 mi)	CORRACTS
Clyde Gas Company	Birdseye St. at RR	ENE ½-1 (0.977 mi)	TOWNGAS; Manufactured Gas Plants

Notes:

CORRACTS – Corrective Action Report, Federal Resource and Conservation Recovery Act (RCRA) facilities list
 DERR – Division of Emergency and Remedial Response's Database
 HIST LF – Old Solid Waste Landfill list
 TOWNGAS – DERR Towngas Database

An additional seven properties without complete address information were included in the EDR report. One property appeared to be within a 1-mile radius of the Site:

Name	Address	Direction/Distance	Database
Continental Estate Ltd.	1137 U.S. Highway 20	ENE ½-1 (1 mi)	LUST, UST

Notes:

LUST – Leaking Underground Storage Tank File
 UST – Underground Storage Tank File

1.2.4.2 Aerial Photo Decade Package

The Site appears to be a farm field on the 1951 and 1960 aerial photographs, with orchards visible to the east and south. On the 1969 aerial photograph, the western portion of the property adjacent to the creek appears light-colored and disturbed, with a wet area in the center of the disturbed area. The 1977, 1983, and 1988 aerial photographs are unclear and Site features could not be distinguished. The western portion of the property again appears disturbed on the 1995 aerial photograph. Residences are present on the east end of the property beginning in 1969.

1.2.4.3 Historical Topographic Map Report

The 1903 topographic map shows the property is located in a sparsely populated area between the cities of Fremont and Clyde. South Creek runs along the western Site boundary. The 1958, 1969, and 1980 topographic maps show houses along County Road 236, and orchards to the east and south of the Site. The Site is higher in elevation on the east, and slopes to the west toward South Creek. There is no evidence on the topographic maps of grade changes on the Site.

1.2.4.4 Certified Sanborn Map Report

Sanborn maps were not available for the Site.

1.2.4.5 City Directory Abstract

City directories were not available for the Site.

1.2.4.6 Building Permit Report

Building permit data was not available for the Site.

1.2.4.7 Environmental Lien Search Report

Two warranty deeds were located for the Site. A general warranty deed was signed on May 3, 2004, and was granted by William and Joyce Miller to Whirlpool Corporation. No environmental liens or other AULs were located for the Site. A limited warranty deed was signed on December 14, 2005, and was granted by Whirlpool to Edward Karr. This deed has a statement regarding acknowledgement of environmental conditions at the Site, stated as follows: "...during the 1960's, porcelain coating residual materials were disposed of on a portion of the property, and, to the best of Grantor's knowledge, these materials were excavated and removed from the property in December 2001 - February 2002."

1.2.4.8 Property Tax Map Report

Property tax maps were not available for the Site.

2. SITE ASSESSMENT ACTIVITIES

On February 13, 2012, the U.S. EPA On-Scene Coordinators (OSCs) and the WESTON Superfund Technical Assessment and Response Team (START) mobilized to the area to begin field work at the former dump sites. A geophysical survey was conducted first, and the preliminary data was used to adjust the locations of the soil borings proposed at each site. At the Leach Dump Site, samples of soil and groundwater were collected and submitted for laboratory analysis, as detailed in the following subsections. Photographic documentation of the Site and field activities is presented in **Appendix G3**.

2.1 GEOPHYSICAL SURVEY

On February 14, 2012, THG Geophysics, Ltd., mobilized to the Site to image the subsurface using electromagnetic (EM) terrain conductivity and ground-penetrating radar (GPR) mapping techniques. This included use of the quadrature and in-phase components of the EM field to generate images of both terrain conductivity and metals. The geophysical survey report is presented in **Appendix G4**.

2.2 SUBSURFACE SOIL CHARACTERIZATION

On February 17, 2012, the U.S. EPA OSCs, START members, and Buckeye Probe mobilized to the Site for advancement of soil borings at nine locations (**Figure G3**). The Buckeye Probe operator used a track-mounted hydraulic direct push-probe rig to recover continuous soil cores from each boring location. START characterized the soil on separate boring logs (**Appendix G5**).

Sampling locations and depth intervals were selected based on preliminary findings of the geophysical survey, historical data, field conditions, and field screening results. Boring locations LD-B01 through LD-B04 were placed within the apparent limits of the former waste disposal area at the Site. Boring locations LD-B05 through LD-B09 were placed outside the apparent limits of the former waste disposal area to the north, south, east, and west. The nine soil borings were completed at depths ranging from 5 to 18 feet (ft) below ground surface (bgs).

Up to two soil samples were collected from each soil boring location. Samples were collected in laboratory-supplied containers and placed in a cooler on ice for delivery to the laboratory, ALS Laboratory Group (ALS) in Holland, Michigan, under chain-of-custody control. Refer to the February 2, 2012, *Field Sampling Plan* for details on sample collection, preservation, and handling procedures.

2.3 GROUNDWATER WELL INSTALLATION AND SAMPLING

A groundwater sample was collected on February 17, 2012, from one temporary monitoring well installed in boring LD-B02 (see **Figure G3**). A temporary monitoring well was also installed in boring LD-B01, but the monitoring well would not produce enough groundwater to allow sample collection.

Samples were collected utilizing low-flow groundwater sampling techniques with a peristaltic pump and Teflon-lined high-density polyethylene (HDPE) tubing placed in the wells in the middle of the screened interval. This ensured samples representative of groundwater conditions in the geological formation were collected as indicated by stable field parameters for dissolved oxygen, oxidation/reduction potential, conductivity, temperature, and turbidity as measured with a YSI Inc. Model 556 water-quality monitoring instrument equipped with a flow-through cell and a HANNA Instruments turbidimeter. Samples were collected in laboratory-supplied containers and placed in a cooler on ice for delivery to ALS in Holland, Michigan, under chain-of-custody control. Refer to the February 2, 2012, *Field Sampling Plan* for details on sample collection, preservation, and handling procedures.

3. RESULTS

3.1 PHYSICAL FINDINGS

Descriptions of the physical findings of the site assessment activities are presented in the following subsections.

3.1.1 Geophysical Survey Results

The geophysical survey did not indicate the presence of metals at the Site, as illustrated on **Figure G3**. In addition, elevated conductivity readings were not recorded at the Site. The geophysical survey report is presented in **Appendix G4**.

3.1.2 Subsurface Soil Physical Results

Soil recovered from the borings at the Site was predominantly characterized as yellow-brown fine-grained sand, underlain by a native clay layer. Borings LD-B02 and LD-B03, located in the former waste disposal area, were composed of 1 to 2 ft of clay, underlain by sand to a depth of 4.5 to 6 ft, followed by clay. Borings LD-B01 and LD-B06, also located in the former waste disposal area, were composed of 1 to 1.5 ft of sand, underlain by clay to a depth of 5 to 8 ft. LD-B04, which, because of the presence of clay in the surface layer, is likely located near the eastern extent of the former waste disposal area, was composed of 2 ft of clay, underlain by sand to a depth of 6 ft, followed by 8 ft of silt, followed by clay. Borings LD-B05 and LD-B09, located on the east end of the former waste disposal area, were composed of 11 to 12.5 ft of sand, underlain by silt.

Boring LD-B08, located at the southern edge of the Site, was composed of 3 ft of silt, followed by 2 ft of clay. LD-B07, located at the northern edge of the Site, was composed of 2.5 ft of sand, underlain by clay to a depth of 5 ft.

The presence of wastewater treatment sludge was not observed in any of the borings completed at the Site. The soil borings appear to confirm that native silt and clay were removed and replaced with coarser-grained fill sand.

3.1.3 Groundwater Physical Results

The depth to water at the temporary monitoring well installed in boring LD-B02 was 1.60 ft below top of casing.

3.2 LABORATORY ANALYTICAL FINDINGS

At the Leach Dump Site, samples of soil and groundwater were collected and submitted for laboratory analysis. The soil sample results were compared to the U.S. EPA Regional Screening Levels (RSL) and the U.S. EPA Maximum Concentration of Contaminants for the Toxicity Characteristic (40 CFR 261.24). The groundwater sample results were compared to the National Primary Drinking Water Regulations Maximum Contaminant Levels (MCL). The results are detailed in the following subsections.

3.2.1 Subsurface Soil Analytical Results

The soil samples were analyzed by the laboratory for Volatile Organic Compounds (VOCs), Toxicity Characteristic Leaching Procedure (TCLP) VOCs, Semivolatile Organic Compounds (SVOCs), TCLP SVOCs, Total Target Analyte List (TAL) Metals, TCLP Metals, Pesticides, TCLP Pesticides, Herbicides, TCLP Herbicides, and Polychlorinated Biphenyls (PCBs). The soil analytical results are presented in **Table G1**. The analytical data validation reports are presented in **Appendix G6**.

Total arsenic was detected above the U.S. EPA Residential Regional Screening Level (RSL) of 0.39 mg/kg for all of the samples collected except LD-B02 at 2 to 4 ft, at concentrations ranging from 1.5 to 14 mg/kg. Thallium was detected above the RSL of 0.78 mg/kg at soil boring LD-B03 (2 to 4 ft) at a concentration of 1.4 mg/kg. Benzo(a)pyrene was detected above the RSL of 0.015 mg/kg at LD-B02 (2 to 4 ft) at a concentration of 0.037 mg/kg. PCB Aroclor 1254 was detected above the RSL of 0.22 mg/kg at LD-B04 (2 to 4 ft) at a concentration of 0.4 mg/kg. No other analytes were detected above their respective RSLs. **Figure G4** illustrates the soil sample analytical results which exceeded the Residential RSLs. None of the TCLP samples contained detected contaminants above the U.S. EPA Maximum Concentration of Contaminants for the Toxicity Characteristic (40 CFR 261.24).

3.2.2 Groundwater Analytical Results

The groundwater sample was analyzed by the laboratory for VOCs, TCLP VOCs, SVOCs, TCLP SVOCs, Total TAL Metals, TCLP Metals, Pesticides, TCLP Pesticides, Herbicides, TCLP Herbicides, PCBs, pH, and flashpoint. The groundwater analytical results are presented in **Table G2**. The analytical data validation reports are presented in **Appendix G6**.

None of the analytes were detected above their respective National Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs). Boron was detected in groundwater collected from the temporary monitoring well in LD-B02 at a concentration of 62 mg/L. An MCL has not been established for boron.

4. CONCLUSIONS

The tasks completed as part of this Site Assessment were designed to document the distribution and concentrations of potential contaminants at the Site. A total of nine soil borings were installed at the Site and samples were collected for analysis at an off-site laboratory. In addition, a sample was collected from one temporary groundwater monitoring well and sent to an off-site laboratory for analysis. The soil borings appear to confirm that native silt and clay were removed and replaced with coarser-grained fill sand. The presence of wastewater treatment sludge was not observed in any of the borings completed at the Site.

Soil sample results indicated that several metals are present at the Site in concentrations above their respective RSLs. Benzo(a)pyrene and PCB Aroclor 1254 were detected above the RSL in the fill sand layer at LD-B02 and LD-B04. Thallium was detected above the RSL in the native clay layer at LD-B03. Arsenic was detected above the RSL of 0.39 mg/kg at a concentration ranging from 1.5 to 14 mg/kg at all depths sampled, except LD-B02 at 2 to 4 ft. Limited information was available on the background concentration of arsenic in the soils of Sandusky County, Ohio. A United States Geological Survey (USGS) National Geochemical Survey (NGS) indicated that the range of arsenic in Sandusky County is 8.5 to 42.7 mg/kg, with a mean of 13.2 mg/kg. In addition, a report written for the Ohio EPA indicated that the range for arsenic within Ohio is 0.5 to 56 mg/kg, with a median value of 5.80 mg/kg (Cox & Colvin, 1996), which is similar to the results of the USGS study, but did not include samples from Sandusky County.

None of the TCLP analyses in soil resulted in contaminant detections above the U.S. EPA Maximum Concentration of Contaminants for the Toxicity Characteristic (40 CFR 261.24).

Groundwater sample results did not indicate the presence of contaminants above the MCLs. However, boron was detected at a concentration of 62 mg/L. An MCL has not been established for boron, nor has Ohio EPA established a Generic Criteria for boron. A nearby state, Michigan, has a Residential Drinking Water criterion of 10 mg/L and a Nonresidential Drinking Water criterion of 10 mg/L, with a footnote indicating that the criterion is based on adverse impacts to plant life and phytotoxicity. In addition, Michigan has a Groundwater Surface Water Interface Criteria of 100 mg/L, with a footnote indicating that the criterion is not protective for surface


water that is used as a drinking source (Table 1, Part 201 Generic Cleanup Criteria and Screening Levels).

Soil vapor results did not indicate impacts to soil vapor at the Site. None of the TCLP analyses resulted in contaminant detections above the U.S. EPA Maximum Concentration of Contaminants for the Toxicity Characteristic (40 CFR 261.24), indicating that the sampled media was not characteristically hazardous waste.


Access to a portion of the Site is restricted by a fence with a gate in the area where horses were kept. The remainder of the Site is farmed and access is not restricted. No drums, barrels, tanks, or other bulk storage containers were discovered at the Site or indicated by the geophysical survey results.

Based on the findings of this Site Assessment, U.S. EPA will not be undertaking an emergency or time-critical removal action pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended, 42 U.S.C. 9601 et seq.

FIGURES



FILE: D:\Sandusky\mxd\SARIF1_Site_Location.mxd 6/8/2012 3:08:28 PM wojdakon



Prepared for:
U.S. EPA REGION V
Contract No: EP-S5-06-04
TDD: S05-0001-1111-033
DCN: 1691-2A-AVDK



Prepared By:
**WESTON
SOLUTIONS, INC.**
6779 Engle Road
Building 2, Suite I
Middleburg Hts, Ohio 44130

Figure G-1
Site Location Map
Leach Dump Site
Eastern Sandusky County Dumps SA
Sandusky County, Ohio

Image Source: ESRI Bing Maps

FILE: D:\sandusky\mxd\ISAR\F2_Site_Features.mxd 6/8/2012 3:10:23 PM wojidakon



Legend

Subject Property

0

500




Prepared for:
U.S. EPA REGION V


Contract No: EP-S5-06-04
TDD: S05-0001-1111-033
DCN: 1691-2A-AVDK



Prepared By:
**WESTON
SOLUTIONS, INC**
6779 Engle Road
Building 2, Suite I
Middleburg Hts, Ohio 44130

Figure G-2
Site Features Map
Leach Dump Site
Eastern Sandusky County Dumps SA
Sandusky County, Ohio





TABLES

TABLE H1
SOIL ANALYTICAL RESULTS
title Organic Compounds and Semi-Volatile Organic Compounds
Leach Dump Site
Clute, Sandusky County, Ohio

Initial RSL – U.S. Environmental Protection Agency Regional Screening Level (formerly Preliminary Remediation Goal) listed in Resident Soil Table November 2011.

R 261.20 – A solid waste exhibits the characteristic of toxicity if the extract from a representative sample of the waste contains any of the contaminants listed in the table at

centration equal to or greater than the respective value given. Criteria and Regulations - Title 40 Protection of Environment, Chapter 4, Environmental Quality.

General Regulations – Title 40: Protection of Hazardous Waste. Subpart C: Characteristics of

Class 1 Radioactive Waste, Subpart C: Characteristics of

Exceeds listed criteria

Code of Federal Regulations

Feet below ground surface
Milligrams per kilogram

- Milligrams per kilogram
- Milligrams per liter

Milligrams per liter
Not Available

Regional Screening Level

Toxicity Characteristic Leaching Procedure

detected at indicated method detection

TABLE H1
SOIL ANALYTICAL RESULTS
Metals, Pesticides and Herbicides
Leach Dump Site
Clyde, Sandusky County, Ohio

Site		Leach Dump																			
Location ID		LD-B01	LD-B01	LD-B02	LD-B02	LD-B03	LD-B03	LD-B04	LD-B04	LD-B04	LD-B04	LD-B05	LD-B05	LD-B06	LD-B06	LD-B07	LD-B07	LD-B08	LD-B08	LD-B09	LD-B09
Field Sample ID		LD-B01-501-021712	LD-B01-502-021712	LD-B02-501-021712	LD-B02-502-021712	LD-B03-501-021712	LD-B03-502-021712	LD-B04-501-021712	LD-B04-502-021712-DP	LD-B04-502-021712	LD-B05-501-021712	LD-B05-502-021712	LD-B06-501-021712	LD-B06-502-021712	LD-B07-501-021712	LD-B07-502-021712	LD-B08-501-021712	LD-B08-502-021712	LD-B09-501-021712	LD-B09-502-021712	
Sample Date		2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012		
Sample Depth (ft bgs)		0-2	2-4	0-2	2-4	2-4	2-4	8-10	2-4	2-4	6-8	2-4	6-8	0-2	2-4	0-2	2-4	0-2	2-4	7-9	
Total Target Analyte List (TAL) Metals																					
Analytical Method	Chemical Name	Units	*Residential RSL																		
SW6020A	Aluminum	mg/Kg	77000	8200	9400	9100	2300	2600	9200	1700	2700	1900	2100	1900	4600	12000	5500	7600	8400	5300	3200
SW6020A	Antimony	mg/Kg	31	0.74 U	0.82 U	0.73 U	0.77 U	0.76 U	0.89 U	0.76 U	0.78 U	0.83 U	0.87 U	0.71 U	0.87 U	0.86 U	0.88 U	0.81 U	0.9 U	0.77 U	0.97 U
SW6020A	Arsenic	mg/Kg	0.39	6.5	9.4	3.4	0.77 U	3	12	1.5	3.3	2.4	4.6	2.3	1.5	8.3	14	8.4	6	8.3	1.8
SW6020A	Barium	mg/Kg	15000	120	43	68	14	9.6	43	5	12	9.3	6.1	7.9	40	79	50	39	73	24	11
SW6020A	Beryllium	mg/Kg	160	2.9 U	3.3 U	2.9 U	0.31 U	3.1 U	3.6 U	0.31 U	3.1 U	0.33 U	3.5 U	0.29 U	0.35 U	3.5 U	3.5 U	3.2 U	0.41	3.1 U	0.39 U
SW6020A	Boron	mg/Kg	16000	150	100	52	12	31 U	36 U	3.1 U	31 U	3.3 U	35 U	2.9 U	17	76	35 U	32 U	36 U	31 U	3.9 U
SW6020A	Cadmium	mg/Kg	70	0.3	0.33 U	0.36	0.31 U	0.31 U	0.36 U	0.31 U	0.31 U	0.33 U	0.35 U	0.29 U	0.35 U	0.35 U	0.32 U	0.36 U	0.31 U	0.39 U	
SW6020A	Calcium	mg/Kg	NA	5300	49000	3000	890	13000	55000	37000	25000	46000	36000	47000	2100	63000	3000	8100	11000	1900	13000
SW6020A	Chromium	mg/Kg	NA	12	17	13	3.8	5.7	15	3	4.1	4.5	8.4	3.7	6.3	19	9.5	12	11	8.3	6.3
SW6020A	Cobalt	mg/Kg	23	10	7	5.7	1.8	2.9	12	2.3	3.5	2.7	2.4	2.9	4.5	12	11	8.3	9.2	6.3	2.8
SW6020A	Copper	mg/Kg	3100	12	24	9.8	5.4	6.7	20	3.7	8.6	4.8	7.1	5.3	4.9	21	11	18	11	16	6.2
SW7196A	Chromium, Hexavalent	mg/Kg	0.29	0.6 U	0.58 U	0.62 U	0.57 U	0.59 U	0.57 U	0.6 U	0.58 U	0.59 U	0.57 U	0.56 U	0.59 U	0.56 U	0.59 U	0.6 U	0.61 U	0.55 U	0.63 U
SW6020A	Iron	mg/Kg	55000	18000	26000	13000	3100	8300	20000	4700	7300	5800	7200	5800	6400	27000	19000	19000	16000	15000	8900
SW6020A	Lead	mg/Kg	400	11	12	10	3	3.8	11	3	4.9	3.6	3.8	3.4	4.5	14	9.2	9.9	11	7.4	4.5
SW6020A	Magnesium	mg/Kg	NA	2500	9300	2400	860	2600	16000	2300	2100	8600	2600	4300	1300	12000	2100	3300	2500	1700	2600
SW6020A	Manganese	mg/Kg	1800	480	330	200	31	100	390	220	150	190	120	160	75	510	500	380	480	430	160
SW7471	Mercury	mg/Kg	10	0.019	0.019 U	0.054	0.018 U	0.019 U	0.021	0.021 U	0.018 U	0.018 U	0.021 U	0.018 U	0.02 U	0.023	0.02 U	0.035	0.021	0.023 U	
SW6020A	Nickel	mg/Kg	1500	22	27	14	4.8	7.9	32	6.4	9.7	6.9	7.9	7.8	11	31	22	25	16	16	8
SW6020A	Potassium	mg/Kg	NA	1100	1900	1100	290	450	2500	320	450	440	440	380	630	2800	840	1500	1200	690	530
SW6020A	Selenium	mg/Kg	390	1.1	1.4	1.2	0.77 U	0.76 U	2.8	0.76 U	0.78 U	0.83 U	0.87 U	0.71 U	0.87 U	1.6	1.2	1.3	1.2	0.97 U	
SW6020A	Silver	mg/Kg	390	0.74 U	0.82 U	0.73 U	0.77 U	0.76 U	0.89 U	0.76 U	0.78 U	0.83 U	0.87 U	0.71 U	0.87 U	0.86 U	0.88 U	0.81 U	0.9 U	0.77 U	0.97 U
SW6020A	Sodium	mg/Kg	NA	610	490	430	81	67	210	53	50	87	54	62	150	500	57	96	91	51	74
SW6020A	Thallium	mg/Kg	0.78	0.74 U	0.82 U	0.73 U	0.77 U	1.4	0.76 U	0.78 U	0.83 U	0.87 U	0.71 U	0.87 U	0.86 U	0.88 U	0.81 U	0.9 U	0.77 U	0.97 U	
SW6020A	Vanadium	mg/Kg	NA	19	22	17	5.1	11	25	6.8	8.9	7.4	6.8	7.6	9.4	27	21	20	19	14	14
SW6020A	Zinc	mg/Kg	23000	62	59	45	15	25	59	14	22	17	19	16	26	55	50	45	38	20	
Pesticides and Herbicides																					
SW8151	2,4,5-T	mg/Kg	610	0.006 U	0.0058 U	0.0062 U	0.0057 U	0.0058 U	0.0057 U	0.005 U	0.005 U	0.0056 U	0.0058 U	0.0058 U	0.0058 U	0.0058 U	0.0061 U	0.006 U	0.0054 U</td		

TABLE H1
SOIL ANALYTICAL RESULTS
Toxicity Characteristic Leaching Procedure
Leach Dump Site
Clyde, Sandusky County, Ohio

Site			Leach Dump																	
Location ID	LD-B01	LD-B01	LD-B02	LD-B02	LD-B03	LD-B03	LD-B04	LD-B04	LD-B04	LD-B05	LD-B05	LD-B06	LD-B06	LD-B07	LD-B07	LD-B08	LD-B08	LD-B09	LD-B09	
Field Sample ID	LD-B01-S01-021712	LD-B01-S02-021712	LD-B02-S01-021712	LD-B02-S02-021712	LD-B03-S01-021712	LD-B03-S02-021712	LD-B04-S01-021712	LD-B04-S02-021712-DP	LD-B04-S02-021712	LD-B05-S01-021712	LD-B05-S02-021712	LD-B06-S01-021712	LD-B06-S02-021712	LD-B07-S01-021712	LD-B07-S02-021712	LD-B08-S01-021712	LD-B08-S02-021712	LD-B09-S01-021712	LD-B09-S02-021712	
Sample Date	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012	2/17/2012		
Sample Depth (ft bgs)	0-2	2-4	0-2	2-4	2-4	8-10	2-4	2-4	6-8	2-4	2-4	6-8	0-2	2-4	0-2	2-4	0-2	2-4	7-9	
Analytical Method	Chemical Name	Units	**40 CFR 261.20																	
SW8260	1,1-Dichloroethene, TCLP	mg/L	0.7																	
SW8260	1,2-Dichloroethane, TCLP	mg/L	0.5																	
SW8270	1,4-Dichlorobenzene, TCLP	mg/L	7.5																	
SW8270	2,4,6-Trichlorophenol, TCLP	mg/L	2																	
SW8270	2,4,5-Trichlorophenol, TCLP	mg/L	400																	
SW8151	2,4,5-TP (Silvex), TCLP	mg/L	1																	
SW8151	2,4-D, TCLP	mg/L	10																	
SW8270	2,4-Dinitrotoluene, TCLP	mg/L	0.13																	
SW8260	2-Butanone, TCLP	mg/L	200																	
SW8260	Benzene, TCLP	mg/L	0.5																	
SW8260	Carbon tetrachloride, TCLP	mg/L	0.5																	
SW8081	Chlordane, Technical, TCLP	mg/L	0.03																	
SW8260	Chlorobenzene, TCLP	mg/L	100																	
SW8260	Chloroform, TCLP	mg/L	6																	
SW8081	Endrin, TCLP	mg/L	0.02																	
SW8081	gamma-BHC (Lindane), TCLP	mg/L	0.4																	
SW8081	Heptachlor, TCLP	mg/L	0.008																	
SW8270	Hexachloro-1,3-butadiene, TCLP	mg/L	0.5																	
SW8270	Hexachlorobenzene, TCLP	mg/L	NA																	
SW8270	Hexachloroethane, TCLP	mg/L	3																	
SW8270	m-Cresol, TCLP	mg/L	200																	
SW8081	Methoxychlor, TCLP	mg/L	10																	
SW8270	Nitrobenzene, TCLP	mg/L	2																	
SW8270	o-Cresol, TCLP	mg/L	200																	
SW8270	p-Cresol, TCLP	mg/L	200																	
SW8270	Pentachlorophenol, TCLP	mg/L	100																	
SW8270	Pyridine, TCLP	mg/L	5																	
SW8260	Tetrachloroethene, TCLP	mg/L	0.7																	
SW8081	Toxaphene, TCLP	mg/L	0.5																	
SW8260	Trichloroethene, TCLP	mg/L	0.5																	
SW8260	Vinyl chloride, TCLP	mg/L	0.2																	
SW6020A	Arsenic, TCLP	mg/L	5																	
SW6020A	Barium, TCLP	mg/L	100																	
SW6020A	Cadmium, TCLP	mg/L	1																	
SW6020A	Chromium, TCLP	mg/L	5																	
SW6020A	Lead, TCLP	mg/L	5																	
SW7470A	Mercury, TCLP	mg/L	0.2																	
SW6020A	Selenium, TCLP	mg/L	1																	
SW6020A	Silver, TCLP	mg/L	5																	

Notes:

*Residential RSL – U.S. Environmental Protection Agency Regional Screening Level (formerly Preliminary Remediation Goal) listed in Resident Soil Table November 2011.

**40 CFR 261.20 – A solid waste exhibits the characteristic of toxicity if the extract from a representative sample of the waste contains any of the contaminants listed in the table at the concentration equal to or greater than the respective value given. Criteria obtained from Table 1 – Maximum Concentration of Contaminants for the Toxicity Characteristic, Code of Federal Regulations – Title 40: Protection of Environment, Chapter 1: Environmental Protection Agency, Subchapter I Solid Wastes, Part 261: Identification and Listing of Hazardous Waste, Subpart C: Characteristics of Hazardous Wastes.

BOLD - Exceeds listed criteria

CFR – Code of Federal Regulations

ft bgs – Feet below ground surface

mg/Kg – Milligrams per kilogram

mg/L – Milligrams per liter

NA – Not Available

RSL – Regional Screening Level

TCLP – Toxicity Characteristic Leaching Procedure

U – Not detected at indicated method detection limit

TABLE H2
WATER ANALYTICAL RESULTS
Volatile Organic Compounds and Semi-Volatile Organic Compounds
Leach Dump Site
Clyde, Sandusky County, Ohio

Analytical Method	Chemical Name	Units	Site		Leach Dump						
			Location ID								
			Field Sample ID								
			Sample Date								
Screened Interval (ft bgs)											
Volatile Organic Compounds (VOCs)											
SW8260	1,1,2,2-Tetrachloroethane	mg/L	*MCL	NA	0.001 U						
SW8260	1,1,1-Trichloroethane	mg/L	0.2	0.001 U	0.001 U						
SW8260	1,1,2-Trichloroethane	mg/L	0.005	0.001 U	0.001 U						
SW8260	1,1,2-Trichlorotrifluoroethane	mg/L	NA	0.001 U	0.001 U						
SW8260	1,1-Dichloroethane	mg/L	NA	0.001 U	0.001 U						
SW8260	1,1-Dichloroethene	mg/L	0.007	0.001 U	0.001 U						
SW8260	1,2,4-Trichlorobenzene	mg/L	0.07	0.001 U	0.001 U						
SW8260	1,2-Dibromo-3-chloropropane	mg/L	0.0002	0.001 U	0.001 U						
SW8260	1,2-Dibromoethane	mg/L	0.00005	0.001 U	0.001 U						
SW8260	1,2-Dichlorobenzene	mg/L	0.6	0.001 U	0.001 U						
SW8260	1,2-Dichloroethane	mg/L	0.005	0.001 U	0.001 U						
SW8260	1,2-Dichloropropane	mg/L	0.005	0.002 U	0.002 U						
SW8260	1,3-Dichlorobenzene	mg/L	NA	0.002 U	0.002 U						
SW8260	1,4-Dichlorobenzene	mg/L	0.075	0.002 U	0.002 U						
SW8260	2-Butanone	mg/L	NA	0.005 U	0.005 U						
SW8260	2-Hexanone	mg/L	NA	0.005 U	0.005 U						
SW8260	4-Methyl-2-pentanone	mg/L	NA	0.005 U	0.005 U						
SW8260	Acetone	mg/L	NA	0.02 U	0.001 U						
SW8260	Benzene	mg/L	0.005	0.001 U	0.001 U						
SW8260	Bromodichloromethane	mg/L	0.08	0.001 U	0.001 U						
SW8260	Bromoform	mg/L	0.08	0.001 U	0.001 U						
SW8260	Bromomethane	mg/L	NA	0.001 U	0.001 U						
SW8260	Carbon disulfide	mg/L	NA	0.0025 U	0.001 U						
SW8260	Carbon tetrachloride	mg/L	0.005	0.001 U	0.001 U						
SW8260	Chlorobenzene	mg/L	0.1	0.001 U	0.001 U						
SW8260	Chloroethane	mg/L	NA	0.001 U	0.001 U						
SW8260	Chloroform	mg/L	0.08	0.001 U	0.001 U						
SW8260	Chloromethane	mg/L	NA	0.001 U	0.001 U						
SW8260	cis-1,2-Dichloroethene	mg/L	0.07	0.001 U	0.001 U						
SW8260	cis-1,3-Dichloropropene	mg/L	NA	0.001 U	0.001 U						
SW8260	Cyclohexane	mg/L	NA	0.005 U	0.005 U						
SW8260	Dibromochloromethane	mg/L	0.08	0.001 U	0.001 U						
SW8260	Dichlorodifluoromethane	mg/L	NA	0.001 U	0.001 U						
SW8260	Ethylbenzene	mg/L	0.7	0.001 U	0.001 U						
SW8260	Isopropylbenzene	mg/L	NA	0.001 U	0.001 U						
SW8260	Methyl acetate	mg/L	NA	0.002 U	0.002 U						
SW8260	Methyl tert-butyl ether	mg/L	NA	0.005 U	0.005 U						
SW8260	Methylcyclohexane	mg/L	NA	0.005 U	0.005 U						
SW8260	Methylene chloride	mg/L	0.005	0.005 U	0.005 U						
SW8260	Styrene	mg/L	0.1	0.001 U	0.001 U						
SW8260	Tetrachloroethene	mg/L	0.005	0.002 U	0.002 U						
SW8260	Toluene	mg/L	1	0.001 U	0.001 U						
SW8260	trans-1,2-Dichloroethene	mg/L	0.1	0.001 U	0.001 U						
SW8260	trans-1,3-Dichloropropene	mg/L	NA	0.001 U	0.001 U						
SW8260	Trichloroethene	mg/L	0.005	0.001 U	0.001 U						
SW8260	Trichlorofluoromethane	mg/L	NA	0.001 U	0.001 U						
SW8260	Vinyl chloride	mg/L	0.002	0.001 U	0.001 U						
SW8260	Xylenes, Total	mg/L	10	0.003 U	0.003 U						
Semi-Volatile Organic Compounds (SVOCs)											
SW8270	1,1-Biphenyl	mg/L	NA	0.005 U	0.005 U						
SW8270	2,4,5-Trichlorophenol	mg/L	NA	0.005 U	0.005 U						
SW8270	2,4,6-Trichlorophenol	mg/L	NA	0.005 U	0.005 U						
SW8270	2,4-Dichlorophenol	mg/L	NA	0.01 U	0.005 U						
SW8270	2,4-Dimethylphenol	mg/L	NA	0.005 U	0.005 U						
SW8270	2,4-Dinitrophenol	mg/L	NA	0.005 U	0.005 U						
SW8270	2,4-Dinitrotoluene	mg/L	NA	0.005 U	0.005 U						
SW8270	2,6-Dinitrotoluene	mg/L	NA	0.005 U	0.005 U						
SW8270	2-Chloronaphthalene	mg/L	NA	0.005 U	0.005 U						
SW8270	2-Chlorophenol	mg/L	NA	0.005 U	0.005 U						
SW8270	2-Methylnaphthalene	mg/L	NA	0.005 U	0.005 U						
SW8270	2-Nitroaniline	mg/L	NA	0.02 U	0.005 U						
SW8270	2-Nitrophenol	mg/L	NA	0.005 U	0.005 U						
SW8270	3,3-Dichlorobenzidine	mg/L	NA	0.005 U	0.005 U						
SW8270	3-Nitroaniline	mg/L	NA	0.02 U	0.005 U						
SW8270	4,6-Dinitro-2-methylphenol	mg/L	NA	0.02 U	0.005 U						
SW8270	4-Bromophenyl phenyl ether	mg/L	NA	0.005 U	0.005 U						
SW8270	4-Chloro-3-methylphenol	mg/L	NA	0.005 U	0.005 U						
SW8270	4-Chloroaniline	mg/L	NA	0.02 U	0.005 U						
SW8270	4-Chlorophenyl phenyl ether	mg/L	NA	0.005 U	0.005 U						
SW8270	4-Nitroaniline	mg/L	NA	0.02 U	0.005 U						
SW8270	4-Nitrophenol	mg/L	NA	0.02 U	0.005 U						
SW8270	Acenaphthene	mg/L	NA	0.005 U	0.005 U						
SW8270	Acenaphthylene	mg/L	NA	0.005 U	0.005 U						
SW8270	Acetophenone	mg/L	NA	0.001 U	0.001 U						
SW8270	Anthracene	mg/L	NA	0.005 U	0.005 U						
SW8270	Atrazine	mg/L	0.003	0.01 U	0.001 U						
SW8270	Benzaldehyde	mg/L	NA	0.001 U	0.001 U						
SW8270	Benzo(a)anthracene	mg/L	NA	0.005 U	0.005 U						
SW8270	Benzo(a)pyrene	mg/L	0.0002	0.005 U	0.005 U						
SW8270	Benzo(b)fluoranthene	mg/L	NA	0.005 U	0.005 U						
SW8270	Benzo(g,h,i)perylene	mg/L	NA	0.005 U	0.005 U						
SW8270	Benzo(k)fluoranthene	mg/L	NA	0.005 U	0.005 U						
SW8270	Bis(2-chloroethoxy)methane	mg/L	NA	0.005 U	0.005 U						
SW8270	Bis(2-chloroethyl)ether	mg/L	NA	0.005 U	0.005 U						
SW8270	Bis(2-chloroisopropyl)ether	mg/L	NA	0.005 U	0.005 U						
SW8270	Bis(2-ethylhexyl)phthalate	mg/L	0.006	0.005 U	0.005 U						
SW8270	Butyl benzyl phthalate	mg/L	NA	0.005 U	0.005 U						
SW8270	Caprolactam	mg/L	NA	0.01 U	0.005 U						
SW8270	Carbazole	mg/L	NA	0.01 U	0.005 U						
SW8270	Chrysene	mg/L	NA	0.005 U	0.005 U						
SW8270	Dibenzo(a,h)anthracene	mg/L	NA	0.005 U	0.005 U						
SW8270	Dibenzofuran	mg/L	NA	0.005 U	0.005 U						
SW8270	Diethyl phthalate	mg/L	NA	0.02 U	0.005 U						
SW8270	Dimethyl phthalate	mg/L	NA	0.02 U	0.005 U						
SW8270	Di-n-butyl phthalate	mg/L	NA	0.005 U	0.005 U						
SW8270	Di-n-octyl phthalate	mg/L	NA	0.005 U	0.005 U						
SW8270	Fluoranthene	mg/L	NA	0.005 U	0.005 U						
SW8270	Fluorene	mg/L	NA	0.005 U	0.005 U						
SW8270	Hexachloro-1,3-butadiene	mg/L	NA	0.005 U	0.005 U						
SW8270	Hexachlorobenzene	mg/L	NA	0.005 U	0.005 U						
SW8270	Hexachlorocyclopentadiene	mg/L	0.05	0.02 U	0.005 U						
SW8270	Hexachloroethane	mg/L	NA	0.005 U	0.005 U						
SW8270	Indeno(1,2,3-cd)pyrene	mg/L	NA	0.005 U	0.005 U						
SW8270	Isophorone	mg/L	NA	0.005 U	0.005 U						
SW8270	Naphthalene	mg/L	NA	0.005 U	0.005 U						
SW8270	Nitrobenzene	mg/L	NA	0.005 U	0.005 U						
SW8270	N-Nitrosodi-n-propylamine	mg/L	NA	0.005 U	0.005 U						
SW8270	N-Nitrosodiphenylamine	mg/L	NA	0.005 U	0.005 U						
SW8270	o-Cresol	mg/L	NA	0.005 U	0.005 U						
SW8270	p-Cresol	mg/L	NA	0.005 U	0.005 U						
SW8270	Pentachlorophenol	mg/L	0.001	0.02 U	0.005 U						
SW8270	Phenanthrene	mg/L	NA	0.005 U	0.005 U						

TABLE H2
WATER ANALYTICAL RESULTS
Metals, Pesticides and Herbicides
Leach Dump Site
Clyde, Sandusky County, Ohio

Site			
Location ID			
Field Sample ID			
Sample Date			
Screened Interval (ft bgs)			
Total Target Analyte List (TAL) Metals			
Analytical Method	Chemical Name	Units	*MCL
SW6020A	Aluminum	mg/L	NA
SW6020A	Antimony	mg/L	0.006
SW6020A	Arsenic	mg/L	0.01
SW6020A	Barium	mg/L	2
SW6020A	Beryllium	mg/L	0.004
SW6020A	Boron	mg/L	NA
SW6020A	Cadmium	mg/L	NA
SW6020A	Calcium	mg/L	NA
SW6020A	Chromium	mg/L	0.1
SW6020A	Cobalt	mg/L	NA
SW6020A	Copper	mg/L	1.3
SW6020A	Iron	mg/L	NA
SW6020A	Lead	mg/L	0.015
SW6020A	Magnesium	mg/L	NA
SW6020A	Manganese	mg/L	NA
SW7470	Mercury	mg/L	0.002
SW6020A	Nickel	mg/L	NA
SW6020A	Potassium	mg/L	NA
SW6020A	Selenium	mg/L	0.05
SW6020A	Silver	mg/L	NA
SW6020A	Sodium	mg/L	NA
SW6020A	Thallium	mg/L	0.002
SW6020A	Vanadium	mg/L	NA
SW6020A	Zinc	mg/L	NA
Pesticides and Herbicides			
SW8151	2,4,5-T	mg/L	NA
SW8151	2,4,5-TP (Silvex)	mg/L	0.05
SW8151	2,4-D	mg/L	0.07
SW8081	4,4-DDD	mg/L	NA
SW8081	4,4-DDE	mg/L	NA
SW8081	4,4-DDT	mg/L	NA
SW8081	Aldrin	mg/L	NA
SW8081	alpha-BHC	mg/L	NA
SW8081	alpha-Chlordane	mg/L	NA
SW8082	Aroclor 1016	mg/L	NA
SW8082	Aroclor 1221	mg/L	NA
SW8082	Aroclor 1232	mg/L	NA
SW8082	Aroclor 1242	mg/L	NA
SW8082	Aroclor 1248	mg/L	NA
SW8082	Aroclor 1254	mg/L	NA
SW8082	Aroclor 1260	mg/L	NA
SW8081	beta-BHC	mg/L	NA
SW8081	Chlordane, Technical	mg/L	NA
SW8081	delta-BHC	mg/L	NA
SW8081	Dieldrin	mg/L	NA
SW8081	Endosulfan I	mg/L	NA
SW8081	Endosulfan II	mg/L	NA
SW8081	Endosulfan sulfate	mg/L	NA
SW8081	Endrin	mg/L	0.002
SW8081	Endrin aldehyde	mg/L	NA
SW8081	Endrin ketone	mg/L	NA
SW8081	gamma-BHC (Lindane)	mg/L	0.0002
SW8081	gamma-Chlordane	mg/L	NA
SW8081	Heptachlor	mg/L	0.0004
SW8081	Heptachlor epoxide	mg/L	0.0002
SW8081	Hexachlorobenzene	mg/L	NA
SW8081	Methoxychlor	mg/L	0.04
SW8081	Toxaphene	mg/L	0.003

Notes:

*MCL – U.S. Environmental Protection Agency, Maximum Contaminant Level/Regional Screening Level (formerly Preliminary Remediation Goal) listed in Tapwater Supporting Table November 2011.

**40 CFR 261.20 – A solid waste exhibits the characteristic of toxicity if the extract from a representative sample of the waste contains any of the contaminants listed in the table at the concentration equal to or greater than the respective value given. Criteria obtained from Table 1 – Maximum Concentration of Contaminants for the Toxicity Characteristic, Code of Federal Regulations – Title 40: Protection of Environment, Chapter 1: Environmental Protection Agency, Subchapter 1 Solid Wastes, Part 261: Identification and Listing of Hazardous Waste, Subpart C: Characteristics of Hazardous Wastes. Where the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering, is considered to be the extract for the purpose of this table. A substance not excluded from regulation as a hazardous waste is a hazardous waste if it exhibits any of the characteristics listed.

BOLD - Exceeds listed criteria

CFR – Code of Federal Regulations

DEG F – Degrees Farenheit

ft bgs – Feet below ground surface

H – Holding time was exceeded

MCL – Maximum Contaminant Level

mg/Kg – Milligrams per kilogram

mg/L – Milligrams per liter

NA – Not Available

RSL – Regional Screening Level

s.u. – Standard Unit

TCLP – Toxicity Characteristic Leaching Procedure

U – Not detected at indicated method detection limit

TABLE H2
WATER ANALYTICAL RESULTS
Toxicity Characteristic Leaching Procedure
Leach Dump Site
Clyde, Sandusky County, Ohio

Site			
Location ID	LD-B02		
Field Sample ID	LD-B02-W01-021712		
Sample Date	2/17/2012		
Screened Interval (ft bgs)	0-5		
Analytical Method	Chemical Name/Parameter	Units	**40 CFR 261.20
SW8260	1,1-Dichloroethene, TCLP	mg/L	0.7
SW8260	1,2-Dichloroethane, TCLP	mg/L	0.5
SW8270	1,4-Dichlorobenzene, TCLP	mg/L	7.5
SW8270	2,4,6-Trichlorophenol, TCLP	mg/L	2
SW8151	2,4,5-TP (Silvex), TCLP	mg/L	1
SW8270	2,4,5-Trichlorophenol, TCLP	mg/L	400
SW8151	2,4-D, TCLP	mg/L	10
SW8270	2,4-Dinitrotoluene, TCLP	mg/L	0.13
SW8260	2-Butanone, TCLP	mg/L	200
SW8260	Benzene, TCLP	mg/L	0.5
SW8260	Carbon tetrachloride, TCLP	mg/L	0.5
SW8081	Chlordane, Technical, TCLP	mg/L	0.03
SW8260	Chlorobenzene, TCLP	mg/L	100
SW8260	Chloroform, TCLP	mg/L	6
SW8081	gamma-BHC (Lindane), TCLP	mg/L	0.4
SW8081	Heptachlor, TCLP	mg/L	0.008
SW8270	Hexachloro-1,3-butadiene, TCLP	mg/L	0.5
SW8270	Hexachlorobenzene, TCLP	mg/L	NA
SW8270	Hexachloroethane, TCLP	mg/L	3
SW8270	m-Cresol, TCLP	mg/L	200
SW8081	Methoxychlor, TCLP	mg/L	10
SW8270	Nitrobenzene, TCLP	mg/L	2
SW8270	o-Cresol, TCLP	mg/L	200
SW8270	p-Cresol, TCLP	mg/L	200
SW8270	Pentachlorophenol, TCLP	mg/L	100
SW8270	Pyridine, TCLP	mg/L	5
SW8260	Tetrachloroethene, TCLP	mg/L	0.7
SW8081	Toxaphene, TCLP	mg/L	0.5
SW8260	Trichloroethene, TCLP	mg/L	0.5
SW8260	Vinyl chloride, TCLP	mg/L	0.2
SW6020A	Arsenic, TCLP	mg/L	5
SW6020A	Barium, TCLP	mg/L	100
SW6020A	Cadmium, TCLP	mg/L	1
SW6020A	Chromium, TCLP	mg/L	5
SW6020A	Lead, TCLP	mg/L	5
SW7470A	Mercury, TCLP	mg/L	0.2
SW6020A	Selenium, TCLP	mg/L	1
SW6020A	Silver, TCLP	mg/L	5
D93	Flashpoint, P-M Closed-cup	DEG F	<140
SW9040	pH	s.u.	≤2 or ≥12.5
			0.0087
			0.041
			0.0002 U
			0.002 U
			0.001 U
			0.0002 U
			0.002 U
			0.0005 U
			>140
			7.03 H

Notes:

*MCL – U.S. Environmental Protection Agency, Maximum Contaminant Level/Regional Screening Level (formerly Preliminary Remediation Goal) listed in Tapwater Supporting Table November 2011.

**40 CFR 261.20 – A solid waste exhibits the characteristic of toxicity if the extract from a representative sample of the waste contains any of the contaminants listed in the table at the concentration equal to or greater than the respective value given. Criteria obtained from Table 1 – Maximum Concentration of Contaminants for the Toxicity Characteristic, Code of Federal Regulations – Title 40: Protection of Environment, Chapter 1: Environmental Protection Agency, Subchapter 1 Solid Wastes, Part 261: Identification and Listing of Hazardous Waste, Subpart C: Characteristics of Hazardous Wastes. Where the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering, is considered to be the extract for the purpose of this table. A substance not excluded from regulation as a hazardous waste is a hazardous waste if it exhibits any of the characteristics listed.

BOLD - Exceeds listed criteria

CFR – Code of Federal Regulations

DEG F – Degrees Farenheit

ft bgs – Feet below ground surface

H – Holding time was exceeded

MCL – Maximum Contaminant Level

mg/Kg – Milligrams per kilogram

mg/L – Milligrams per liter

NA – Not Available

RSL – Regional Screening Level

s.u. – Standard Unit

TCLP – Toxicity Characteristic Leaching Procedure

U – Not detected at indicated method detection limit

APPENDIX G1
HISTORICAL DOCUMENTS SUMMARY

SUMMARIES OF DOCUMENTS OBTAINED FROM OHIO EPA

5 - 6 December 2011

Leach Dump Site

Armstrong, Edward. Ohio Department of Health, Notes on Inspection Trip to Whirlpool on 10/23/69.
Unknown date.

- Purpose was to inspect the sludge disposal location and Whirlpool Corporation's industrial waste treatment facilities. Included several ODH staff, Sandusky County Health Department, Whirlpool, and Whirlpool's consultant.
- Vacuum filter being investigated to increase sludge solids from 3% to 20%.
- During the landfill inspection the area covered by the previous sludge dump was visited. The landfill operator indicated that he intended to build lagoons for the sludge drying.
- The industrial waste facilities appeared to be operating satisfactorily (presumed to be the facilities at Whirlpool). A considerable amount of oil was on the surface of the sludge lagoon, but no appearance of oil in the effluent from the polishing lagoon. Foaming was noticeable.

Dean, Julie. OEPA, Telephone Memorandum with Jim Zirman. 9 Jan. 1991.

- Mr. Zirman used to live on the Leach property. Whirlpool was the only one to dump on the property. Whirlpool brought in tankers of sludge and left it to dry. Charles Holmler had a lot to do with site hauling.

Dean, Julie. OEPA, Telephone Memorandum with Ed Karr. 9 Jan. 1991.

- Mr. Karr could remember back to 1960's Whirlpool dumping here. Area of about 1 acre north of site will not support any plant life. He'll send some aerial photographs. Leaching underground to low spots.

Dean, Julie. OEPA, DERR Master Sites List Referral. 16 Jan. 1991.

- Comments indicate that releases from this landfill to the surrounding area were suspected. Plant damage and areas with no vegetation. Surface water body is South Creek.
- The landfill was not capped.

Jordan, Roland. Whirlpool Corporation, Letter to Mr. Dan Redman, Ohio Department of Health. 18 July 1969.

- Refers to Mr. Redman's letter of 10 July 1969 to the Whirlpool Corporation Plant Manager and requests a meeting to discuss sludge disposal as they feel a solution is not easily available in the area.

SUMMARIES OF DOCUMENTS OBTAINED FROM OHIO EPA

5 - 6 December 2011

Koebel, Mary Anne. Sandusky County Department of Public Health, Letter to Ms. Pam Derner, OEPA. 22 Dec. 1989.

- Contained an approximate map of the dump site location. Provided names and telephone numbers for three contacts who may have more information.

OEPA. Meeting notes Re: Whirlpool Amert Site, Leach Site also mentioned. 25 Jan. 1989.

- Leach site is west of Sherman Rd. Whirlpool probably used it in the 1960's but they didn't lease the property and probably was not used by Whirlpool exclusively. Ed Karr, owner of the field north of the site could probably know what went on back there.

Ohio Department of Transportation Office of Aerial Engineering. Aerial Photography Research Log to Steven Snyder, OEPA. 29 Jan. 2004.

- Indicates that aerial photos dates 9/02, 5/00, 10/99, 4/88, 5/83, and 4/77 are available.

Redman, Dan. Ohio Department of Health, Letter to Mr. Vince Golembiowski. 21 April 1969.

- References a 28 February 1969 letter from Mr. Golembiowski and subsequent telephone conversation regarding Mr. Golembiowski's landfill operation near Clyde.
- Industrial waste material from Whirlpool Corporation is hauled to the site by tank truck. Approximately 4 million gallons of a slurry mixture is deposited over a 2-3 month period starting in the spring and allowed to dry to a firm condition and used as fill.
- Continued use of the site after 1 July 1969 will require compliance with the regulations.
- Reminds Mr. Golembiowski that the Sandusky County Board of Commissioners established a county-wide refuse district and therefore must be favorable toward development of a landfill prior to any approval action by ODH.

Sandusky County Board of County Commissioners. Letter to Mr. Dan Redman, Re: bulk waste disposal Vincent Golembiowski property. 19 Apr. 1969.

- The Board agrees that if Mr. Vincent Golembiowski's property is approved by ODH as a disposal site for sludge wastes from the Clyde Whirlpool Corporation, the Board would approve same subject to reconsideration of the Board annually.

Snyder, Steven. OEPA, Letter to Ohio Department of Transportation Office of Aerial Engineering. 16 Jan. 2004.

- Requests aerial photos for all years on file of the Leach Dump Site.

Unknown author. Ohio Department of Health, Letter to Whirlpool Plant Manager. 10 July 1969.

SUMMARIES OF DOCUMENTS OBTAINED FROM OHIO EPA

5 - 6 December 2011

- Goal of ODH's intentions are to provide a satisfactory method of disposal of the waste in accordance with the new State solid Waste Law which became fully effective on 1 July 1969.
- Disposal of the slurry in the recent past was on property leased by Mr. Vincent Golembiowski, who had been sent a letter explaining status of future operations at his site.
- On 9 July 1969, Mr. Charles Homler contact ODH requesting the same information as Mr. Golembiowski. He was directed to contact Mr. Golembiowski instead of ODH repeating everything.
- Neither Mr. Golembiowski or Mr. Homler owns the site. ODH doubted the actual owner would want to go through the landfill approval process.
- Requested that Whirlpool examine the situation and suggested that a better treatment and disposal method may be possible.

Unknown author, hand drawn sample location map for Leach and Amert Dump sites. 4 Aug. 1988.

- Depicts 3 sampling locations at the Leach Site with one in the dump and two to the north in Ed Karr's field.
- Also depicts 3 sampling locations north of the Amert Site and one to the south of the Amert site.
- The map is followed by Aqua Tech Environmental Consultants, Inc. Sample Results Reports. 12 Sept. 1988. Analyses varied by location but generally included select metals, pH, and total residue.

Unknown author. OEPA Telephone Memorandum with Mary Anne Koebel of Sandusky County Department of Public Health. 27 Nov. 1990.

- Landfill was not capped. Ms. Koebel still receives complaints from neighbors.
- High potential for migration in sandy soil, used as a common dump.
- Mr. Charles Holmler, a hauler, recently passed away.

Unknown author. OEPA Telephone Memorandum with Mary Anne Koebel. 17 Dec. 1990.

- Ms. Koebel suggested talking to Mr. Ed Karr, works at Village of Green Springs Post Office.
- Boundaries of the site are unclear. No one has ever talked with the current owners of the site.

Unknown author. Soil survey map containing Leach and Amert Dump Sites. Unknown date.

Whirlpool Corporation. Amended Special Waste Acceptance Approval from Ottawa County Landfill. 11 Dec. 2001.


- Approves disposal of 60,000 tons of non-hazardous special waste, contaminated soil.
- Waste profile attachments contain analysis data from October 1999.

APPENDIX G2
EDR REPORT

Amert Golembiowski Leach Dumps
1682 County Road 236
Clyde, OH 43410

Inquiry Number: 3225018.46s
December 15, 2011

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	28
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-14
Physical Setting Source Map Findings	A-16
Physical Setting Source Records Searched	A-105

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1682 COUNTY ROAD 236
CLYDE, OH 43410

COORDINATES

Latitude (North):	41.297700 - 41° 17' 51.7"
Longitude (West):	83.008700 - 83° 0' 31.3"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	331818.6
UTM Y (Meters):	4573539.0
Elevation:	678 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	41083-C1 FREMONT EAST, OH
Most Recent Revision:	1980
East Map:	41082-C8 CLYDE, OH
Most Recent Revision:	1969

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	2009, 2010
Source:	USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS..... This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Licensed Solid Waste Facilities

State and tribal leaking storage tank lists

LUST..... Leaking Underground Storage Tank File
UNREG LTANKS..... Ohio Leaking UST File
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

UST..... Underground Storage Tank File
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

EXECUTIVE SUMMARY

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Sites with Engineering Controls
INST CONTROL..... Sites with Institutional Engineering Controls
HIST ENG CONTROLS..... Operation & Maintenance Agreements Database
HIST INST CONTROLS..... Institutional Controls Database

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Action Program Sites

State and tribal Brownfields sites

BROWNFIELDS..... Ohio Brownfield Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
SWRCY..... Recycling Facility Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
CDL..... Clandestine Drug Lab Locations
US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

ARCHIVE UST..... Archived Underground Storage Tank Sites

Local Land Records

LIENS 2..... CERCLA Lien Information
LUCIS..... Land Use Control Information System

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
SPILLS..... Emergency Response Database

Other Ascertainable Records

RCRA-NonGen..... RCRA - Non Generators
DOT OPS..... Incident and Accident Data

EXECUTIVE SUMMARY

DOD.....	Department of Defense Sites
FUDS.....	Formerly Used Defense Sites
CONSENT.....	Superfund (CERCLA) Consent Decrees
ROD.....	Records Of Decision
UMTRA.....	Uranium Mill Tailings Sites
MINES.....	Mines Master Index File
TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
FINDS.....	Facility Index System/Facility Registry System
RAATS.....	RCRA Administrative Action Tracking System
UIC.....	Underground Injection Wells Listing
DRYCLEANERS.....	Drycleaner Facility Listing
NPDES.....	NPDES General Permit List
AIRS.....	Title V Permits Listing
USD.....	Urban Setting Designation Sites
HIST USD.....	Urban Setting Designations Database
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER.....	PCB Transformer Registration Database
COAL ASH DOE.....	Steam-Electric Plan Operation Data
FINANCIAL ASSURANCE.....	Financial Assurance Information Listing
CRO.....	Cessation of Regulated Operations Facility Listing
COAL ASH.....	Coal Ash Disposal Site Listing

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA CORRACTS facilities list

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/09/2011 has revealed that there are 2

EXECUTIVE SUMMARY

CORRACTS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WHIRLPOOL CORPORATION	119 BIRDSEYE ST	ENE 1/2 - 1 (0.987 mi.)	A5	11
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CLYDE PAINT AND SUPPLY COMPANY	435 WEST MULBERRY STREET 1/2 - 1 (0.799 mi.)		2	7

State- and tribal - equivalent CERCLIS

DERR: The DERR database is an index of sites for which Ohio EPA maintains files. It includes sites with known or suspected contamination, but a site's inclusion in the database does not mean that it is now or has ever been contaminated.

A review of the DERR list, as provided by EDR, and dated 08/22/2011 has revealed that there is 1 DERR site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LEACH DISPOSAL SITE	CR-236	S 0 - 1/8 (0.110 mi.)	1	7

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s.

A review of the HIST LF list, as provided by EDR, and dated 01/01/1980 has revealed that there is 1 HIST LF site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LEACH DISPOSAL SITE	CR-236	S 0 - 1/8 (0.110 mi.)	1	7

Other Ascertainable Records

TOWNGAS: The database includes 82 very old sites (circa 1895) which produced gas from coal for street lighting. Most visual evidence of these sites has disappeared, however the potential for buried coal tar remains. The database is no longer in active use.

A review of the TOWNGAS list, as provided by EDR, and dated 07/28/1992 has revealed that there is 1 TOWNGAS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CLYDE GAS COMPANY	BIRDSEYE STREET AT RR	ENE 1/2 - 1 (0.977 mi.)	A3	10

EXECUTIVE SUMMARY

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CLYDE GAS COMPANY	BIRDSEYE STREET AT RR	ENE 1/2 - 1 (0.977 mi.)	A4	11

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 7 records.

<u>Site Name</u>	<u>Database(s)</u>
CLYDE COMPOST FACILITY	SWF/LF
FREMONT COMPOST FACILITY	SWF/LF
CONTINENTAL ESTATE LTD	LUST, UST
EVERGREEN GRAIN CO.	UST
MEYER TERRY CHEVROLET BUICK OLDSMO	RCRA-SQG, FINDS
OHIO TURNPIKE COMMISSION	RCRA-NonGen, FINDS
FREMONT GAS COMPANY	TOWNGAS

OVERVIEW MAP - 3225018.46s



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Oil & Gas pipelines from USGS

National Wetland Inventory


State Wetlands

SITE NAME: Amert Golembiowski Leach Dumps
ADDRESS: 1682 County Road 236
Clyde OH 43410
LAT/LONG: 41.2977 / 83.0087

CLIENT: Weston Solutions, Inc.
CONTACT: TJ Mcfarland
INQUIRY #: 3225018.46s
DATE: December 15, 2011 10:31 am

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

DETAIL MAP - 3225018.46s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- Power transmission lines
- Oil & Gas pipelines from USGS
- National Wetland Inventory
- State Wetlands

0 1/8 1/4 1/2 Miles



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Amert Golembiowski Leach Dumps
ADDRESS: 1682 County Road 236
Clyde OH 43410
LAT/LONG: 41.2977 / 83.0087

CLIENT: Weston Solutions, Inc.
CONTACT: TJ Mcfarland
INQUIRY #: 3225018.46s
DATE: December 15, 2011 10:32 am

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
<u>STANDARD ENVIRONMENTAL RECORDS</u>								
<i>Federal NPL site list</i>								
NPL	1.000	0	0	0	0	NR	0	
Proposed NPL	1.000	0	0	0	0	NR	0	
NPL LIENS	TP	NR	NR	NR	NR	NR	0	
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000	0	0	0	0	NR	0	
<i>Federal CERCLIS list</i>								
CERCLIS	0.500	0	0	0	NR	NR	0	
FEDERAL FACILITY	1.000	0	0	0	0	NR	0	
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500	0	0	0	NR	NR	0	
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000	0	0	0	2	NR	2	
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500	0	0	0	NR	NR	0	
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250	0	0	NR	NR	NR	0	
RCRA-SQG	0.250	0	0	NR	NR	NR	0	
RCRA-CESQG	0.250	0	0	NR	NR	NR	0	
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500	0	0	0	NR	NR	0	
US INST CONTROL	0.500	0	0	0	NR	NR	0	
<i>Federal ERNS list</i>								
ERNS	TP	NR	NR	NR	NR	NR	0	
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	N/A	N/A	N/A	N/A	N/A	N/A	0	
DERR	1.000	1	0	0	0	NR	1	
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500	0	0	0	NR	NR	0	
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500	0	0	0	NR	NR	0	
UNREG LTANKS	0.500	0	0	0	NR	NR	0	
INDIAN LUST	0.500	0	0	0	NR	NR	0	
<i>State and tribal registered storage tank lists</i>								
UST	0.250	0	0	NR	NR	NR	0	

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)						Total Plotted
			< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
HIST ENG CONTROLS		0.500	0	0	0	NR	NR	0
HIST INST CONTROLS		0.500	0	0	0	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
INDIAN VCP		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
BROWNFIELDS		0.500	0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
HIST LF		0.500	1	0	0	NR	NR	1
SWRCY		0.500	0	0	0	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US CDL		TP	NR	NR	NR	NR	NR	0
CDL		TP	NR	NR	NR	NR	NR	0
US HIST CDL		TP	NR	NR	NR	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
ARCHIVE UST		0.250	0	0	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2		TP	NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
<i>Records of Emergency Release Reports</i>								
HMIRS		TP	NR	NR	NR	NR	NR	0
SPILLS		TP	NR	NR	NR	NR	NR	0
<i>Other Ascertainable Records</i>								
RCRA-NonGen		0.250	0	0	NR	NR	NR	0
DOT OPS		TP	NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
TOWNGAS		1.000	0	0	0	1	NR	1
UIC		TP	NR	NR	NR	NR	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
USD		0.500	0	0	0	NR	NR	0
HIST USD		0.500	0	0	0	NR	NR	0
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0
FINANCIAL ASSURANCE		TP	NR	NR	NR	NR	NR	0
CRO		TP	NR	NR	NR	NR	NR	0
COAL ASH		0.500	0	0	0	NR	NR	0

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants	1.000	0	0	0	1	NR	1
-------------------------	-------	---	---	---	---	----	---

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

1 **LEACH DISPOSAL SITE**
South CR-236
< 1/8 CLYDE, OH 43410
0.110 mi.
582 ft.

DERR S100037556
HIST LF N/A

Relative: DERR:
Higher DERR ID: 372001251
 District: NWDO
Actual: Alias: Not reported
680 ft. Lat/Long: 41.29444443999999 -83.00972222
 EPA ID: Not reported
 Program: **Not reported**
 Contact Phone: (419) 352-8461

LF_HIST:
Year closed: 1971
Publicly owned: Yes
Location: NEXT TO WHIRLPOOL DISPOSAL SITE. FORMERLY USED BY WHIRLPOOL.
Lat/Long: 41 17 40 83 00 35
Waste Type: INDUSTRIAL
Capacity: UNKNOWN
SWF ID: N
Owner Name: RON & CYNTHIA GROVER
Owner Address: 1672 CR-236
Owner City,St,Zip: CLYDE 43410
Ohio ID: 372-1251
District: 3

2 **CLYDE PAINT AND SUPPLY COMPANY**
East 435 WEST MULBERRY STREET
1/2-1 CLYDE, OH 43410
0.799 mi.
4219 ft.

CERC-NFRAP 1000185627
CORRACTS OHD005048459
RCRA-NonGen
FINDS

Relative: CERC-NFRAP:
Lower Site ID: 0506971
 Federal Facility: Not a Federal Facility
Actual: NPL Status: Not on the NPL
672 ft. Non NPL Status: Deferred to RCRA

Program Priority:
Description: Great Lakes

Description: RCRA Deferral Audit

Description: RCRA Deferral - Lead Confirmed

CERCLIS-NFRAP Assessment History:

Action:	DISCOVERY
Date Started:	Not reported
Date Completed:	05/21/1991
Priority Level:	Not reported
Action:	PRELIMINARY ASSESSMENT
Date Started:	Not reported
Date Completed:	10/28/1992
Priority Level:	Deferred to RCRA (Subtitle C)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CLYDE PAINT AND SUPPLY COMPANY (Continued)

1000185627

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 12/27/1995
Priority Level: Not reported

CORRACTS:

EPA ID: OHD005048459
EPA Region: 05
Area Name: ENTIRE FACILITY
Actual Date: 05/01/2009
Action: CA070NO - RFA Determination Of Need For An RFI, RFI is Not Necessary
NAICS Code(s): Not reported
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: OHD005048459
EPA Region: 05
Area Name: ENTIRE FACILITY
Actual Date: 07/01/2006
Action: CA001
NAICS Code(s): Not reported
Original schedule date: Not reported
Schedule end date: Not reported

RCRA-NonGen:

Date form received by agency: 05/11/2005
Facility name: NAGY AUTO BODY
Facility address: 435 MULBERRY ST
CLYDE, OH 43410
EPA ID: OHD005048459
Contact: LYNN L NAGY
Contact address: 435 MULBERRY ST
CLYDE, OH 43410
Contact country: US
Contact telephone: (419) 547-8447
Contact email: Not reported
EPA Region: 05
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NAGY LYNN L
Owner/operator address: ADDRESS NOT REPORTED
CITY NOT REPORTED, AK 99998
Owner/operator country: Not reported
Owner/operator telephone: (312) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/0001
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CLYDE PAINT AND SUPPLY COMPANY (Continued)

1000185627

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 08/27/1990
Facility name: NAGY AUTO BODY
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1985
Facility name: NAGY AUTO BODY
Classification: Not a generator, verified

Date form received by agency: 01/01/1979
Facility name: NAGY AUTO BODY
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Corrective Action Summary:

Event date: 07/01/2006
Event: CA001

Event date: 05/01/2009
Event: RFA Determination Of Need For An RFI, RFI is Not Necessary;

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CLYDE PAINT AND SUPPLY COMPANY (Continued)

1000185627

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 05/11/2005
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/27/1990
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/29/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 04/25/1989
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004598025

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

A3
ENE
1/2-1
0.977 mi.
5161 ft.

CLYDE GAS COMPANY
BIRDSEYE STREET AT RR
CLYDE, OH 43410

TWNGAS S105743201
N/A

Site 1 of 3 in cluster A

Relative:
Higher
Actual:
679 ft.

TWNGAS:
District: 3
Lat/Long: 41 19 27 / 82 58 22
Process: WATER GAS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number

A4 CLYDE GAS COMPANY
ENE BIRDSEYE STREET AT RR
1/2-1 CLYDE, OH 43410
0.977 mi.
5161 ft.

Manufactured Gas Plants 1008407576
N/A

Site 2 of 3 in cluster A

Relative: Manufactured Gas Plants:
Higher No additional information available

Actual:
679 ft.

A5 WHIRLPOOL CORPORATION
ENE 119 BIRDSEYE ST
1/2-1 CLYDE, OH 43410
0.987 mi.
5212 ft.

CORRACTS 1000364616
RCRA-LQG 43410WHRLP11
TRIS
FINDS
UIC
LUST
UST
SPILLS

Site 3 of 3 in cluster A

Relative:
Higher

Actual: CORRACTS:
678 ft.

EPA ID: OHD005048335
EPA Region: 05
Area Name: ENTIRE FACILITY
Actual Date: 07/01/2006
Action: CA001
NAICS Code(s): 335224
Household Laundry Equipment Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

RCRA-LQG:

Date form received by agency: 03/02/2009
Facility name: WHIRLPOOL CORPORATION
Facility address: 119 BIRDSEYE STREET
CLYDE, OH 43410
EPA ID: OHD005048335
Contact: MARK T DELGARBINO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (419) 547-2189
Contact email: MARK_T_DELGARBINO@WHIRLPOOL.COM
EPA Region: 05
Land type: Private
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Owner/Operator Summary:

Owner/operator name: WHIRLPOOL CORPORATION
Owner/operator address: 119 BIRDSEYE STREET
CLYDE, OH 43410
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: WHIRLPOOL CORPORATION
Owner/operator address: 119 BIRDSEYE STREET
CLYDE, OH 43410
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1952
Owner/Op end date: Not reported

Owner/operator name: WHIRLPOOL CORPORATION
Owner/operator address: 119 BIRDSEYE STREET
CLYDE, OH 43410
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1952
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Universal Waste Summary:

Waste type: Batteries
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Waste type: Thermostats
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

Waste type: Batteries
Accumulated waste on-site: Yes
Generated waste on-site: Yes

Waste type: Lamps
Accumulated waste on-site: Yes
Generated waste on-site: Yes

Historical Generators:

Date form received by agency: 03/26/2008
Facility name: WHIRLPOOL CORPORATION
Classification: Large Quantity Generator

Date form received by agency: 05/31/2007
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORP
Classification: Large Quantity Generator

Date form received by agency: 02/27/2007
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 06/22/2006
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL
Classification: Large Quantity Generator

Date form received by agency: 04/03/2006
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 03/01/2005
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 02/27/2004
Facility name: WHIRLPOOL CORPORATION
Classification: Large Quantity Generator

Date form received by agency: 03/03/2003
Facility name: WHIRLPOOL CORPORATION
Classification: Large Quantity Generator

Date form received by agency: 10/02/2002
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 02/28/2000
Facility name: WHIRLPOOL CORPORATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 02/25/1998
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 01/01/1996
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 02/22/1994
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION, CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 03/01/1993
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORP CLYDE DIV
Classification: Large Quantity Generator

Date form received by agency: 02/27/1992
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 02/27/1990
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORPORATION CLYDE DIVISION
Classification: Large Quantity Generator

Date form received by agency: 11/19/1980
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORP CLYDE DIV
Classification: Not a generator, verified

Date form received by agency: 01/01/1979
Facility name: WHIRLPOOL CORPORATION
Site name: WHIRLPOOL CORP CLYDE DIV
Classification: Large Quantity Generator

Corrective Action Summary:

Event date: 07/01/2006
Event: CA001

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: TSD IS-General Facility Standards
Date violation determined: 05/23/2007
Date achieved compliance: 07/03/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/05/2007
Enf. disposition status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: Not reported
Area of violation: Universal Waste - Small Quantity Handlers
Date violation determined: 05/23/2007
Date achieved compliance: 05/23/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/05/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-41
Area of violation: Generators - Records/Reporting
Date violation determined: 04/04/2006
Date achieved compliance: 04/04/2006
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/04/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-75
Area of violation: Generators - Records/Reporting
Date violation determined: 01/04/2001
Date achieved compliance: 05/03/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-34(C)(2)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/05/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(C)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency:
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 01/31/2001
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: 0
 Final penalty amount: 0
 Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(C)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency:
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 08/01/2001
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: 0
 Final penalty amount: 0
 Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(D)(4)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency:
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 06/04/2001
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: 0
 Final penalty amount: 0
 Paid penalty amount: 0

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 01/04/2001
Date achieved compliance: 08/01/2001
Violation lead agency:
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 01/31/2001
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(D)(4)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/01/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(C)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/04/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 01/04/2001
Date achieved compliance: 08/01/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/04/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SS - 3734.02(F)
Area of violation: TSD - General
Date violation determined: 01/04/2001
Date achieved compliance: 05/03/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(C)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/03/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(D)(4)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/03/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(D)(4)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/12/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-34(C)(2)
Area of violation: Generators - Pre-transport
Date violation determined: 01/04/2001
Date achieved compliance: 06/05/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/03/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Paid penalty amount: 0

Regulation violated: SR - 3745-52-34(C)(1)(b)
Area of violation: Specific - Boilers and Industrial Furnaces
Date violation determined: 01/04/2001
Date achieved compliance: 05/03/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-20(A)
Area of violation: Generators - Manifest
Date violation determined: 01/04/2001
Date achieved compliance: 05/03/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/31/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 01/04/2001
Date achieved compliance: 08/01/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/03/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-33
Area of violation: Generators - Pre-transport
Date violation determined: 04/15/1997
Date achieved compliance: 12/03/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/25/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Regulation violated: SR - 3745-65-52
Area of violation: Generators - Pre-transport
Date violation determined: 04/15/1997
Date achieved compliance: 12/03/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/25/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-66-73(A)
Area of violation: Generators - Pre-transport
Date violation determined: 04/15/1997
Date achieved compliance: 12/03/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/25/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-66-74(B)
Area of violation: Generators - Pre-transport
Date violation determined: 04/15/1997
Date achieved compliance: 12/03/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/25/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Regulation violated: SR - 3745-65-16(A)(B)(C)(D)
Area of violation: Generators - General
Date violation determined: 10/24/1990
Date achieved compliance: 03/11/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/30/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Evaluation Action Summary:

Evaluation date: 07/03/2007
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Universal Waste - Small Quantity Handlers
Date achieved compliance: 05/23/2007
Evaluation lead agency: State

Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-General Facility Standards
Date achieved compliance: 07/03/2007
Evaluation lead agency: State

Evaluation date: 04/04/2006
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 04/04/2006
Evaluation lead agency: State

Evaluation date: 04/04/2003
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/08/2002
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 06/12/2002
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Records/Reporting
Date achieved compliance: 05/03/2001
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Manifest
Date achieved compliance: 05/03/2001
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Area of violation: Generators - General
Date achieved compliance: 08/01/2001
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Specific - Boilers and Industrial Furnaces
Date achieved compliance: 05/03/2001
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 05/03/2001
Evaluation lead agency: State

Evaluation date: 01/04/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 06/05/2001
Evaluation lead agency: State

Evaluation date: 04/15/1997
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 12/03/1997
Evaluation lead agency: State

Evaluation date: 10/24/1990
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Generators - General
Date achieved compliance: 03/11/1991
Evaluation lead agency: State

Evaluation date: 10/24/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/13/1988
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/13/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

TRIS:

[Click this hyperlink](#) while viewing on your computer to access
8 additional US_TRIS: record(s) in the EDR Site Report.

FINDS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number
Database(s)

WHIRLPOOL CORPORATION (Continued)

1000364616

Registry ID: 110000383166

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

UIC:

Facility Id Number: 895
Facility Status: Not reported
Latitude: 41.30853499999999
Longitude: -82.98163499999997
Number Of UIC Wells: Not reported
Type Of UIC Well: No well
Type Description: Not reported
Status: Not reported
UIC Number: Not reported
Buisness Active: False
Well Id: Not reported
Well construction: Not reported
Latitude Of Well1: Not reported
Longitude Of Well1: Not reported
Latitude Of Well2: Not reported
Longitude Of Well2: Not reported
Latitude Of Well3: Not reported
Longitude Of Well3: Not reported
Latitude Of Well4: Not reported
Longitude Of Well4: Not reported
Latitude Of Well5: Not reported
Longitude Of Well5: Not reported
Latitude Of Monitoring Well: Not reported
Longitude Of Monitoring Well: Not reported

LUST:

Release Number: 72000195-N00001
Release Date: 1/19/1990
Facility Status: Active
LTF Status: 1 SUS/CON from regulated UST
FR Status: CON: a release is confirmed
Priority: 2
Review Date: 4/1/2011
Class: E

Release Number: 72000195-N00002
Release Date: 12/6/1991
Facility Status: Active
LTF Status: 6 Closure of regulated UST
FR Status: NFA: No Further Action
Priority: 2
Review Date: 4/19/2007
Class: Viable Responsible Party has been identified

Release Number: 72000195-N00003
Release Date: 12/3/2007
Facility Status: Active
LTF Status: 6 Closure of regulated UST
FR Status: NCR: No closure report received letter sent
Priority: 2
Review Date: 4/1/2011
Class: E

Facility:

Facility ID:

72000195

Map ID
Direction
Distance
Elevation

Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Facility Type: Not reported
24 Hr Emergency Contact: Not reported
24 Hr Emergency Phone: Not reported
Number Of Tanks On Site: Not reported
Local Fire Department: CLYDE FIRE DEPARTMENT
Delegated Authority: No
Elig For Green Buckeye Award: Not reported
Active Release Site: Yes
Owner Id: W004294
Owner Name: WHIRLPOOL CORP.
Owner Address: 119 BIRDSEYE ST
Owner City/State/Zip: CLYDE, OH 43410
Owner Phone: (419) 547-7711

Inspection:

Facility Id: 72000195
Inspection Id: 12/3/07
Code: 103
Permit Number: P00001
Inspection Type: Final

Permit:

Facility Id: 72000195
Permit Id: P00001
Permit Status: Closed
Issued Date: 10/19/2007
Lfd Permit Id: Not reported

UST:

Tank ID: T00001
Tank Status: Filled in Place With Solid Material
Tank Type: Steel;Other
Capacity: 8000
Content: Unknown
CAS #: Not reported
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
AST/UST:
Installation Date: 1/1/1954
Date Removed: Not reported
Date Last Used: 1/1/1988
Date Abandoned/Closed: 12/3/2007
Corrosion Protection Tank: Not reported
Release Detection on Tank: Not reported
Corrosion Protection Piping: Not reported
Piping Material: Bare Steel
Piping Type: Not reported
Release Detection on Piping: Not reported

Tank ID: T00002
Tank Status: Removed
Tank Type: Steel
Capacity: 5000
Content: Unknown
CAS #: Not reported
Regulated: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

Overfill Device Installed: No
Spill Device Installed: No
AST/UST: UST
Installation Date: 1/1/1959
Date Removed: 12/18/1989
Date Last Used: 12/18/1989
Date Abandoned/Closed: Not reported
Corrosion Protection Tank: Not reported
Release Detection on Tank: Not reported
Corrosion Protection Piping: Not reported
Piping Material: Bare Steel
Piping Type: Not reported
Release Detection on Piping: Not reported

Tank ID: T00003
Tank Status: **Removed**
Tank Type: Steel
Capacity: 6000
Content: Unknown
CAS #: Not reported
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
AST/UST: UST
Installation Date: 1/1/1956
Date Removed: 12/18/1989
Date Last Used: 12/18/1989
Date Abandoned/Closed: Not reported
Corrosion Protection Tank: Not reported
Release Detection on Tank: Not reported
Corrosion Protection Piping: Not reported
Piping Material: Bare Steel
Piping Type: Not reported
Release Detection on Piping: Not reported

SPILLS:

Spill No.: 9110-72-4483
Spill Year: 1991
Date Spill Reported: 10/22/91
Spill Month: 10
Spill Number: 4483
Reporter Name: COMPANY
Confidential: No
District Code: NW
County Code: 72
Employee Number: Not reported
Lat/Long: Not reported
Product Spilled Name: WASTE WATER

Spill No.: 9210-72-4301
Spill Year: 1992
Date Spill Reported: 10/04/92
Spill Month: 10
Spill Number: 4301
Reporter Name: COMPANY
Confidential: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WHIRLPOOL CORPORATION (Continued)

1000364616

District Code: NW
County Code: 72
Employee Number: Not reported
Lat/Long: Not reported
Product Spilled Name: SEWAGE

Spill No.: 9208-72-3732
Spill Year: 1992
Date Spill Reported: 08/25/92
Spill Month: 8
Spill Number: 3732
Reporter Name: COMPANY
Confidential: No
District Code: NW
County Code: 72
Employee Number: Not reported
Lat/Long: Not reported
Product Spilled Name: OIL

Spill No.: 9205-72-2207
Spill Year: 1992
Date Spill Reported: 05/29/92
Spill Month: 5
Spill Number: 2207
Reporter Name: COMPANY
Confidential: No
District Code: NW
County Code: 72
Employee Number: 1775
Lat/Long: Not reported
Product Spilled Name: FUEL OIL

Spill No.: 9309-72-3959
Spill Year: 1993
Date Spill Reported: 09/22/93
Spill Month: 9
Spill Number: 3959
Reporter Name: COMPANY
Confidential: No
District Code: NW
County Code: 72
Employee Number: Not reported
Lat/Long: Not reported
Product Spilled Name: SOLUBLE OIL

[Click this hyperlink](#) while viewing on your computer to access
5 additional OH SPILL: record(s) in the EDR Site Report.

Count: 7 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
CLYDE	S105245537	CLYDE COMPOST FACILITY	LIMERICK RD	43410	SWF/LF
CLYDE	1000211615	MEYER TERRY CHEVROLET BUICK OLDSMO	US RTE 20 W	43410	RCRA-SQG, FINDS
CLYDE	U004089989	EVERGREEN GRAIN CO.	5485 STATE ROUTE 101	43410	UST
CLYDE	U004088293	CONTINENTAL ESTATE LTD	1137 USHY 20 E	43410	LUST, UST
FREMONT	S105245539	FREMONT COMPOST FACILITY	S 5TH ST	43420	SWF/LF
FREMONT	S105743202	FREMONT GAS COMPANY	N FRONT & N STATE	43420	TOWNGAS
FREMONT	1001203188	OHIO TURNPIKE COMMISSION	MI POST 95.4 ST RT 6	43420	RCRA-NonGen, FINDS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1 Telephone 617-918-1143	EPA Region 6 Telephone: 214-655-6659
EPA Region 3 Telephone 215-814-5418	EPA Region 7 Telephone: 913-551-7247
EPA Region 4 Telephone 404-562-8033	EPA Region 8 Telephone: 303-312-6774
EPA Region 5 Telephone 312-886-6686	EPA Region 9 Telephone: 415-947-4246
EPA Region 10 Telephone 206-553-8665	

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/25/2011	Source: EPA
Date Data Arrived at EDR: 03/01/2011	Telephone: 703-412-9810
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/29/2011
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/10/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/11/2011	Telephone: 703-603-8704
Date Made Active in Reports: 02/16/2011	Last EDR Contact: 10/14/2011
Number of Days to Update: 36	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/25/2011	Source: EPA
Date Data Arrived at EDR: 03/01/2011	Telephone: 703-412-9810
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/29/2011
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/09/2011
Date Data Arrived at EDR: 03/15/2011
Date Made Active in Reports: 06/14/2011
Number of Days to Update: 91

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/14/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/15/2011
Date Data Arrived at EDR: 07/07/2011
Date Made Active in Reports: 08/08/2011
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/05/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2011
Date Data Arrived at EDR: 07/07/2011
Date Made Active in Reports: 08/08/2011
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/05/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/15/2011
Date Data Arrived at EDR: 07/07/2011
Date Made Active in Reports: 08/08/2011
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/05/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2011
Date Data Arrived at EDR: 07/07/2011
Date Made Active in Reports: 08/08/2011
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/05/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/16/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/25/2011	Telephone: 703-603-0695
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 12/09/2011
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/16/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/25/2011	Telephone: 703-603-0695
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 12/09/2011
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 10/03/2011	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 10/04/2011	Telephone: 202-267-2180
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/04/2011
Number of Days to Update: 38	Next Scheduled EDR Contact: 01/16/2012
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A	Source: Ohio EPA
Date Data Arrived at EDR: N/A	Telephone: 614-644-2924
Date Made Active in Reports: N/A	Last EDR Contact: 11/14/2011
Number of Days to Update: N/A	Next Scheduled EDR Contact: 02/27/2012
	Data Release Frequency: N/A

DERR: Division of Emergency & Remedial Response's Database

The DERR listings contains sites from all of Ohio that are in the Division of Emergency and Remedial Response (DERR) database, which is an index of sites for which our district offices maintain files. The database is NOT a record of contaminated sites or sites suspected of contamination. Not all sites in the database are contaminated, and a site's absence from the database does not imply that it is uncontaminated.

Date of Government Version: 08/22/2011	Source: Ohio EPA, Div. of Emergency and Remedial Response
Date Data Arrived at EDR: 08/23/2011	Telephone: 614-644-3538
Date Made Active in Reports: 09/27/2011	Last EDR Contact: 11/21/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/05/2012
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Licensed Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 10/17/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 11/08/2011
Number of Days to Update: 20

Source: Ohio Environmental Protection Agency
Telephone: 614-644-2621
Last EDR Contact: 10/17/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank File

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 10/18/2011
Date Data Arrived at EDR: 10/20/2011
Date Made Active in Reports: 11/01/2011
Number of Days to Update: 12

Source: Department of Commerce
Telephone: 614-752-8200
Last EDR Contact: 11/23/2011
Next Scheduled EDR Contact: 03/05/2012
Data Release Frequency: Quarterly

UNREG LTANKS: Ohio Leaking UST File

A suspected or confirmed release of petroleum from a non-regulated UST.

Date of Government Version: 08/25/1999
Date Data Arrived at EDR: 08/19/2003
Date Made Active in Reports: 08/26/2003
Number of Days to Update: 7

Source: Department of Commerce
Telephone: 614-752-7938
Last EDR Contact: 08/01/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011
Date Data Arrived at EDR: 09/13/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 59

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/01/2011
Date Data Arrived at EDR: 11/01/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 10

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 11/01/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/02/2011
Date Data Arrived at EDR: 11/04/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 7

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/31/2011
Date Data Arrived at EDR: 02/01/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 48
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Quarterly

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/11/2011 Source: EPA Region 4
Date Data Arrived at EDR: 08/12/2011 Telephone: 404-562-8677
Date Made Active in Reports: 09/13/2011 Last EDR Contact: 10/31/2011
Number of Days to Update: 32 Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Semi-Annually

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/18/2011 Source: EPA Region 8
Date Data Arrived at EDR: 08/19/2011 Telephone: 303-312-6271
Date Made Active in Reports: 09/13/2011 Last EDR Contact: 10/31/2011
Number of Days to Update: 25 Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 02/16/2011 Source: EPA Region 7
Date Data Arrived at EDR: 06/02/2011 Telephone: 913-551-7003
Date Made Active in Reports: 09/13/2011 Last EDR Contact: 10/31/2011
Number of Days to Update: 103 Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Underground Storage Tank Tank File

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 09/16/2011 Source: Department of Commerce
Date Data Arrived at EDR: 09/16/2011 Telephone: 614-752-8200
Date Made Active in Reports: 09/30/2011 Last EDR Contact: 12/12/2011
Number of Days to Update: 14 Next Scheduled EDR Contact: 03/05/2012
Data Release Frequency: Quarterly

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011 Source: EPA Region 6
Date Data Arrived at EDR: 05/11/2011 Telephone: 214-665-7591
Date Made Active in Reports: 06/14/2011 Last EDR Contact: 10/31/2011
Number of Days to Update: 34 Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/18/2011
Date Data Arrived at EDR: 08/19/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 25

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 08/04/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 39

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2011
Date Data Arrived at EDR: 06/01/2011
Date Made Active in Reports: 06/14/2011
Number of Days to Update: 13

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 08/11/2011
Date Data Arrived at EDR: 08/12/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 32

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 07/01/2011
Date Data Arrived at EDR: 08/26/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 18

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/01/2011
Date Data Arrived at EDR: 11/01/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 10

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/02/2011	Source: EPA Region 10
Date Data Arrived at EDR: 11/04/2011	Telephone: 206-553-2857
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 7	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 10/17/2011
Number of Days to Update: 55	Next Scheduled EDR Contact: 01/30/2012
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Sites with Engineering Controls

A database that tracks properties with engineering controls.

Date of Government Version: 08/17/2011	Source: Ohio EPA
Date Data Arrived at EDR: 08/18/2011	Telephone: 614-644-2306
Date Made Active in Reports: 09/28/2011	Last EDR Contact: 11/14/2011
Number of Days to Update: 41	Next Scheduled EDR Contact: 02/27/2012
	Data Release Frequency: Semi-Annually

INST CONTROL: Sites with Institutional Engineering Controls

A database that tracks properties with institutional controls.

Date of Government Version: 08/17/2011	Source: Ohio Environmental Protection Agency
Date Data Arrived at EDR: 08/18/2011	Telephone: 614-644-2306
Date Made Active in Reports: 09/28/2011	Last EDR Contact: 11/14/2011
Number of Days to Update: 41	Next Scheduled EDR Contact: 02/27/2012
	Data Release Frequency: Semi-Annually

HIST INST CONTROLS: Institutional Controls Database

"Institutional control" is a restriction that is recorded in the same manner as a deed which limits access to or use of the property such that exposure to hazardous substances or petroleum are effectively and reliably eliminated or mitigated. Examples of institutional controls include land and water use restrictions. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/06/2006	Telephone: 614-644-2306
Date Made Active in Reports: 05/04/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

HIST ENG CONTROLS: Operation & Maintenance Agreements Database

Volunteers that complete a voluntary action that relies on the ongoing operation and maintenance (O&M) of an engineered control to make the site protective (e.g. cap systems and ground water treatment systems) must enter into a legally binding agreement with the Ohio EPA before the director issues a covenant not to sue. This O&M Agreement must describe how the remedy is constructed and how it will be monitored, maintained and repaired. It also lays out inspection opportunities for the agency. Companies must document that they have the financial capability to operate any remedy relied on, before the agency will agree to enter into the O&M Agreement. The statute requires that the agency be notified of any change in ownership. This database is no longer updated or maintained by the state agency.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/10/2005
Date Data Arrived at EDR: 04/04/2006
Date Made Active in Reports: 05/04/2006
Number of Days to Update: 30

Source: Ohio EPA
Telephone: 614-644-2306
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

VCP: Voluntary Action Program Sites
Site involved in the Voluntary Action Program.

Date of Government Version: 08/17/2011
Date Data Arrived at EDR: 08/18/2011
Date Made Active in Reports: 09/28/2011
Number of Days to Update: 41

Source: Ohio EPA, Voluntary Action Program
Telephone: 614-728-1298
Last EDR Contact: 11/14/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 08/04/2011
Date Data Arrived at EDR: 10/04/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 38

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 10/04/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Ohio Brownfield Inventory

A statewide brownfields inventory. A brownfield is an abandoned, idled or under-used industrial or commercial property where expansion or redevelopment is complicated by known or potential releases of hazardous substances and/or petroleum.

Date of Government Version: 09/20/2011
Date Data Arrived at EDR: 09/21/2011
Date Made Active in Reports: 09/28/2011
Number of Days to Update: 7

Source: Ohio EPA
Telephone: 614-644-3748
Last EDR Contact: 09/21/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 06/27/2011
Date Data Arrived at EDR: 06/27/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 78
Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/28/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory
An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004 Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004 Last EDR Contact: 06/09/2004
Number of Days to Update: 39 Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009 Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009 Last EDR Contact: 09/26/2011
Number of Days to Update: 137 Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

HIST LF: Old Solid Waste Landfill
A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s.

Date of Government Version: 01/01/1980 Source: Ohio EPA
Date Data Arrived at EDR: 07/01/2003 Telephone: 614-644-3749
Date Made Active in Reports: 07/17/2003 Last EDR Contact: 06/26/2003
Number of Days to Update: 16 Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWRCY: Recycling Facility Listing

Date of Government Version: 07/07/2011 Source: Ohio EPA
Date Data Arrived at EDR: 07/22/2011 Telephone: 614-728-5357
Date Made Active in Reports: 08/09/2011 Last EDR Contact: 10/31/2011
Number of Days to Update: 18 Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007 Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008 Last EDR Contact: 11/07/2011
Number of Days to Update: 52 Next Scheduled EDR Contact: 02/20/2012
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 06/08/2011 Source: Drug Enforcement Administration
Date Data Arrived at EDR: 09/16/2011 Telephone: 202-307-1000
Date Made Active in Reports: 09/29/2011 Last EDR Contact: 12/05/2011
Number of Days to Update: 13 Next Scheduled EDR Contact: 03/19/2012
Data Release Frequency: Quarterly

CDL: Clandestine Drug Lab Locations

A list of clandestine drug lab sites with environmental impact. This list is extracted from the SPILLS database based on the "product" type.

Date of Government Version: 12/31/2009 Source: Ohio EPA
Date Data Arrived at EDR: 02/19/2010 Telephone: 614-644-2080
Date Made Active in Reports: 03/09/2010 Last EDR Contact: 11/14/2011
Number of Days to Update: 18 Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007 Source: Drug Enforcement Administration
Date Data Arrived at EDR: 11/19/2008 Telephone: 202-307-1000
Date Made Active in Reports: 03/30/2009 Last EDR Contact: 03/23/2009
Number of Days to Update: 131 Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

ARCHIVE UST: Archived Underground Storage Tank Sites

Underground storage tank records that have been removed from the Underground Storage Tank database.

Date of Government Version: 09/16/2011 Source: Department of Commerce, Division of State Fire Marshal
Date Data Arrived at EDR: 09/16/2011 Telephone: 614-752-7938
Date Made Active in Reports: 09/28/2011 Last EDR Contact: 12/12/2011
Number of Days to Update: 12 Next Scheduled EDR Contact: 03/05/2012
Data Release Frequency: Quarterly

Local Land Records

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 09/09/2011
Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/16/2011
Telephone: 202-564-6023
Date Made Active in Reports: 09/29/2011
Last EDR Contact: 10/31/2011
Number of Days to Update: 13
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006
Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007
Last EDR Contact: 11/22/2011
Number of Days to Update: 31
Next Scheduled EDR Contact: 03/05/2012
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 10/04/2011
Source: U.S. Department of Transportation
Date Data Arrived at EDR: 10/04/2011
Telephone: 202-366-4555
Date Made Active in Reports: 11/11/2011
Last EDR Contact: 10/04/2011
Number of Days to Update: 38
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Annually

SPILLS: Emergency Response Database

Incidents reported to the Emergency Response Unit. The focus of the ER program is to minimize the impact on the environment from accidental releases, spills, and unauthorized discharges from any fixed or mobile sources. Incidents involving petroleum products, hazardous materials, hazardous waste, abandoned drums, or other materials which may pose as a pollution threat to the state's water, land, or air should be reported immediately. Not all incidents included in the database are actual SPILLS, they can simply be reported incidents.

Date of Government Version: 05/30/2011
Source: Ohio EPA
Date Data Arrived at EDR: 06/01/2011
Telephone: 614-644-2084
Date Made Active in Reports: 06/28/2011
Last EDR Contact: 11/14/2011
Number of Days to Update: 27
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Varies

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/15/2011
Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/07/2011
Telephone: 312-886-6186
Date Made Active in Reports: 08/08/2011
Last EDR Contact: 10/05/2011
Number of Days to Update: 32
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/29/2011
Date Data Arrived at EDR: 08/09/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 94

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 11/08/2011
Next Scheduled EDR Contact: 02/20/2012
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/20/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 08/12/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 112

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 12/09/2011
Next Scheduled EDR Contact: 03/26/2012
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/01/2011
Date Data Arrived at EDR: 08/19/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 41

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 10/03/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/31/2011
Date Data Arrived at EDR: 09/14/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 15

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 12/14/2011
Next Scheduled EDR Contact: 03/26/2012
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/21/2010
Date Made Active in Reports: 01/28/2011
Number of Days to Update: 99

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/29/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/18/2011
Date Data Arrived at EDR: 09/08/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 21

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 12/07/2011
Next Scheduled EDR Contact: 03/19/2012
Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/17/2010
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 94

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 12/02/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 09/29/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 64

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/27/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 11/28/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 11/28/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/31/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/07/2011
Date Data Arrived at EDR: 01/21/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 59

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2010
Date Data Arrived at EDR: 11/10/2010
Date Made Active in Reports: 02/16/2011
Number of Days to Update: 98

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 10/19/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/21/2011
Date Data Arrived at EDR: 07/15/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 60

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 12/12/2011
Next Scheduled EDR Contact: 03/26/2012
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/11/2011 Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/13/2011 Telephone: 202-343-9775
Date Made Active in Reports: 02/16/2011 Last EDR Contact: 10/13/2011
Number of Days to Update: 34 Next Scheduled EDR Contact: 01/23/2012
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010 Source: EPA
Date Data Arrived at EDR: 04/16/2010 Telephone: (312) 353-2000
Date Made Active in Reports: 05/27/2010 Last EDR Contact: 12/13/2011
Number of Days to Update: 41 Next Scheduled EDR Contact: 03/26/2012
Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Source: EPA
Date Data Arrived at EDR: 07/03/1995 Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995 Last EDR Contact: 06/02/2008
Number of Days to Update: 35 Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2009 Source: EPA/NTIS
Date Data Arrived at EDR: 03/01/2011 Telephone: 800-424-9346
Date Made Active in Reports: 05/02/2011 Last EDR Contact: 11/30/2011
Number of Days to Update: 62 Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Biennially

TOWNGAS: DERR Towngas Database

The database includes 82 very old sites (circa 1895) which produced gas from coal for street lighting. Most visual evidence of these sites has disappeared, however the potential for buried coal tar remains. The database is no longer in active use.

Date of Government Version: 07/28/1992 Source: Ohio EPA
Date Data Arrived at EDR: 02/21/2003 Telephone: 614-644-3749
Date Made Active in Reports: 03/05/2003 Last EDR Contact: 02/12/2003
Number of Days to Update: 12 Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UIC: Underground Injection Wells Listing

A listing of underground injection well locations.

Date of Government Version: 08/22/2011
Date Data Arrived at EDR: 08/23/2011
Date Made Active in Reports: 09/27/2011
Number of Days to Update: 35

Source: Ohio EPA
Telephone: 614-644-2752
Last EDR Contact: 11/28/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing

A listing of drycleaner facility locations.

Date of Government Version: 10/05/2011
Date Data Arrived at EDR: 10/06/2011
Date Made Active in Reports: 10/31/2011
Number of Days to Update: 25

Source: Ohio EPA
Telephone: 614-644-3469
Last EDR Contact: 10/03/2011
Next Scheduled EDR Contact: 01/16/2012
Data Release Frequency: Varies

NPDES: NPDES General Permit List

General information regarding NPDES (National Pollutant Discharge Elimination System) permits.

Date of Government Version: 08/17/2011
Date Data Arrived at EDR: 08/18/2011
Date Made Active in Reports: 09/27/2011
Number of Days to Update: 40

Source: Ohio EPA
Telephone: 614-644-2031
Last EDR Contact: 11/16/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Semi-Annually

AIRS: Title V Permits Listing

A listing of Title V Permits issued by the Division of Air Pollution Control. It is a federal operating permit program adopted and implemented by the state. The basic program elements typically specify that major sources will submit an operating application to the specified state environmental regulatory agency according to a schedule.

Date of Government Version: 09/27/2011
Date Data Arrived at EDR: 09/27/2011
Date Made Active in Reports: 11/07/2011
Number of Days to Update: 41

Source: Ohio EPA
Telephone: 614-644-2270
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: Varies

USD: Urban Setting Designation Sites

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined.

Date of Government Version: 08/17/2011
Date Data Arrived at EDR: 08/18/2011
Date Made Active in Reports: 09/28/2011
Number of Days to Update: 41

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 11/14/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Varies

HIST USD: Urban Setting Designations Database

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined. This database is no longer updated or maintained by the state agency.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/10/2005
Date Data Arrived at EDR: 04/25/2006
Date Made Active in Reports: 05/11/2006
Number of Days to Update: 16

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/20/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 10/24/2011
Next Scheduled EDR Contact: 02/06/2012
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010
Date Data Arrived at EDR: 01/03/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 77

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 12/08/2011
Next Scheduled EDR Contact: 03/26/2012
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008
Date Data Arrived at EDR: 02/18/2009
Date Made Active in Reports: 05/29/2009
Number of Days to Update: 100

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 11/04/2011
Next Scheduled EDR Contact: 02/13/2012
Data Release Frequency: Varies

COAL ASH DOE: Steam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 12/08/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 10/20/2011
Date Data Arrived at EDR: 10/20/2011
Date Made Active in Reports: 10/31/2011
Number of Days to Update: 11

Source: Ohio EPA
Telephone: 614-644-2955
Last EDR Contact: 10/17/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 01/23/2009
Date Data Arrived at EDR: 06/26/2009
Date Made Active in Reports: 07/06/2009
Number of Days to Update: 10

Source: Ohio EPA
Telephone: 614-644-2134
Last EDR Contact: 10/17/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/20/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: N/A

CRO: Cessation of Regulated Operations Facility Listing

"Cessation of Regulated Operations" means the discontinuation or termination of regulated operations or the finalizing of any transaction or proceeding through which those operations are discontinued. "Regulated Operations" means the production, use, storage or handling of regulated substances.

Date of Government Version: 06/17/2011
Date Data Arrived at EDR: 08/23/2011
Date Made Active in Reports: 09/27/2011
Number of Days to Update: 35

Source: Ohio EPA
Telephone: 614-644-3065
Last EDR Contact: 11/18/2011
Next Scheduled EDR Contact: 02/27/2012
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 08/26/2009
Date Made Active in Reports: 09/11/2009
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/22/2011
Next Scheduled EDR Contact: 03/05/2012
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010
Date Data Arrived at EDR: 07/20/2011
Date Made Active in Reports: 08/11/2011
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 10/18/2011
Next Scheduled EDR Contact: 01/30/2012
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 08/01/2011
Date Data Arrived at EDR: 08/09/2011
Date Made Active in Reports: 09/16/2011
Number of Days to Update: 38

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 11/08/2011
Next Scheduled EDR Contact: 02/20/2012
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 12/01/2009
Date Made Active in Reports: 12/14/2009
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2010
Date Data Arrived at EDR: 06/24/2011
Date Made Active in Reports: 06/30/2011
Number of Days to Update: 6

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/28/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 08/11/2011
Date Data Arrived at EDR: 08/26/2011
Date Made Active in Reports: 09/14/2011
Number of Days to Update: 19

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 10/24/2011
Next Scheduled EDR Contact: 02/06/2012
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010
Date Data Arrived at EDR: 08/19/2011
Date Made Active in Reports: 09/15/2011
Number of Days to Update: 27

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Day Care Facilities

Source: Department of Job & Family Services

Telephone: 614-466-6282

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 614-265-1044

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

AMERT GOLEMBIOWSKI LEACH DUMPS
1682 COUNTY ROAD 236
CLYDE, OH 43410

TARGET PROPERTY COORDINATES

Latitude (North):	41.29770 - 41° 17' 51.7"
Longitude (West):	83.0087 - 83° 0' 31.3"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	331818.6
UTM Y (Meters):	4573539.0
Elevation:	678 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	41083-C1 FREMONT EAST, OH
Most Recent Revision:	1980
East Map:	41082-C8 CLYDE, OH
Most Recent Revision:	1969

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).



TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> SANDUSKY, OH	FEMA Flood <u>Electronic Data</u> Not Available
---	---

Flood Plain Panel at Target Property: Not Reported

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> FREMONT EAST	NWI Electronic <u>Data Coverage</u> YES - refer to the Overview Map and Detail Map
--	--

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u> Not Reported	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
-------------------------------	-------------------------	---

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Paleozoic
System: Silurian
Series: Upper Silurian (Cayugan)
Code: S3 *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3225018.46s



★ Target Property

~ SSURGO Soil

~ Water

0 1/16 1/8 1/4 Miles



SITE NAME: Amert Golembiowski Leach Dumps
ADDRESS: 1682 County Road 236
Clyde OH 43410
LAT/LONG: 41.2977 / 83.0087

CLIENT: Weston Solutions, Inc.
CONTACT: TJ Mcfarland
INQUIRY #: 3225018.46s
DATE: December 15, 2011 10:32 am

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Tedrow

Soil Surface Texture: loamy fine sand

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 46 inches

Soil Layer Information								
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	7 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	
2	7 inches	59 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Spinks

Soil Surface Texture: fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information								
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	3 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	
2	3 inches	20 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	
3	20 inches	55 inches	stratified fine sand to loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information								
	Boundary			Classification			Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
4	55 inches	59 inches	sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	

Soil Map ID: 3

Soil Component Name: Dumps

Soil Surface Texture: fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class:

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 4

Soil Component Name: Granby

Soil Surface Texture: loamy sand

Hydrologic Group: Class A/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Very poorly drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information								
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	11 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 6.6	
2	11 inches	24 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 6.6	
3	24 inches	59 inches	sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 6.6	

Soil Map ID: 5

Soil Component Name: Mermill

Soil Surface Texture: loam

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Very poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information								
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	9 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.6	
2	9 inches	27 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.6	
3	27 inches	59 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.6	

Soil Map ID: 6

Soil Component Name: Tedrow
 Soil Surface Texture: loamy fine sand
 Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.
 Soil Drainage Class: Somewhat poorly drained
 Hydric Status: Partially hydric
 Corrosion Potential - Uncoated Steel: Low
 Depth to Bedrock Min: > 0 inches
 Depth to Watertable Min: > 46 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information								
	Boundary			Classification			Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	7 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	
2	7 inches	59 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 42.34	Max: 8.4 Min: 5.6	

Soil Map ID: 7

Soil Component Name: Rimer

Soil Surface Texture: loamy fine sand

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 53 inches

Soil Layer Information								
	Boundary			Classification			Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
1	0 inches	7 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.1	

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information								
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil			
2	7 inches	27 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.1	
3	27 inches	31 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.1	
4	31 inches	59 inches	silty clay loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 1.41 Min: 0.07	Max: 8.4 Min: 6.1	

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A11	USGS2301660	1/4 - 1/2 Mile SE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
1	OHD500000377574	0 - 1/8 Mile SSW
2	OHD500000381428	0 - 1/8 Mile South
3	OHD500000376784	1/8 - 1/4 Mile North
4	OHD500000786348	1/8 - 1/4 Mile SSE
5	OHD500000705361	1/4 - 1/2 Mile South
6	OHD500000378359	1/4 - 1/2 Mile South
7	OHD500000786349	1/4 - 1/2 Mile North
8	OHD500000385205	1/4 - 1/2 Mile SW
9	OHD500000378360	1/4 - 1/2 Mile SSE
A10	OHD500000778688	1/4 - 1/2 Mile SE
B12	OHD500000378361	1/4 - 1/2 Mile ESE
B13	OHD500000670678	1/4 - 1/2 Mile ESE
B14	OHD500000381422	1/4 - 1/2 Mile ESE
C15	OHD500000661292	1/2 - 1 Mile SW
16	OHD500000377573	1/2 - 1 Mile SSW
C17	OHD500000712145	1/2 - 1 Mile SW
C18	OHD500000670676	1/2 - 1 Mile SW
C19	OHD500000787961	1/2 - 1 Mile SW
C20	OHD500000712393	1/2 - 1 Mile SW
21	OHD500000381418	1/2 - 1 Mile SE
22	OHD500000378364	1/2 - 1 Mile ESE
D23	OHD500000377568	1/2 - 1 Mile SW
D24	OHD500000662115	1/2 - 1 Mile SW
E25	OHD500000377570	1/2 - 1 Mile SW
F26	OHD500000381427	1/2 - 1 Mile NNE
G27	OHD500000775537	1/2 - 1 Mile WSW
F28	OHD500000376789	1/2 - 1 Mile NNE
H29	OHD500000376788	1/2 - 1 Mile NNE
I30	OHD500000667171	1/2 - 1 Mile ESE
G31	OHD500000670674	1/2 - 1 Mile SW
D32	OHD500000776511	1/2 - 1 Mile SW
D33	OHD500000377569	1/2 - 1 Mile SW
J34	OHD500000378362	1/2 - 1 Mile SE
E35	OHD500000385206	1/2 - 1 Mile SSW
I36	OHD500000378365	1/2 - 1 Mile ESE
I37	OHD500000670693	1/2 - 1 Mile ESE
H38	OHD500000376785	1/2 - 1 Mile NNE
J39	OHD500000378363	1/2 - 1 Mile SE
40	OHD500000377572	1/2 - 1 Mile NNW
41	OHD500000675601	1/2 - 1 Mile NNE
H42	OHD500000376786	1/2 - 1 Mile NNE
J43	OHD500000645484	1/2 - 1 Mile ESE
K44	OHD500000778686	1/2 - 1 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
K45	OHD500000376787	1/2 - 1 Mile NNE
L46	OHD500000385203	1/2 - 1 Mile NE
47	OHD500000377571	1/2 - 1 Mile SW
L48	OHD500000376790	1/2 - 1 Mile NE
49	OHD500000381420	1/2 - 1 Mile East
M50	OHD500000675602	1/2 - 1 Mile NE
M51	OHD500000705383	1/2 - 1 Mile NE
52	OHD500000789240	1/2 - 1 Mile WSW
53	OHD500000382890	1/2 - 1 Mile SSW
54	OHD500000786906	1/2 - 1 Mile NE
55	OHD500000381419	1/2 - 1 Mile SE
56	OHD500000377543	1/2 - 1 Mile ENE
57	OHD500000381431	1/2 - 1 Mile NW
N58	OHD500000632044	1/2 - 1 Mile NE
59	OHD500000786912	1/2 - 1 Mile WSW
O60	OHD500000377549	1/2 - 1 Mile ENE
O61	OHD500000377550	1/2 - 1 Mile ENE
O62	OHD500000377551	1/2 - 1 Mile ENE
O63	OHD500000377546	1/2 - 1 Mile ENE
O64	OHD500000377547	1/2 - 1 Mile ENE
O65	OHD500000377548	1/2 - 1 Mile ENE
O66	OHD500000777762	1/2 - 1 Mile ENE
O67	OHD500000787960	1/2 - 1 Mile ENE
O68	OHD500000789239	1/2 - 1 Mile ENE
O69	OHD500000377552	1/2 - 1 Mile ENE
O70	OHD500000675604	1/2 - 1 Mile ENE
O71	OHD500000675605	1/2 - 1 Mile ENE
N72	OHD500000377541	1/2 - 1 Mile NE
P73	OHD500000378367	1/2 - 1 Mile ESE
P74	OHD500000378366	1/2 - 1 Mile ESE
P75	OHD500000789241	1/2 - 1 Mile ESE

PHYSICAL SETTING SOURCE MAP - 3225018.46s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- (GI) Indeterminate Groundwater Flow at Location
- (GV) Groundwater Flow Varies at Location

SITE NAME: Amert Golembiowski Leach Dumps
 ADDRESS: 1682 County Road 236
 Clyde OH 43410
 LAT/LONG: 41.2977 / 83.0087

CLIENT: Weston Solutions, Inc.
 CONTACT: TJ Mcfarland
 INQUIRY #: 3225018.46s
 DATE: December 15, 2011 10:32 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 SSW 0 - 1/8 Mile Higher		OH WELLS	OHD500000377574
Well log n:	424912		
Well type :	W		
End user i:	1873		
Cnty code:	143	Twp code:	1100
Orig owner:	FRANK S.	Orig own 1:	ALCALA
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	138		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	1708		
St name:	SPAYD	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1860086.21		
Horiz y:	594397.7		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.297128		
Longitude:	-83.009097		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	14		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	05/28/1972	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377574		

2
South
0 - 1/8 Mile
Higher

OH WELLS OHD500000381428

Well log n:	57624		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	BURTON	Orig own 1:	WOODRUFF
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	69		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	0		
St name:	SPAYD	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1860275.64		
Horiz y:	593982.02		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.295991		
Longitude:	-83.008398		
Source of :	digitized	Flowing we:	N
Test rate:	21		
Draw down:	4		
S water le:	11		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	77	Located in:	Y
Date of co:	02/18/1960		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000381428		

3
North
1/8 - 1/4 Mile
Lower

OH WELLS OHD500000376784

Well log n:	498095		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	VINCENT	Orig own 1:	GALENBIAUSKI
Drill type:	Not Reported	Test type :	B
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	98		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	1581		
St name:	SPAYD	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1860351.98		
Horiz y:	595541.36		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.300272		
Longitude:	-83.008154		
Source of :	digitized	Flowing we:	Y
Test rate:	5		
Draw down:	10		
S water le:	0		
S water me:	Not Reported	S water 1:	09/20/1977
Cas ht:	0		
Screen len:	0		
Total dept:	60		
Date of co:	09/20/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376784		

4

SSE
1/8 - 1/4 Mile
Higher

OH WELLS **OHD500000786348**

Well log n:	11062		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	FOREST	Orig own 1:	METZGER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	BDR
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	32		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	Not Reported	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1860431.04		
Horiz y:	593634.1		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.295038		
Longitude:	-83.007826		
Source of :	digitized	Flowing we:	N
Test rate:	15		
Draw down:	10		
S water le:	13		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	80		
Date of co:	12/26/1947	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000786348		

5
South
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000705361

Well log n:	287344		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	DALE	Orig own 1:	WAGONER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	137		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	1816		
St name:	SPAYD	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1860036.57		
Horiz y:	592936.95		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.293118		
Longitude:	-83.009246		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	14		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	80		
Date of co:	12/07/1963	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000705361		

6
South
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000378359

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	237305		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	L.W.	Orig own 1:	SNYDER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	139		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	3255		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1860469.54		
Horiz y:	592456.59		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291807		
Longitude:	-83.00766		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	18		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	100		
Date of co:	12/24/1959	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000378359

Subcon odh:

Not Reported

7
North
1/4 - 1/2 Mile
Lower

OH WELLS **OHD500000786349**

Well log n:	71603	Twp code:	1100
Well type :	W	Orig own 1:	DEWEY
End user i:	1112	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	GRA
Orig owner:	BEN	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	Not Reported	Permit no:	Not Reported
Loc map ye:	1945	Lot no:	Not Reported
Loc no:	568	St type co:	RD
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	SPAYD/DEWEY		
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported		
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1860334.24		
Horiz y:	596779.69		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.30367		
Longitude:	-83.008245		
Source of :	digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	48		
Date of co:	Not Reported	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000786349		

8
SW
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000385205

Well log n:	57603		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	GREEN CREEK TWP.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	572		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	0		
St name:	CLYDE/GREENSPRINGS	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1858840.6		
Horiz y:	592753.6		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.292596		
Longitude:	-83.013595		
Source of :	digitized	Flowing we:	N
Test rate:	21		
Draw down:	5		
S water le:	15		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	79		
Date of co:	Not Reported	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000385205		

**9
SSE
1/4 - 1/2 Mile
Higher**

OH WELLS OHD500000378360

Well log n:	399100		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	JACK	Orig own 1:	CRAVENS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	140		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	3281		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861230.45		
Horiz y:	592439.1		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.291771		
Longitude:	-83.004891		
Source of :	digitized	Flowing we:	N
Test rate:	20		
Draw down:	30		
S water le:	17		
S water me:	Not Reported	S water 1:	10/30/1969
Cas ht:	0		
Screen len:	0		
Total dept:	90		
Date of co:	10/30/1969	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378360		

A10

SE

1/4 - 1/2 Mile

Higher

OH WELLS

OHD500000778688

Well log n:	414255		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	JERRY	Orig own 1:	CHAMBERS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	141		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	3361		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1861618.63		
Horiz y:	592506.01		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291961		
Longitude:	-83.00348		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	35		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	93		
Date of co:	04/26/1971	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000778688		

A11
SE
1/4 - 1/2 Mile
Higher

FED USGS USGS2301660

Agency cd:	USGS	Site no:	411731083001200
Site name:	S-114-G22		
Latitude:	411731	EDR Site id:	USGS2301660
Longitude:	0830012	Dec lat:	41.291998
Dec lon:	-83.00324834	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	39
State:	39	County:	143
Country:	US	Land net:	Not Reported
Location map:	FREMONT EAST	Map scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude: 695.
 Altitude method: Interpolated from topographic map
 Altitude accuracy: 2.5
 Altitude datum: National Geodetic Vertical Datum of 1929
 Hydrologic: Sandusky, Ohio. Area = 1850 sq.mi.
 Topographic: Flat surface
 Site type: Ground-water other than Spring Date construction: 19710426
 Date inventoried: Not Reported Mean greenwich time offset: EST
 Local standard time flag: Y
 Type of ground water site: Single well, other than collector or Ranney type
 Aquifer Type: Not Reported
 Aquifer: SILURIAN SYSTEM
 Well depth: 93. Hole depth: 93.
 Source of depth data: driller
 Project number: 443908500
 Real time data flag: 0 Daily flow data begin date: 0000-00-00
 Daily flow data end date: 0000-00-00 Daily flow data count: 0
 Peak flow data begin date: 0000-00-00 Peak flow data end date: 0000-00-00
 Peak flow data count: 0 Water quality data begin date: 0000-00-00
 Water quality data end date: 0000-00-00 Water quality data count: 0
 Ground water data begin date: 1986-03-26 Ground water data end date: 1987-01-29
 Ground water data count: 3

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1987-01-29	22.56		1987-01-29	22.56	
1986-07-09	22.85		1986-07-09	22.85	
1986-03-26	22.44		1986-03-26	22.44	

B12
ESE
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000378361

Well log n:	545157	Twp code:	1100
Well type :	W	Orig own 1:	SANFORD
End user i:	1295	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	RICHARD	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	142		
Sub name:	Not Reported		
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	22		
St dir cod:	Not Reported		
St no:	3475		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1862302.2		
Horiz y:	1200274		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.293854		
Longitude:	-83.000732		
Source of :	Digitized	Flowing we:	N
Test rate:	15		
Draw down:	35		
S water le:	20		
S water me:	Not Reported	S water 1:	09/05/1978
Cas ht:	0		
Screen len:	0		
Total dept:	71		
Date of co:	09/05/1978	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378361		

B13
ESE
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000670678

Well log n:	96002		
Well type :	W		
End user i:	963		
Cnty code:	143	Twp code:	1100
Orig owner:	FRANK	Orig own 1:	LAURA
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	142		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	S		
St no:	1020		
St name:	MAPLE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1862302.2		
Horiz y:	1200274		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.293854		
Longitude:	-83.000732		
Source of :	Digitized	Flowing we:	N
Test rate:	5		
Draw down:	5		
S water le:	20		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	90		
Date of co:	08/01/1952	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000670678		

B14
ESE
1/4 - 1/2 Mile
Higher

OH WELLS OHD500000381422

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	101023		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	ELMER	Orig own 1:	ROSS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	62		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	0		
St name:	185	St type co:	CR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1862480		
Horiz y:	593336.81		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.294255	Flowing we:	N
Longitude:	-83.000363		
Source of :	digitized		
Test rate:	32		
Draw down:	10		
S water le:	17		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	81		
Date of co:	05/21/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000381422

Subcon odh:

Not Reported

C15
SW
1/2 - 1 Mile
Higher

OH WELLS **OHD500000661292**

Well log n:	124858	Twp code:	1100
Well type :	W	Orig own 1:	MESNARD
End user i:	1112	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	SHA
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	Not Reported	Permit no:	Not Reported
Loc map ye:	1960	Lot no:	Not Reported
Loc no:	61	St type co:	Not Reported
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	21		
St dir cod:	Not Reported		
St no:	0		
St name:	FINEFROCK		
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported		
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1858273.03		
Horiz y:	592747.87		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.292571	Flowing we:	N
Longitude:	-83.01566		
Source of :	digitized		
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	99		
Date of co:	12/04/1953	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000661292		

16
SSW
1/2 - 1 Mile
Higher

OH WELLS OHD500000377573

Well log n:	376793		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	IRWIN	Orig own 1:	GILBERT
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	136		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	3165		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1859500.69		
Horiz y:	591967.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.290448		
Longitude:	-83.011176		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	35		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	85	Located in:	Y
Date of co:	07/23/1968		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377573		

C17
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000712145

Well log n:	263629		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	JOHN	Orig own 1:	CASILLAS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	E
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	1897		
St name:	228	St type co:	TR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857919.7		
Horiz y:	1199983.74		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.29299		
Longitude:	-83.016666		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	18		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	97		
Date of co:	05/11/1962	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000712145		

C18
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000670676

Well log n:	263606		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	GEORGE A.	Orig own 1:	SPITLER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	SHA
Loc map ye:	1980	Loc area:	E
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	3007		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code: S
 Horiz x: 1857919.7
 Horiz y: 1199983.74
 Horiz datum: NAD27
 Horiz acc : 0
 Horiz acc1: 0
 Horiz ac 1: Not Reported
 Vert loc: 0
 Vert acc: 0
 Vert acc u: Not Reported
 Latitude: 41.29299
 Longitude: -83.016666
 Source of : Digitized Flowing we: N
 Test rate: 0
 Draw down: 0
 S water le: 7
 S water me: Not Reported S water 1: Not Reported
 Cas ht: 0
 Screen len: 0
 Total dept: 95
 Date of co: 01/24/1961 Located in: Y
 Assoc rpt : Not Reported
 Depth to b: 0
 Drill year: Not Reported
 Well seal : 0
 Screen slo: 0
 Screened i: 0
 Screened 1: 0
 Sustained : 0
 Attach st: \\NRAS1\\
 Screen dia: 0
 Screen typ: Not Reported Screen mat: Not Reported
 Pump type: Not Reported
 Pump capac: 0
 Pump set a: 0
 Pitless ty: Not Reported Pump inst : Not Reported
 Elev sourc: Not Reported
 Water leve: 0
 Well drill: Not Reported Subcon odh: Not Reported
 Site id: OHD500000670676

C19
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000787961

Well log n: 535979
 Well type : W
 End user i: 664
 Cnty code: 143 Twp code: 1100
 Orig owner: FRANK Orig own 1: SLESSMAN
 Drill type: Not Reported Test type : P
 Well use c: D Aquifer ty: LST
 Loc map ye: 1980 Loc area: E
 Loc no: 0
 Sub name: Not Reported Sub map ye: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	1852		
St name:	228	St type co:	TR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857919.7		
Horiz y:	1199983.74		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29299		
Longitude:	-83.016666		
Source of :	Digitized	Flowing we:	N
Test rate:	18		
Draw down:	3		
S water le:	29		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	110		
Date of co:	12/01/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000787961		

C20
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000712393

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	498100		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	DON	Orig own 1:	MAYERS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	SND
Loc map ye:	1980	Loc area:	E
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	0		
St name:	228	St type co:	TR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857919.7		
Horiz y:	1199983.74		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29299		
Longitude:	-83.016666		
Source of :	Digitized	Flowing we:	N
Test rate:	20		
Draw down:	20		
S water le:	20		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	60		
Date of co:	12/20/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000712393

Subcon odh:

Not Reported

21
SE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000381418**

Well log n:	118573	Twp code:	1100
Well type :	W	Orig own 1:	ALDRICH
End user i:	1178	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	DOUGLAS	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	Not Reported	Permit no:	Not Reported
Loc map ye:	1960	Lot no:	Not Reported
Loc no:	55	St type co:	CR
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	LIMERICK		
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported		
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1862070.54		
Horiz y:	592358.28		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291563	Flowing we:	N
Longitude:	-83.001832		
Source of :	digitized		
Test rate:	10		
Draw down:	20		
S water le:	21		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	65		
Date of co:	06/17/1951	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000381418		

22
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000378364

Well log n:	524093		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	MARK RUFFING BUILDIN
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	GRA
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	146		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	S		
St no:	0		
St name:	MAPLE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1862953.12		
Horiz y:	593470.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29463		
Longitude:	-82.998644		
Source of :	digitized	Flowing we:	N
Test rate:	25		
Draw down:	15		
S water le:	20		
S water me:	Not Reported	S water 1:	10/21/1977
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	70	Located in:	Y
Date of co:	10/21/1977		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	TWO STORY RED BRICK BASE - WHITE SIDING ON SECOND FLOOR		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378364		

D23
SW
1/2 - 1 Mile
Higher

OH WELLS **OHD500000377568**

Well log n:	263628		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	JOHN	Orig own 1:	ALAFITA
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	131		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	1913		
St name:	228	St type co:	TR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857736.07		
Horiz y:	592281.05		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.291281		
Longitude:	-83.017604		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	18		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	102		
Date of co:	04/26/1962	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377568		

D24
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000662115

Well log n:	195739		
Well type :	W		
End user i:	2057		
Cnty code:	143	Twp code:	1100
Orig owner:	PAUL	Orig own 1:	ASHTON
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	75		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	FINEFROCK	St type co:	CR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1857653.31		
Horiz y:	592286.71		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291295		
Longitude:	-83.017905		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	40		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	87		
Date of co:	10/05/1957	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000662115		

**E25
SW
1/2 - 1 Mile
Higher**

OH WELLS OHD500000377570

Well log n:	263626		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	JOHN	Orig own 1:	JOHNSON
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	133		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	3065		
St name:	185	St type co:	CR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1858189.13		
Horiz y:	591803.19		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.289977		
Longitude:	-83.015945		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	18		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	105		
Date of co:	03/30/1962	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377570		

F26
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000381427

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	124857		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	DAGG
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	68		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	0		
St name:	Not Reported	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1861863.63		
Horiz y:	597583.34		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.3059		
Longitude:	-83.002695		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	79		
Date of co:	11/25/1953	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000381427

Subcon odh:

Not Reported

G27
WSW
1/2 - 1 Mile
Higher

OH WELLS **OHD500000775537**

Well log n:	368078	Twp code:	1100
Well type :	W	Orig own 1:	WING
End user i:	1948	Test type :	B
Cnty code:	143	Aquifer ty:	GRA
Orig owner:	CLIFFORD	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	128	St type co:	RD
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	21		
St dir cod:	Not Reported		
St no:	2910		
St name:	LIMERICK		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1857166.84		
Horiz y:	592873.14		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.292897	Flowing we:	N
Longitude:	-83.019688		
Source of :	digitized		
Test rate:	14		
Draw down:	0		
S water le:	30		
S water me:	Not Reported	S water 1:	06/26/1968
Cas ht:	0		
Screen len:	0		
Total dept:	64		
Date of co:	06/26/1968	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000775537		

F28
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000376789

Well log n:	522630		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	FRED	Orig own 1:	SIEBERT
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	105		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3375		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861599.12		
Horiz y:	597740.25		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306326		
Longitude:	-83.003661		
Source of :	digitized	Flowing we:	N
Test rate:	12		
Draw down:	0		
S water le:	38		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	62	Located in:	Y
Date of co:	07/23/1977		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376789		

H29
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000376788

Well log n:	414261		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	BILLETTTER/GODMAN
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	104		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3331		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861469.17		
Horiz y:	597814.75		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.306529		
Longitude:	-83.004136		
Source of :	digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	07/08/1971	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376788		

I30
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000667171

Well log n:	57630		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	ACKERMANT	Orig own 1:	ROGERS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	373		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	0		
St name:	Not Reported	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1863499.91		
Horiz y:	593526.07		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29479		
Longitude:	-82.996655		
Source of :	digitized	Flowing we:	N
Test rate:	14		
Draw down:	17		
S water le:	24		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	90		
Date of co:	08/30/1950	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000667171		

G31
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000670674

Well log n:	498099		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	RICHARD	Orig own 1:	BLAKA
Drill type:	Not Reported	Test type :	B
Well use c:	D	Aquifer ty:	GRA
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	129		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	2951		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857341.09		
Horiz y:	592543.28		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291994		
Longitude:	-83.019047		
Source of :	digitized	Flowing we:	N
Test rate:	3		
Draw down:	20		
S water le:	20		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	75		
Date of co:	12/15/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000670674		

D32
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000776511

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	535978		
Well type :	W		
End user i:	664		
Cnty code:	143	Twp code:	1100
Orig owner:	FRANK	Orig own 1:	SLESSMAN
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	130		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	1854		
St name:	228	St type co:	TR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857404.98		
Horiz y:	592397.6		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291596	Flowing we:	N
Longitude:	-83.018811		
Source of :	digitized		
Test rate:	17		
Draw down:	4		
S water le:	28		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	100		
Date of co:	12/01/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000776511

Subcon odh:

Not Reported

D33
SW
1/2 - 1 Mile
Higher

OH WELLS **OHD500000377569**

Well log n:	263640	Twp code:	1100
Well type :	W	Orig own 1:	DEVRIES
End user i:	1984	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	SAM	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	132	St type co:	TR
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	21		
St dir cod:	Not Reported		
St no:	1889		
St name:	228		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1857747.69		
Horiz y:	591972.19		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.290434		
Longitude:	-83.017555		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	18		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	105		
Date of co:	07/18/1962	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377569		

J34
SE
1/2 - 1 Mile
Higher

OH WELLS OHD500000378362

Well log n:	521380		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	LIMRICK SALES&SUPPLY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	144		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	3515		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1863052.14		
Horiz y:	592471.31		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291888		
Longitude:	-82.998263		
Source of :	digitized	Flowing we:	N
Test rate:	20		
Draw down:	15		
S water le:	34		
S water me:	Not Reported	S water 1:	08/10/1977
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	80	Located in:	Y
Date of co:	08/10/1977		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378362		

**E35
SSW
1/2 - 1 Mile
Higher**

OH WELLS OHD500000385206

Well log n:	57604		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	GREEN CREEK TWP.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	60		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	0		
St name:	CLYDE/GREENSPRINGS	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1858330.28		
Horiz y:	591484.05		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.289103		
Longitude:	-83.015424		
Source of :	digitized	Flowing we:	N
Test rate:	21		
Draw down:	12		
S water le:	17		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	86		
Date of co:	Not Reported	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000385206		

I36
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000378365

Well log n:	96016		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	HAROLD	Orig own 1:	GASE
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	147		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	S		
St no:	899		
St name:	MAPLE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1863596.2		
Horiz y:	1200625.79		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.294839		
Longitude:	-82.996033		
Source of :	Digitized	Flowing we:	N
Test rate:	5		
Draw down:	7		
S water le:	18		
S water me:	Not Reported	S water 1:	09/25/1952
Cas ht:	0		
Screen len:	0		
Total dept:	77		
Date of co:	09/25/1952	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378365		

I37
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000670693

Well log n:	266832		
Well type :	W		
End user i:	1178		
Cnty code:	143	Twp code:	1100
Orig owner:	H.J.	Orig own 1:	GASE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	147		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	S		
St no:	899		
St name:	MAPLE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1863596.2		
Horiz y:	1200625.79		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.294839		
Longitude:	-82.996033		
Source of :	Digitized	Flowing we:	N
Test rate:	20		
Draw down:	31		
S water le:	28		
S water me:	Not Reported	S water 1:	10/21/1963
Cas ht:	0		
Screen len:	0		
Total dept:	65		
Date of co:	10/21/1963	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000670693		

H38
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000376785

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	442160		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	E.W. BUZZ	Orig own 1:	MILLER (BUILDER)
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	100		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3332		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861469.17		
Horiz y:	598038.26		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307142		
Longitude:	-83.00414		
Source of :	digitized	Flowing we:	Y
Test rate:	8		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	72		
Date of co:	07/12/1972	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000376785

Subcon odh:

Not Reported

J39
SE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000378363**

Well log n:	521381	Twp code:	1100
Well type :	W	Orig own 1:	LIMRICK SALES&SUPPLY
End user i:	1295	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	145	St type co:	RD
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	22		
St dir cod:	Not Reported		
St no:	3501		
St name:	LIMERICK		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1863225.41		
Horiz y:	592446.47		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291823	Flowing we:	N
Longitude:	-82.997632		
Source of :	digitized		
Test rate:	20		
Draw down:	15		
S water le:	33		
S water me:	Not Reported	S water 1:	08/11/1977
Cas ht:	0		
Screen len:	0		
Total dept:	85		
Date of co:	08/11/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378363		

40
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD500000377572

Well log n:	235265		
Well type :	W		
End user i:	1948		
Cnty code:	143	Twp code:	1100
Orig owner:	C	Orig own 1:	GALLAGER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	SGR
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	135		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	16		
St dir cod:	Not Reported		
St no:	3035		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1858172.29		
Horiz y:	597796.99		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306427		
Longitude:	-83.016135		
Source of :	digitized	Flowing we:	Y
Test rate:	75		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	12/03/1959
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	124	Located in:	Y
Date of co:	12/03/1959		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377572		

41
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000675601

Well log n:	446605		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	TOWNE COUNTY ESTATES
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	99		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3330		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861326.84		
Horiz y:	598193.47		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.307566		
Longitude:	-83.004662		
Source of :	digitized	Flowing we:	Y
Test rate:	5		
Draw down:	65		
S water le:	0		
S water me:	Not Reported	S water 1:	09/22/1972
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	09/22/1972	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000675601		

H42
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000376786

Well log n:	446606		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	TOWNE COUNTY ESTATES
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	101		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3312		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1861642.44		
Horiz y:	598081.72		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307264		
Longitude:	-83.003511		
Source of :	digitized	Flowing we:	Y
Test rate:	5		
Draw down:	60		
S water le:	0		
S water me:	Not Reported	S water 1:	09/23/1972
Cas ht:	0		
Screen len:	0		
Total dept:	68		
Date of co:	09/23/1972	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376786		

J43
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000645484

Well log n:	913989		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	JONATHAN	Orig own 1:	KUEHNE
Drill type:	R	Test type :	A
Well use c:	D	Aquifer ty:	LST
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	13901
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	3555		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29196		
Longitude:	-82.99701		
Source of :	GEOCODE	Flowing we:	Not Reported
Test rate:	20		
Draw down:	80		
S water le:	24		
S water me:	G	S water 1:	03/01/2002
Cas ht:	0		
Screen len:	0		
Total dept:	80		
Date of co:	02/28/2002	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	20		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000645484		

K44
NNE
1/2 - 1 Mile
Lower

OH WELLS OHD500000778686

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	21985		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	ADAMS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	GRA
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	102		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3558		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1861809.52		
Horiz y:	598087.93		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307284		
Longitude:	-83.002903		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	55		
Date of co:	12/01/1951	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000778686

Subcon odh:

Not Reported

K45
NNE
1/2 - 1 Mile
Lower

OH WELLS **OHD500000376787**

Well log n:	522631	Twp code:	1100
Well type :	W	Orig own 1:	WASSERMAN
End user i:	1883	Test type :	P
Cnty code:	143	Aquifer ty:	LST
Orig owner:	DENNIS	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	103	St type co:	RD
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	15		
St dir cod:	Not Reported		
St no:	3414		
St name:	DEWEY		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1862094.19		
Horiz y:	598032.05		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307135	Flowing we:	N
Longitude:	-83.001865		
Source of :	digitized		
Test rate:	15		
Draw down:	25		
S water le:	22		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	07/25/1977	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376787		

L46
NE
1/2 - 1 Mile
Lower

OH WELLS OHD500000385203

Well log n:	44621		
Well type :	W		
End user i:	1948		
Cnty code:	143	Twp code:	1100
Orig owner:	A	Orig own 1:	SCHRADEER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	570		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	0		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1862563.21		
Horiz y:	597752.02		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306374		
Longitude:	-83.000152		
Source of :	digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	61	Located in:	Y
Date of co:	Not Reported		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000385203		

47
SW
1/2 - 1 Mile
Higher

OH WELLS OHD500000377571

Well log n:	430912		
Well type :	W		
End user i:	664		
Cnty code:	143	Twp code:	1100
Orig owner:	PHIL	Orig own 1:	BREUER
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	134		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	3058		
St name:	185	St type co:	CR
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1857916.13		
Horiz y:	591304.34		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.288603		
Longitude:	-83.016927		
Source of :	digitized	Flowing we:	N
Test rate:	21		
Draw down:	0		
S water le:	10		
S water me:	Not Reported	S water 1:	01/26/1972
Cas ht:	0		
Screen len:	0		
Total dept:	99		
Date of co:	01/26/1972	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377571		

L48
NE
1/2 - 1 Mile
Lower

OH WELLS

OHD500000376790

Well log n:	561869		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	RICHARD	Orig own 1:	FOUKE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	106		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3449		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1862705.59		
Horiz y:	597796.13		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306497		
Longitude:	-82.999635		
Source of :	digitized	Flowing we:	Y
Test rate:	20		
Draw down:	15		
S water le:	2		
S water me:	Not Reported	S water 1:	10/19/1979
Cas ht:	0		
Screen len:	0		
Total dept:	56		
Date of co:	10/19/1979	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000376790		

49
East
1/2 - 1 Mile
Higher

OH WELLS OHD500000381420

Well log n:	121639		
Well type :	W		
End user i:	0		
Cnty code:	143	Twp code:	1100
Orig owner:	HAROLD	Orig own 1:	GASE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	57		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	Not Reported		
St no:	0		
St name:	GREENSPRINGS	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1864203.06		
Horiz y:	593778.95		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.295495		
Longitude:	-82.994102		
Source of :	digitized	Flowing we:	N
Test rate:	14		
Draw down:	2		
S water le:	17		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	72		
Date of co:	05/16/1955	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000381420		

M50
NE
1/2 - 1 Mile
Lower

OH WELLS OHD500000675602

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	263630		
Well type :	W		
End user i:	1984		
Cnty code:	143	Twp code:	1100
Orig owner:	ALVIN	Orig own 1:	OSMAN
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	SND
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	107		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3469		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1862870.95		
Horiz y:	1204837.79		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306382		
Longitude:	-82.998756		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	1		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	57		
Date of co:	05/17/1962	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000675602

Subcon odh:

Not Reported

M51
NE
1/2 - 1 Mile
Lower

OH WELLS **OHD500000705383**

Well log n:	428111	Twp code:	1100
Well type :	W	Orig own 1:	FOUKE
End user i:	1295	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	RICHARD	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	107	St type co:	RD
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	15		
St dir cod:	Not Reported		
St no:	3469		
St name:	DEWEY		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1862870.95		
Horiz y:	1204837.79		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.306382	Flowing we:	Y
Longitude:	-82.998756		
Source of :	Digitized		
Test rate:	25		
Draw down:	35		
S water le:	2		
S water me:	Not Reported	S water 1:	10/06/1971
Cas ht:	0		
Screen len:	0		
Total dept:	68		
Date of co:	10/06/1971	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000705383		

52
WSW
1/2 - 1 Mile
Lower

OH WELLS OHD500000789240

Well log n:	508947		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	CHARLES	Orig own 1:	BARNETT
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	127		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	21		
St dir cod:	Not Reported		
St no:	0		
St name:	LIMERICK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1856228.19		
Horiz y:	592491.55		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.291834		
Longitude:	-83.023095		
Source of :	digitized	Flowing we:	N
Test rate:	15		
Draw down:	35		
S water le:	9		
S water me:	Not Reported	S water 1:	02/11/1977
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	75	Located in:	Y
Date of co:	02/11/1977		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000789240		

53
SSW
1/2 - 1 Mile
Higher

OH WELLS OHD500000382890

Well log n:	36573		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	BEN	Orig own 1:	DAVIS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRA
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	77		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	GREEN SPRINGS	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1857581.09		
Horiz y:	590712.99		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.286975		
Longitude:	-83.018134		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	65		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	85		
Date of co:	06/11/1948	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000382890		

54
NE
1/2 - 1 Mile
Lower

OH WELLS OHD500000786906

Well log n:	360486		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	G.S.	Orig own 1:	ADAMS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	108		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	3558		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1863373.93		
Horiz y:	598032.05		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307155		
Longitude:	-82.997207		
Source of :	digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	07/01/1967	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000786906		

55
SE
1/2 - 1 Mile
Higher

OH WELLS OHD500000381419

Well log n:	124865		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	THOMPSON
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	56		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	23		
St dir cod:	Not Reported		
St no:	0		
St name:	Not Reported	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1863990.41		
Horiz y:	591808.79		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.290085		
Longitude:	-82.994835		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	35		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	86		
Date of co:	02/01/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000381419		

56
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000377543

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	145713		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	E	Orig own 1:	ADAMS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	111		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	1480		
St name:	FRANKS	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864628.3		
Horiz y:	596577.17		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.303182		
Longitude:	-82.992612		
Source of :	digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	20		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	85		
Date of co:	04/25/1955	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000377543

Subcon odh:

Not Reported

57
NW
1/2 - 1 Mile
Lower

OH WELLS **OHD500000381431**

Well log n:	118600	Twp code:	1100
Well type :	W	Orig own 1:	NORMAN
End user i:	1178	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	SGR
Orig owner:	ROY	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	Not Reported	Permit no:	Not Reported
Loc map ye:	1960	Lot no:	Not Reported
Loc no:	73	St type co:	Not Reported
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	16		
St dir cod:	Not Reported		
St no:	0		
St name:	Not Reported		
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported		
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1856712.49		
Horiz y:	598039.51		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307069		
Longitude:	-83.021454		
Source of :	digitized	Flowing we:	N
Test rate:	50		
Draw down:	28		
S water le:	5		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	52		
Date of co:	10/30/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000381431		

N58
NE
1/2 - 1 Mile
Lower

OH WELLS OHD500000632044

Well log n:	919740		
Well type :	W		
End user i:	673		
Cnty code:	143	Twp code:	1100
Orig owner:	RICHARD	Orig own 1:	WEIKER, JR
Drill type:	R	Test type :	Not Reported
Well use c:	D	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	02-02
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	3781		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.30669		
Longitude:	-82.99545		
Source of :	GEOCODE	Flowing we:	Y
Test rate:	15		
Draw down:	0		
S water le:	0		
S water me:	T	S water 1:	02/07/2001
Cas ht:	2		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	77	Located in:	Not Reported
Date of co:	02/08/2001		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	15		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000632044		

59
WSW
1/2 - 1 Mile
Lower

OH WELLS OHD500000786912

Well log n:	193359		
Well type :	W		
End user i:	2621		
Cnty code:	143	Twp code:	1100
Orig owner:	HOLMER	Orig own 1:	RIFE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LST
Loc map ye:	1960	Loc area:	Not Reported
Loc no:	76		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	FINEFROCK	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1855472.72		
Horiz y:	592728.5		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.292472		
Longitude:	-83.02585		
Source of :	digitized	Flowing we:	N
Test rate:	30		
Draw down:	6		
S water le:	10		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	82		
Date of co:	04/15/1957	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000786912		

O60
ENE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000377549**

Well log n:	182465		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	PRICE LUMBER CO.
Drill type:	Not Reported	Test type :	B
Well use c:	D	Aquifer ty:	GRA
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	WHIRLPOOL ADDITION	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	15		
Draw down:	5		
S water le:	20		
S water me:	Not Reported	S water 1:	08/21/1956
Cas ht:	0		
Screen len:	0		
Total dept:	75		
Date of co:	08/21/1956	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377549		

**O61
ENE
1/2 - 1 Mile
Higher**

OH WELLS OHD500000377550

Well log n:	167039		
Well type :	W		
End user i:	1883		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	ADVANCE LUMBER CO.
Drill type:	Not Reported	Test type :	B
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	WHIRLPOOL ADDITION	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	04/17/1956
Cas ht:	0		
Screen len:	0		
Total dept:	67		
Date of co:	04/17/1956	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377550		

O62
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000377551

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	124877		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	FRANK
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	3761		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	21		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	60		
Date of co:	06/29/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000377551

Subcon odh:

Not Reported

O63
ENE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000377546**

Well log n:	145715	Twp code:	1100
Well type :	W	Orig own 1:	CROTHERS
End user i:	1112	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	JAMES	Loc area:	D
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	0	St type co:	CT
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	WOODLAND		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	23		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	86		
Date of co:	06/04/1955	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377546		

O64
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000377547

Well log n:	341561		
Well type :	W		
End user i:	2285		
Cnty code:	143	Twp code:	1100
Orig owner:	E	Orig own 1:	TREECE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	FRANKS	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	15		
Draw down:	30		
S water le:	3		
S water me:	Not Reported	S water 1:	01/12/1966
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	63	Located in:	Y
Date of co:	01/12/1966		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377547		

O65
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000377548

Well log n:	209492		
Well type :	W		
End user i:	2285		
Cnty code:	143	Twp code:	1100
Orig owner:	A.E.	Orig own 1:	MORGEN
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	WOODLAND	St type co:	CT
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	Y
Test rate:	20		
Draw down:	40		
S water le:	0		
S water me:	Not Reported	S water 1:	01/27/1959
Cas ht:	0		
Screen len:	0		
Total dept:	54		
Date of co:	01/28/1959	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377548		

O66
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000777762

Well log n:	233392		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	MILLER (CONTRACTOR)
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	COE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	10		
S water le:	10		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	84		
Date of co:	01/08/1980	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000777762		

O67
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000787960

Well log n:	145724		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	FRIEDT
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	1424		
St name:	FRANKS	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	25		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	86		
Date of co:	08/01/1955	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000787960		

O68
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000789239

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	145702		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	HAROLD	Orig own 1:	SYLVESTER
Drill type:	Not Reported	Test type :	P
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	WOODLAND	St type co:	CT
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	6		
S water le:	19		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	79		
Date of co:	12/08/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000789239

Subcon odh:

Not Reported

O69
ENE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000377552**

Well log n:	259075	Twp code:	1100
Well type :	W	Orig own 1:	CHUMLEY
End user i:	2285	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	THOMS	Loc area:	D
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	0	St type co:	AVE
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	14		
St dir cod:	Not Reported		
St no:	1391		
St name:	FRANKS		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387	Flowing we:	N
Longitude:	-82.991254		
Source of :	Digitized		
Test rate:	25		
Draw down:	10		
S water le:	5		
S water me:	Not Reported	S water 1:	03/31/1961
Cas ht:	0		
Screen len:	0		
Total dept:	74		
Date of co:	03/31/1961	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377552		

O70
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000675604

Well log n:	233361		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	LLOYD	Orig own 1:	BERNER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	0		
St name:	COE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	10		
Draw down:	0		
S water le:	25		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Total dept:	90	Located in:	Y
Date of co:	04/01/1959		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000675604		

O71
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD500000675605

Well log n:	124878		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	FRANK
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	D
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	14		
St dir cod:	Not Reported		
St no:	3861		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1864925.03		
Horiz y:	1203370.08		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	41.302387		
Longitude:	-82.991254		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
S water le:	15		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	75		
Date of co:	07/01/1954	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000675605		

N72
NE
1/2 - 1 Mile
Lower

OH WELLS OHD500000377541

Well log n:	145738		
Well type :	W		
End user i:	1112		
Cnty code:	143	Twp code:	1100
Orig owner:	JOHN	Orig own 1:	NOFTZ
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LSH
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	109		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	15		
St dir cod:	Not Reported		
St no:	0		
St name:	DEWEY	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1864023.7		
Horiz y:	598075.51		
Horiz datum:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.307285		
Longitude:	-82.994843		
Source of :	digitized	Flowing we:	Y
Test rate:	0		
Draw down:	0		
S water le:	0		
S water me:	Not Reported	S water 1:	Not Reported
Cas ht:	0		
Screen len:	0		
Total dept:	64		
Date of co:	11/12/1955	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000377541		

P73
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000378367

Well log n:	495229		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	LEMRICK SALES&SUPPLY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	150		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	23		
St dir cod:	S		
St no:	391		
St name:	WOODLAND	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1865073.86		
Horiz y:	592812.09		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.292855		
Longitude:	-82.990913		
Source of :	digitized	Flowing we:	N
Test rate:	20		
Draw down:	30		
S water le:	15		
S water me:	Not Reported	S water 1:	03/24/1976
Cas ht:	0		
Screen len:	0		
Total dept:	75		
Date of co:	03/24/1976	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000378367		

P74
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD500000378366

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	482717		
Well type :	W		
End user i:	1295		
Cnty code:	143	Twp code:	1100
Orig owner:	Not Reported	Orig own 1:	LEMRICK SALES&SUPPLY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	D	Aquifer ty:	LST
Loc map ye:	1980	Loc area:	Not Reported
Loc no:	149		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	23		
St dir cod:	S		
St no:	401		
St name:	WOODLAND	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE	State code:	OH
Zip:	43410		
Zone code:	S		
Horiz x:	1865042.92		
Horiz y:	592675.5		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.29248		
Longitude:	-82.991022		
Source of :	digitized	Flowing we:	N
Test rate:	20		
Draw down:	40		
S water le:	22		
S water me:	Not Reported	S water 1:	02/14/1975
Cas ht:	0		
Screen len:	0		
Total dept:	80		
Date of co:	02/14/1975	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well drill: Not Reported
 Site id: OHD500000378366

Subcon odh:

Not Reported

P75
ESE
1/2 - 1 Mile
Higher

OH WELLS **OHD500000789241**

Well log n:	491894	Twp code:	1100
Well type :	W	Orig own 1:	LEMRICK SALES&SUPPLY
End user i:	1295	Test type :	Not Reported
Cnty code:	143	Aquifer ty:	LST
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	Not Reported	Sub map ye:	Not Reported
Well use c:	D	Permit no:	Not Reported
Loc map ye:	1980	Lot no:	Not Reported
Loc no:	151	St type co:	AVE
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	23		
St dir cod:	S		
St no:	311		
St name:	WOODLAND		
Sec add:	Not Reported		
Sec add no:	0		
City:	CLYDE		
Zip:	43410		
Zone code:	S		
Horiz x:	1865148.12		
Horiz y:	592948.67		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	41.293231		
Longitude:	-82.990645		
Source of :	digitized	Flowing we:	N
Test rate:	25		
Draw down:	10		
S water le:	18		
S water me:	Not Reported	S water 1:	10/23/1975
Cas ht:	0		
Screen len:	0		
Total dept:	70		
Date of co:	10/23/1975	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Screen slo:	0		
Screeened i:	0		
Screeened 1:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD500000789241		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

RADON

AREA RADON INFORMATION

State Database: OH Radon

Radon Test Results

Zipcode	Num Tests	Maximum	Minimum	Arith Mean	Geo Mean
43410	62	116.1	0.1	12.24	5

Federal EPA Radon Zone for SANDUSKY County: 2

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 43410

Number of sites tested: 2

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	2.050 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 614-265-1044

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Public Water System Data

Source: Ohio Environmental Protection Agency

Telephone: 614-644-2752

The database includes community, transient noncommunity and nontransient noncommunity water wells; and source treatment unit locations.

Water Well Database

Source: Department of Natural Resources

Telephone: 614-265-6740

OTHER STATE DATABASE INFORMATION

RADON

State Database: OH Radon

Source: Department of Health

Telephone: 614-644-2727

Radon Statistics for Zip Code Areas

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRRA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.49

December 21, 2011

The EDR Aerial Photo Decade Package

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography December 21, 2011

Target Property:1682 County Road 236
Clyde, OH 43410

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1951	Aerial Photograph. Scale: 1"=750'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: October 13, 1951	EDR
1960	Aerial Photograph. Scale: 1"=1000'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: May 16, 1960	EDR
1969	Aerial Photograph. Scale: 1"=500'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: March 22, 1969	EDR
1977	Aerial Photograph. Scale: 1"=1000'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: April 01, 1977	EDR
1983	Aerial Photograph. Scale: 1"=1000'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: May 10, 1983	EDR
1988	Aerial Photograph. Scale: 1"=750'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: April 09, 1988	EDR
1995	Aerial Photograph. Scale: 1"=750'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: March 18, 1995	EDR
2000	Aerial Photograph. Scale: 1"=750'	Panel #: 41083-C1, Fremont East, OH;/Flight Date: October 11, 2000	EDR



INQUIRY #: 3225018.49

YEAR: 1951

— = 750'






INQUIRY #: 3225018.49

YEAR: 1960

— = 1000'





INQUIRY #: 3225018.49

YEAR: 1969

— = 500'



INQUIRY #: 3225018.49

YEAR: 1977

 = 1000'





INQUIRY #: 3225018.49

YEAR: 1983

— = 1000'



CDR Environmental
Data Resources Inc.



INQUIRY #: 3225018.49

YEAR: 1988

— = 750'





INQUIRY #: 3225018.49

YEAR: 1995

— = 750'





INQUIRY #: 3225018.49

YEAR: 2000

— = 750'



Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.55

December 15, 2011

EDR Building Permit Report

Target Property and Adjoining Properties

EDR Building Permit Report: Search Documentation

12/15/11

Site Name:

Amert Golembiowski
1682 County Road
Clyde, OH 43410

Client Name:

Weston Solutions, Inc.
6779 Engle Rd
Middleburg Heights, OH

EDR Inquiry # 3225018.55

Contact: TJ Mcfarland



Search Documentation

DATA GAP

The complete collection of Building Permit data available to EDR has been searched, and as of 12/15/11, EDR does not have access to building permits in the city where your target property is located (Clyde, OH).

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THEMAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALLRISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL,INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLYLIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risklevels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providingany facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by anenvironmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to beconstrued as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

ASTM and EPA Requirements

ASTM E 1527-05 lists building department records as a "standard historical source," as detailed in § 8.3.4.7: "Building Department Records – The term building department records means those records of the local government in which the property is located indicating permission of the local government to construct, alter, or demolish improvements on the property." ASTM also states that "Uses in the area surrounding the property shall be identified in the report, but this task is required only to the extent that this information is revealed in the course of researching the property itself."

EPA's Standards and Practices for All Appropriate Inquiries (AAI) states: "§312.24: Reviews of historical sources of information. (a) Historical documents and records must be reviewed for the purposes of achieving the objectives and performance factors of §312.20(e) and (f). Historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.



Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.50

December 20, 2011

The EDR-City Directory Abstract

EDR CITY DIRECTORY ABSTRACT

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

NO COVERAGE

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

The EDR Environmental LienSearch™ Report

**AMERT GOLEMBIOWSKI LEACH
DUMPS
SANDUSKY COUNTY
CLYDE, OH 43410**

Project Number 3225018.51

December 21, 2011



**The Standard in
Environmental Risk
Information**

440 Wheelers Farm Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report includes results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers follows established procedures to:

- search for parcel information, legal description, and ownership based on client supplied address information;
- research indexes and title repositories;
- obtain a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument (title, parties involved, and description); and
- provide a copy of the deed.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc., and NCO Financial Services, Inc. exclusively. This report is neither a guarantee of title, a commitment to insure, nor a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WTH THIS REPORT.** Environmental Data Resources, Inc. (EDR) and NCO Financial Services, Inc. specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

AMERT GOLEMBIOWSKI LEACH DUMPS
1682 COUNTY RD 236
CLYDE, OH 43410

RESEARCH SOURCE

Sources: Sandusky County

DEED INFORMATION

Type of Deed: WD QCD Other DEED

Title is vested in: Whirlpool Corporation, a Delaware Corporation

Title received from: David C. Amert, unmarried

Deed Dated: March 18, 1991
Deed Recorded: March 18, 1991
DBV/PG: 370/846

LEGAL DESCRIPTION

Description: Legal attached as Exhibit "A."

Assessor's Parcel Number: 06-15-00-0027-00 and 06-22-00-0028-01

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If yes:

1st Party:

2nd Party:

Dated:
Recorded:
Book:
Page:

Comments:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

Other AUL's: Found Not Found

EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

AMERT GOLEMBIOWSKI LEACH DUMPS
1682 COUNTY RD 236
CLYDE, OH 43410

RESEARCH SOURCE

Sources: Sandusky County

DEED INFORMATION

Type of Deed: WD QCD Other DEED

Title is vested in: Edward J. Karr

Title received from: Whirlpool Corporation, a Delaware corporation

Deed Dated: December 14, 2005

Deed Recorded: December 16, 2005

DBV/PG: 24/2796

LEGAL DESCRIPTION

Description: Legal attached as Exhibit "B."

Assessor's Parcel Number: 06-22-00-0034-00

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If yes:

1st Party:

2nd Party:

Dated:

Recorded:

Book:

Page:

Comments:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

Other AUL's: Found Not Found

TARGET PROPERTY INFORMATION

EDR Environmental LienSearch™ Report

ADDRESS

AMERT GOLEMBIOWSKI LEACH DUMPS
1682 COUNTY RD 236
CLYDE, OH 43410

RESEARCH SOURCE

Sources: Sandusky County

DEED INFORMATION

Type of Deed: WD QCD Other DEED

Title is vested in: Whirlpool Corporation, a Delaware corporation

Title received from: William R. Miller and Joyce M. Miller, husband and wife

Deed Dated: May 3, 2004
Deed Recorded: May 3, 2004
DBV/PG: 437/943

LEGAL DESCRIPTION

Description: Legal attached as Exhibit "C."

Assessor's Parcel Number: 06-22-00-0035-00

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If yes:

1st Party:

2nd Party:

Dated:
Recorded:
Book:
Page:
Comments:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

Other AUL's: Found Not Found

EDR Environmental LienSearch™ Report

EXHIBIT A

WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS, That I, DAVID C. AMERT, unmarried, the Grantor, for valuable consideration paid, grant(s) with GENERAL WARRANTY COVENANTS, to WHIRLPOOL CORPORATION, a Delaware Corporation, the Grantee, whose tax mailing address is Administrative Center, Benton Harbor, Michigan, 49022, the following described real estate;

Green Creek
SC 15
MC 23

SEARCHED INDEXED SERIALIZED FILED
SANDUSKY COUNTY RECORDS
RECEIVED IN CLERK'S OFFICE
JULY 12 1982

RECEIVED IN CLERK'S OFFICE
JULY 12 1982

TAX MAPS
JULY 12 1982

RECEIVED IN CLERK'S OFFICE
JULY 12 1982

Situated in the Township of Green Creek, County of Sandusky and State of Ohio and being a parcel of land located in part of the west half of the southeast quarter of Section Fifteen (15), and in part of the west half of the northeast quarter of Section Twenty-Two (22), Township 4 North, Range 16 East, Green Creek Township, Sandusky County, Ohio, and being more particularly described as follows: Commencing at a cornerstone found in the east line of the west half of the northeast quarter of said Section Twenty-Two (22); thence on an assumed bearing of North 00 degrees 11 minutes 26 seconds West, and in the east line of the west half of the northeast quarter of said Section Twenty-Two (22), a distance of one and fifty-seven hundredths (1.57) feet to a point in the centerline of County Road 179; thence North 58 degrees 03 minutes 00 seconds East, and in the centerline of County Road 179, a distance of two hundred twenty-one and seventy-six hundredths (221.76) feet to a P.K. nail and shiner set, said P.K. nail and shiner being the principal place of beginning for the herein described parcel; thence North 28 degrees 49 minutes 46 seconds West, and in the easterly line of the lands now or formerly owned by David R. Amert as recorded in Deed Volume 279, Page 794, Sandusky County Record of Deeds, and passing through an iron rod set at thirty and five hundredths (30.05) feet, a distance of three hundred ninety-three and forty-one hundredths (393.41) feet to an iron rod set in the east line of the west half of the northeast quarter of said Section Twenty-Two (22); thence North 00 degrees 11 minutes 26 seconds West, and in the east line of the west half of the northeast quarter of said Section Twenty-Two (22), and passing through an iron rod set at three hundred seventy-five and no hundredths (375.00) feet, a distance of one thousand five hundred eleven and one hundredth (1511.01) feet to an iron pipe found marking the northeast corner of the west half of the northeast quarter of said Section Twenty-Two (22); thence North 00 degrees 00 minutes 18 seconds East, and in the east line of the west half of the southeast quarter of said Section Fifteen (15), a distance of one thousand two hundred ninety-one and sixty-five hundredths (1291.65) feet to a cornerstone found; thence North 89 degrees 04 minutes 45 seconds West and in the north line of said lands of David R. Amert, and passing through an iron rod found at three hundred thirty and eighty-seven hundredths (330.87) feet, a distance of five hundred thirty-two and twenty hundredths (532.20) feet to an iron pipe set in the place of a cornerstone; thence South 00 degrees 00 minutes 27 seconds East, and in the west line of said lands of David R. Amert, a distance of one thousand six hundred fifty-one and thirty-three hundredths (1651.33) feet to a cornerstone found; thence South 89 degrees 59 minutes 34 seconds West, and in the north line of said lands of David R. Amert, a distance of seven hundred ninety and eighty-four hundredths (790.84) feet to an iron rod set in the North-South half section line of said Section Twenty-Two (22); thence South 00 degrees 04 minutes 39 seconds East and in the North-South half section line of said Section Twenty-Two (22), a distance of three hundred thirty and no hundredths (330.00) feet to an iron rod set; thence North 89 degrees 37 minutes 47 seconds East and in the south line of said lands of David R. Amert, a distance of seven hundred fifty-two and thirty-one hundredths (752.31) feet to an iron pipe found; thence South 00 degrees 01 minute 09 seconds West, and in the west line of said lands of David R. Amert, a distance of four hundred sixty-one and fifty-four hundredths (461.54) feet to an iron rod set; thence North 89 degrees 48 minutes 34 seconds East, a distance of five hundred fifty and no hundredths (550.00) feet to an iron rod set; thence South 00 degrees 11 minutes 26 seconds East, and parallel to and twenty and no hundredths (20.00) feet distant from the east line of the west half of the northeast quarter of said Section Twenty-Two (22), a distance of three hundred eighty and eleven hundredths (380.11) feet to an iron rod set; thence South 28 degrees 49 minutes 46 seconds East, and parallel to and twenty and no hundredths (20.00) feet distant from the easterly line of said lands of David R. Amert, and passing through an iron rod set at three hundred sixty-nine and fifty-five hundredths (369.55) feet, a distance of three hundred ninety-nine and sixty hundredths (399.60) feet to a P.K. nail and shiner set in the centerline of County Road 179; thence North 58 degrees 03 minutes 00 seconds East, and in the centerline of County Road 179, a distance of twenty and three hundredths (20.03) feet to the place of beginning, containing 36.3179 acres more or less but subject to all legal easements and highways.

✓ 233295

VOL 370 PAGE 0847

The above description was prepared by and based on a survey made by Gulau Surveying, 1019 South Street, Fremont, Ohio, 43420, by David W. Gulau, Registered Surveyor #6727 dated February, 1991. Bearings given are based on an assumed meridian and are used to indicate angular measurements only.

EXCEPTED from the General Warranty Covenants are easements and restrictions of record and taxes and assessments for the calendar year 1991 and thereafter which said Grantee assumes and agrees to pay. Also excepting zoning restrictions of Green Creek Township. Grantee shall pay any CAUV Recoupment for the years through 1991.

In Witness Whereof, I have hereunto set my hand, the 18th day of March, in the year of our Lord one thousand nine hundred and ninety-one,

Signed and acknowledged in the presence of:

John C. Amert
John C. Amert
David C. Amert

Nancy J. Rogers

STATE OF OHIO
Sandusky County, ss:

Before me, a notary public in and for said county and state, personally appeared the above-named David C. Amert, unmarried, who acknowledged that he did sign the foregoing instrument and that the same is his free act and deed.


In Testimony Whereof, I have hereunto set my hand and official seal at Clyde, Ohio, this 18th day of March, A.D. 1991.

Seal

John C. Homan
Notary Public

THIS INSTRUMENT PREPARED BY
HOMAN AND PEARCE, ATTORNEYS AT LAW, CLYDE, OHIO

RECEIVED FOR RECORD
March 18, 1991
AT 2:01 O'CLOCK P.M.
RECORDED March 18, 1991
SANDUSKY CO RECORDS
VOLUME 374 PAGE 846
Charles L. Pearce, RECORDER
RECORDER'S FEE \$10.00
Pearce Box



101 (5)

REC'D

EXHIBIT B

Financial Investigative Services

Mailing Address: 3850 North Causeway Boulevard, 3rd Floor, Metairie, Louisiana 70002
(National Toll Free) 800/755-0435 | (Louisiana) 504/837-6320 | (Fax) 504/835-2872

6/14
NW 22
200500012046
Filed for Record in
SANDUSKY COUNTY, OHIO
COLLEEN CORMACK
12-16-2005 At 11:51 AM.
UD 34.00
OR Book 24 Page 2796 - 2798

LIMITED WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS: that WHIRLPOOL CORPORATION, a Delaware corporation ("Grantor"), of Berrien County, Michigan, for valuable consideration paid, grants, with limited warranty covenants, to EDWARD J. KARR ("Grantee"), whose tax-mailing address is 5585 West Erie Street, P.O. Box 208, LaCerne, Ohio 45439, the real property located in Sandusky County, Ohio and more particularly described in Exhibit A attached hereto as a part hereof (the "Property").

The Property is conveyed subject to, and there are hereby excepted from the limited warranty covenants, all of the following:

- (i) Real estate taxes and assessments not yet due and payable;
(ii) Easements, restrictions, conditions, covenants and reservations of record;
(iii) Zoning, building and other laws, codes and ordinances;
(iv) All legal highways;
(v) All matters which would be disclosed by an accurate survey and inspection of the Property; and
(vi) The Right of First Refusal Agreement of even date herewith between Grantor and Grantee.

GRANTEE HEREBY ACKNOWLEDGES THAT DURING THE 1960'S, PORCELAIN COATING RESIDUAL MATERIALS WERE DISPOSED OF ON A PORTION OF THE PROPERTY, AND, TO THE BEST OF GRANTOR'S KNOWLEDGE, THESE MATERIALS WERE EXCAVATED AND REMOVED FROM THE PROPERTY IN DECEMBER 2001 – FEBRUARY 2002. GRANTEE HEREBY RELEASES GRANTOR AND ITS OFFICERS, DIRECTORS, SHAREHOLDERS, TRUSTEES, PARTNERS, EMPLOYEES, MANAGERS AND AGENTS FROM ANY AND ALL CLAIMS, DEMANDS, CAUSES OF ACTION, LOSSES, DAMAGES, LIABILITIES, COSTS AND EXPENSES (INCLUDING ATTORNEY'S FEES WHETHER THE SUIT IS INSTITUTED OR NOT), WHETHER KNOWN OR UNKNOWN, LIQUIDATED OR CONTINGENT (HEREINAFTER COLLECTIVELY CALLED THE "CLAIMS"), INCLUDING, WITHOUT LIMITATION, CLAIMS FOR DEATH OR PERSONAL INJURY ARISING FROM OR RELATING TO (I) ANY DEFECTS, ERRORS OR OMISSIONS IN THE DESIGN OR CONSTRUCTION OF THE PROPERTY WHETHER THE SAME ARE THE RESULT OF NEGLIGENCE OR OTHERWISE, OR (II) ANY OTHER CONDITIONS, INCLUDING ENVIRONMENTAL OR OTHER PHYSICAL CONDITIONS, AFFECTING THE PROPERTY AND/OR AFFECTING THE REAL PROPERTY CURRENTLY OWNED BY GRANTEE WHICH IS IMMEDIATELY ADJACENT TO THE NORTHERN BOUNDARY OF THE PROPERTY (THE "ADJACENT PROPERTY") WHETHER THE SAME ARE A RESULT OF NEGLIGENCE OR OTHERWISE. THE RELEASE SET FORTH HEREIN SPECIFICALLY INCLUDES, WITHOUT LIMITATION, ANY CLAIMS UNDER ANY ENVIRONMENTAL LAWS OF THE UNITED STATES, INCLUDING, WITHOUT LIMITATION, CLAIMS FOR CONTRIBUTION UNDER SECTION 113 OF THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT [42 U.S.C.A. 9613], THE STATE OF OHIO OR ANY POLITICAL SUBDIVISION THEREOF OR UNDER THE AMERICANS WITH DISABILITIES ACT OF 1990, AS ANY OF THOSE LAWS MAY BE AMENDED FROM THEM TO TIME, AND ANY REGULATIONS, ORDERS, RULES OF PROCEDURES

06-22-00-00054-00
TAX MAPS/GIS
2/2/05


FIRST AMERICAN TITLE INSURANCE

1138749

OR GUIDELINES PROMULGATED IN CONNECTION WITH SUCH LAWS,
REGARDLESS OF WHETHER THEY ARE IN EXISTENCE ON THE DATE HEREOF.
GRANTEE IS FAMILIAR WITH THE PROPERTY, THE ADJACENT PROPERTY AND
THE CONDITION THEREOF AND IS GRANTING THIS RELEASE FREELY AND OF
GRANTEE'S OWN VOLITION.


Prior instrument reference: Volume 3, Page 2647, Sandusky County, Ohio Deed Records.

WITNESS our hands this 14th day of December, 2005.

WHIRLPOOL CORPORATION,
a Delaware corporation
By: 
Blair Clark
Corporate Vice President & Treasurer

STATE OF MICHIGAN)
COUNTY OF Beechen) SS:

The foregoing instrument was acknowledged before me this 14th day of December, 2005, by Blair Clark, Corporate Vice President & Treasurer of Whirlpool Corporation, a Delaware corporation, on behalf of the corporation.


Notary Public

KAY STICKNEY-DAVIS
Notary Public, Berrien County, Michigan
My Commission Expires June 6, 2007
Acting in THE COUNTY OF BEECHEN

TAX MAPS/GIS/BL

This Instrument Prepared By:
Steven J. Davis, Esq.
Thompson Hine LLP
2000 Courthouse Plaza, NE
10 West Second Street
Dayton, Ohio 45402

4131311




EXHIBIT A

Situated in the Township of Green Creek, County of Sandusky, State of Ohio, and is described as follows:

Being a parcel of land situated in part of the Northwest Quarter (1/4) of Section Twenty-Two (22), Town Four (4) North, Range-Sixteen (16) East, Green Creek Township, Sandusky County, Ohio described as follows:

- 1.) Commencing at a found railroad spike on the intersection of the North line of Section Twenty-Two (22) and the centerline of Township Road Two Hundred Thirty-Six (236)(60' R/W);
- 2.) thence S 00° 00' 00" W five hundred ninety-seven and sixty-eight hundredths (597.68) feet along the centerline of Township Road Two Hundred Thirty-Six (236)(60' R/W) to a set PK nail marking the POINT OF BEGINNING, said point also being the Southeast corner of an 18 acre parcel now or formerly owned by Edward Karr (Vol. 333, Pg. 36);
- 3.) thence S 00° 00' 00" W ninety and forty hundredths (90.40) feet along the centerline of Township Road Two Hundred Thirty-Six (236)(60' R/W) to a set PK nail;
- 4.) thence S 89° 58' 00" W seven hundred thirty-five and eight hundredths (735.08) feet along the North line of a parcel of land now or formerly owned by William & Joyce Miller (Vol. 281, Pg. 65) to a set iron rod passing at thirty (30.00) feet a set iron rod on the West right of way of Township Road Two Hundred Thirty-Six (236)(60' R/W);
- 5.) thence S 00° 02' 00" E one hundred thirty-five (135.00) feet along the West line of a parcel of land now or formerly owned by William & Joyce Miller (Vol. 281, Pg. 65) to a found 5/8" iron rod;
- 6.) thence S 89° 58' 00" W five hundred eighty-eight and seventy-eight hundredths (588.78) feet along the North line of a parcel of land now or formerly owned by Donald & Eldia Webb (Vol. 360, Pg. 844) and Cloyd & Alina Payne (Vol. 414, Pg. 72) to a set iron rod;
- 7.) thence N 00° 09' 10" E two hundred twenty-five and forty hundredths (225.40) feet along the West line of Section Twenty-Two (22) to a set iron rod, said line also being the East line of a parcel of land now or formerly owned by Clarence Gilbert (Vol. 379, Pg. 40);
- 8.) thence N 89° 58' 00" E one thousand three hundred twenty-three and eighteen hundredths (1323.18) feet along the South line of a parcel of land now or formerly owned by Edward Karr (Vol. 333, Pg. 36) to the POINT OF BEGINNING, passing at one thousand two hundred ninety-three and eighteen hundredths (1293.18) feet a set iron rod on the West right-of-way of Township Road Two Hundred Thirty-Six (236)(60' R/W).

Containing in all 4.5703 acres of land, more or less.

0.0623 acres in R/W.

200500012046
FIRST AMERICAN TITLE
BOX
KIT

All set and found iron rods and pipes are 1/2", unless otherwise noted.

The bearings are assumed and for angular measurements only.

4127631 This legal description is based on a survey performed for Whirlpool Corp
by Kusmer & Associates, Inc. in April 2004.

EXHIBIT C

Financial Investigative Services

Mailing Address: 3850 North Causeway Boulevard, 3rd Floor, Metairie, Louisiana 70002
(National Toll Free) 800/755-0435 | (Louisiana) 504/837-6320 | (Fax) 504/835-2872

vol 437 pag 0943

Instrument
200400004552

GENERAL WARRANTY DEED


KNOW ALL MEN BY THESE PRESENTS: that WILLIAM R. MILLER and JOYCE M. MILLER, husband and wife, of Sandusky County, Ohio, for valuable consideration paid, grant, with general warranty covenants, to WHIRLPOOL CORPORATION, a Delaware corporation, whose tax-mailing address is 2000 M-63 North, Benton Harbor, Michigan 49022, the real property located in Sandusky County, Ohio and more particularly described in Exhibit A attached hereto as a part hereof (the "Property").

The Property is conveyed subject to, and there are hereby excepted from the general warranty covenants, all of the following:

- (i) Real estate taxes and assessments not yet due and payable;
(ii) Easements of record; and
(iii) Zoning, building and other laws, codes and ordinances.

Prior instrument reference: Volume 281, Page 065, Sandusky County, Ohio Deed Records.

WITNESS our hands this 3rd day of May, 2004.



STATE OF OHIO)
) SS:
COUNTY OF SANDUSKY)

The foregoing instrument was acknowledged before me this 3rd day of May, 2004, by
William R. Miller and Joyce M. Miller, husband and wife.

Jill J. Harshorn
Notary Public



Jill J. Harshorn
Notary Public, State of Ohio
Commission Expires July 15, 2007

MIDLAND TITLE

756100

This Instrument Prepared By:
Steven J. Davis, Esq.
Thompson Hine LLP
2000 Courthouse Plaza, NE
10 West Second Street
Dayton, Ohio 45402
2222153

WL 437 acre 0944



KUSMER &
ASSOCIATES, INC.

Architects
Engineers
Surveyors

LEGAL DESCRIPTION FOR A 2.2780 ACRE PARCEL
FOR WHIRLPOOL CORP.
PARCEL TWO (2)

Being a parcel of land situated in part of the northwest quarter (1/4) of Section Twenty-Two (22), Town-Four (4) North, Range-Sixteen (16) East, Green Creek Township, Sandusky County, Ohio described as follows:

- 1.) Commencing at a found railroad spike on the intersection of the north line of Section Twenty-Two (22) and the centerline of Township Road Two Hundred Thirty-Six (236) (60' R/W);
- 2.) thence S 00° 00' 00" W six hundred eighty-eight and eight hundredths (688.08) feet along the centerline of Township Road Two Hundred Thirty-Six (236) (60' R/W) to a set PK nail marking the POINT OF BEGINNING;
- 3.) thence S 00° 00' 00" W one hundred thirty-five (135.00) feet along the centerline of Township Road Two Hundred Thirty-Six (236) (60' R/W) to a found railroad spike;
- 4.) thence S 89° 58' 00" W seven hundred thirty-five (735.00) feet along the north line of a parcel of land now or formerly owned by Donald & Ellida Webb (Vol. 360, Pg. 844) to a found iron, passing at thirty (30.00) feet a found 5/8" iron rod on the west right-of-way of Township Road Two Hundred Thirty-Six (236) (60' R/W);
- 5.) thence N 00° 02' 00" W one hundred thirty-five (135.00) feet along the southerly line of a parcel of land now or formerly owned by Ronald & Cynthia Grover (Vol. 357, Pg. 305) to a set iron rod;
- 6.) thence N 89° 58' 00" E seven hundred thirty-five and eight hundredths (735.08) feet along the southerly line of a parcel of land now or formerly owned by Ronald & Cynthia Grover (Vol. 357, Pg. 305) to the POINT OF BEGINNING, passing at seven hundred five and eight hundredths (705.08) feet a set iron rod on the west right-of-way of Township Road Two Hundred Thirty-Six (236) (60' R/W).

TAX MAPS/GIS

622 West State Street Fremont, Ohio 44420 Phone 419-332-1027 Fax 419-332-7056

vt 437 pg 0945

Containing in all 2.2780 acres of land, more or less, subject to
all highways and easements.

0.0930 Acres in the R/W.

All set and found iron rods and pipes are 1/2", unless otherwise
noted.

The bearings are assumed and for angular measurements only.

This legal description is based upon a survey performed for
Whirlpool Corp. by Kusner & Associates, Inc. in April, 2004.

April 16, 2004
Job No. 04035-S
WRK/blk



200400004552
Filed for Record in
MADISON COUNTY, OHIO
COLLEEN CARRICK
05-03-2004 AT 02:05 PM
FD 32.00
Book 437 Page 943 - 945

200400004552
MIDLAND TITLE
RECEIVED

File: 04035b.leg

Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.52

December 15, 2011

The EDR Property Tax Map Report

EDR Property Tax Map Report

Environmental Data Resources, Inc.'s EDR Property Tax Map Report is designed to assist environmental professionals in evaluating potential environmental conditions on a target property by understanding property boundaries and other characteristics. The report includes a search of available property tax maps, which include information on boundaries for the target property and neighboring properties, addresses, parcel identification numbers, as well as other data typically used in property location and identification.

NO COVERAGE

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.47

December 15, 2011

Certified Sanborn® Map Report

Certified Sanborn® Map Report

12/15/11

Site Name:

Amert Golembiowski Leach
1682 County Road 236
Clyde, OH 43410

EDR Inquiry # 3225018.47

Client Name:

Weston Solutions, Inc.
6779 Engle Rd
Middleburg Heights, OH 44130

Contact: TJ Mcfarland



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Weston Solutions, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: Amert Golembiowski Leach Dumps
Address: 1682 County Road 236
City, State, Zip: Clyde, OH 43410
Cross Street:
P.O. # 0077763
Project: Eastern Sandusky Dumps SA
Certification # 49C1-49D7-8A8B



Sanborn® Library search results
Certification # 49C1-49D7-8A8B

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Weston Solutions, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Amert Golembiowski Leach Dumps

1682 County Road 236

Clyde, OH 43410

Inquiry Number: 3225018.48

December 15, 2011

EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




 TARGET QUAD NAME: FREMONT MAP YEAR: 1903 SERIES: 15 SCALE: 1:62500	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
--	---	--

Historical Topographic Map




N  TARGET QUAD NAME: BELLEVUE MAP YEAR: 1903 SERIES: 15 SCALE: 1:62500	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
---	--	--

Historical Topographic Map




 TARGET QUAD NAME: FREMONT EAST MAP YEAR: 1958 SERIES: 7.5 SCALE: 1:24000	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
--	---	--

Historical Topographic Map




 TARGET QUAD NAME: CLYDE MAP YEAR: 1959 SERIES: 7.5 SCALE: 1:24000	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
--	--	--

Historical Topographic Map




 TARGET QUAD NAME: FREMONT EAST MAP YEAR: 1969 SERIES: 7.5 SCALE: 1:24000	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
---	---	--

Historical Topographic Map



N  TARGET QUAD NAME: CLYDE MAP YEAR: 1969 SERIES: 7.5 SCALE: 1:24000	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
---	--	--

Historical Topographic Map



 N	TARGET QUAD NAME: FREMONT EAST MAP YEAR: 1980 PHOTOREVISED:1969 SERIES: 7.5 SCALE: 1:24000	SITE NAME: Amert Golembiowski Leach Dumps ADDRESS: 1682 County Road 236 Clyde, OH 43410 LAT/LONG: 41.2977 / -83.0087	CLIENT: Weston Solutions, Inc. CONTACT: TJ Mcfarland INQUIRY#: 3225018.48 RESEARCH DATE: 12/15/2011
--	--	---	--

APPENDIX G3
PHOTOGRAPHIC DOCUMENTATION



Site: Leach Dump Site

Photograph No.: 1

Direction: West

Subject: View of western half of the site.

Date: 12/7/11

Photographer: T.J. McFarland



Site: Leach Dump Site

Photograph No.: 2

Direction: East

Subject: View of drilling operation from western boundary of the site.

Date: 2/17/12

Photographer: Michael Blair



Site: Leach Dump Site

Photograph No.: 3

Date: 2/17/12

Direction: Northwest

Photographer: Michael Blair

Subject: View of temporary well in soil boring location B01 in western portion of site.



Site: Leach Dump Site

Photograph No.: 4

Date: 2/17/12

Direction: Northwest

Photographer: Michael Blair

Subject: View of ground water sampling of temporary well in soil boring B02.

APPENDIX G4
GEOPHYSICAL SURVEY REPORT AND FIGURES



GEOPHYSICAL INVESTIGATION
Eastern Sandusky County Project
Eastern Sandusky, Ohio

Prepared for:

Weston Solutions, Inc.
600 E. Lakeshore Drive, Suite 200
Houghton, Michigan 49931
February 22, 2012

Prepared by:

THG Geophysics, Ltd.
4280 Old William Penn Highway
Murrysville, Pennsylvania 15668
724-325-3996
www.geo-image.com
THG Project No. 770-4980

TABLE OF CONTENTS

1.0	INTRODUCTION.....	2
1.1	Background	2
1.2	Work Scope.....	2
2.0	GEOPHYSICAL SURVEY	3
2.1	Introduction.....	3
2.2	Theory	3
2.3	Topographic Normalization	4
2.3	Quality Assurance and Quality Control.....	4
3.0	GEOPHYSICAL INTERPRETATION	5
3.1	Introduction.....	5
3.2	Leach Dump	5
4.0	CONCLUSION	6
5.0	REFERENCES.....	7

LIST OF FIGURES

1. Site Location Map
2. Terrain Conductivity Map Leach Dump
3. Inphase (metals) Map Leach Dump

1.0 INTRODUCTION

1.1 BACKGROUND

Weston Solutions, Inc. contracted with THG Geophysics, Ltd. (THG) to image the Leach Dump as part of an investigation of 11 waste facilities in and around Clyde, Ohio (Figure 1). The work scope of this geophysical investigation is to determine the presence of buried drums and waste.

1.2 WORK SCOPE

The work scope consisted of imaging the subsurface of Leach Dump site (Figures 2 through 3) using electromagnetic terrain conductivity (EM) mapping techniques. The Geonics EM-31 frequency-domain electromagnetic terrain conductivity meter (EM) was deployed to image to a depth of 21 feet below grade at 10 of the site. The instrument was integrated with a DGPS system (Trimble ProXR).

2.0 GEOPHYSICAL SURVEY

2.1 INTRODUCTION

Electromagnetic terrain conductivity (EM) surveys have been employed for landfill investigations for over 30 years (McNeill 1980). Advantages of an electromagnetic terrain conductivity survey include:

1. Excellent resolution in conductivity;
2. No current injection problems;
3. Simple multi-layered earth calculations;
4. Easy, rapid measurements.

Disadvantages of EM for exploratory investigations are few but include:

1. Limited dynamic range;
2. Setting and maintaining the instrument zero;
3. Limited vertical sounding capability.

EM surveys are principally used for landfill boundary detection (Mack and Maus, 1986; McQuown et al., 1991; Rumbaugh et al., 1987; Scaife, 1990; Stenson, 1988). McNeill (1990) contends that "...EM measurements will also undoubtedly be used to assist in locating new sanitary landfills..." (p.209).

2.2 THEORY

The terrain conductivity meter is used for the measurement of the electrical conductivity of subsurface soil, rock and ground water. The electrical conductivity (or its inverse, resistivity) is a function of the porosity, permeability and the fluids in the pore spaces (McNeill, 1980). In the landfill setting, the pore fluids dominate the measurement and thus the EM is an excellent tool for delineating buried waste, trench boundaries, drums and other metallic objects. The absolute values of conductivity obtained in a survey are not necessarily diagnostic but the variations in conductivity can be used to identify anomalies (Benson et al., 1988).

The EM method is further useful when integrated with a Global Positioning Unit (Trimble ProXRS) that provide for continuous measurement of the field position and terrain conductivity, thus increasing the survey size and scope while reducing costs over conventional soundings.

The EM tool consists of a transmitter coil that radiates an electromagnetic field. The electromagnetic field induces eddy currents in the earth that generate a secondary electromagnetic field proportional to the magnitude of the current flowing within the coil. Quadrature and in-phase components of the secondary magnetic field are captured by the receiver in the form of an output voltage that is linearly related to subsurface conductivity (McQuown et al., 1991). The quadrature phase component (terrain conductivity) is measured in milliSiemens/meter (mS/m) and provides a measurement of soil conductivity. The in-phase mode, measured in parts per thousand (ppt), is responsive to highly conductive, buried metallic objects (Geonics Limited, 1994).

The terrain conductivity value is an average conductivity of the effective depth of the survey tool. The effective depth is determined to be about 1.5 times the intercoil spacing (i.e., the distance between the receiving and the transmitting coils). The Geonics EM31-DL terrain conductivity meter, with an intercoil spacing of 13 feet, has an effective penetration depth of 21 feet in the vertical dipole mode (Geonics Limited, 1994). The tool measures the bulk conductivity of the entire skin depth specified by the intercoil spacing (21 feet for the EM31-DL). Consequently, the tool averages the response determined through the skin depth such that the response at a depth of 9 feet for the EM31-DL gives maximum contribution to the secondary magnetic field but that at 21 feet there is still a contribution to the bulk conductivity (McNeill, 1980). Near-surface material has a very small contribution to the secondary magnetic field and the orientation of the dipoles in a vertical coplanar fashion is insensitive to near-surface changes in conductivity.

Conductivity values of clayey-sandy soil typical of those found in the Clyde area are approximately 20 mS/m (Benson et al. 1988; McNeill 1980; Schutts and Nichols 1991). Fill materials have been observed to have a terrain conductivity of greater than 30 mS/m (McQuown et al., 1991; Hutchinson and Barta, 2000; Hutchinson and Barta, 2005, Hutchinson, 2006). Older or recalcitrant waste (construction and demolition debris, for example) tend to have low terrain conductivity values.

2.3 TOPOGRAPHIC NORMALIZATION

Topographic normalization of the terrain conductivity readings was determined to be unnecessary due to low topographic expression. This type of adjustment is not necessary for this type of survey.

2.4 QUALITY ASSURANCE AND QUALITY CONTROL

The interpretation of geophysically-generated data is not an exact science since the responses to induced disturbance is affected by many phenomena including buried metals, operator error, precipitation, and net changes in ground saturation conditions. Some sources of spurious data can be overcome through a QA/QC program and use of multiple geophysical methods. The quality control program employed with this study included frequent checks of the equipment and resurveys of lines and locations. The QA/QC program indicates that all geophysical equipment functioned as designed during the survey program.

3.0 GEOPHYSICAL INTERPRETATION

3.1 INTRODUCTION

EM data represent a response to the electrical conductivity of the skin depth of the tool. Several methodologies exist for presenting EM data including surface mapping and section profiling. Field data acquired for the survey were used to develop a terrain conductivity map for the Leach Dump (Figures 2 and 3). Background soil terrain conductivity was measured to be approximately 20 mS/m in the Clyde, Ohio area.

The percolation of rainwater through organic waste and the degradation of organic material generate soluble and insoluble ions. These ions provide the elevated terrain conductivity to the leachate and waste (Figure 2). The in-phase terrain conductivity map is sensitive to ferrous and non-ferrous metals (Figure 3).

The interpretation of the presence of leachate (electrically conductive fluids) is also consistent with landfill footprints. Algorithms based upon published work (Hutchinson and Barta, 2000; Hutchinson, 2005) help with the determination of the presence of waste.

3.2 LEACH DUMP

The Leach Dump was a former lagoon that took waste from the Whirlpool facility. The site was reportedly excavated and clean fill replaced. The site currently consists of 2.75 acres of a fenced-in groomed horse pasture (Figure 2). The low terrain conductivity indicates that the waste has been removed and clean fill placed with no apparent plume evident (Figure 2). The inphase map indicates that there is no buried metal (Figure 3).

4.0 CONCLUSION

The findings and conclusions in this report are stated with a reasonable degree of scientific certainty. THG's findings and conclusions are as follows:


- The Leach Dump site showed no obvious signs of waste placement.

Geophysical investigations are a non-invasive method of interpreting physical properties of the shallow earth using electrical, electromagnetic, or mechanical energy. This document contains geophysical interpretations of responses to induced or real-world phenomena. As such, the measured phenomenon may be impacted by variables not readily identified in the field that can result in a false-positive and/or false negative interpretation. THG makes no representations or warranties as to the accuracy of the interpretations.

5.0 REFERENCES

- Benson, R., R. A. Glaccum and M. R. Noel. (1988). Geophysical Techniques for Sensing Buried Wastes and Waste Migration. National Water Well Association Dublin, OH, 236 pp.
- Geonics Limited. (1994). EM31 Operating Manual (For Models With Two Digital Meters). Geonics Limited.
- Greenhouse, J. P., M. E. Monier-Williams, N. Ellert and D. D. Slaine. (1989). Paper 53, Geophysical methods in groundwater contamination studies. In, Garland, G. D., ed. Pp. 666-677. Proceedings of Exploration '87: Third Decennial International Conference on Geophysical and Geochemical Exploration for minerals and Groundwater, Queen's Printer for Ontario, Toronto, Canada.
- Greenhouse, J. P. and D. D. Slaine. (1983). The uses of reconnaissance electromagnetic methods to map contaminant migration. *Ground Water Monitoring Review*. 3: 47-59.
- Hutchinson, P. J. (1993). *An Energy Perspective on Landfills*. In **The Future of Energy Gases**: ed. D. Howell. US Geological Survey Professional Paper 1570, p. 365-382.
- Hutchinson, P. J. (1995). *The Geology of Landfills*. *Journal of Environmental Geosciences*. V. 2(1). p. 2-14.
- Hutchinson, P.J. (2006). *Geophysical Imaging Techniques as a Screening Tool*. In: **Proceedings of the North American Environmental Field Conference and Exposition**, January 10-12, 2006, Tampa, Florida.
- Hutchinson, P. J., and L. Barta (2000) *Geophysical Applications to Solid Waste Analysis*. In **Sixteenth International Conference on Solid Waste Technology and Management**, December 11, 2000, Philadelphia, PA. eds. Zandi, I., Mersky, R.L., Shieh W.K. p. 2.68–2.78. ISSN 1091-8043.
- Hutchinson, P.J. and L. Barta (2005). *Hi-Tech Blueprints: Electromagnetic Conductivity Mapping Can Calculate Landfill Volume*. **Waste Age**. v. 36(2) p. 20.
- Mack, T. J. and P. E. Maus. (1986). Detection of contaminant plumes in ground water of Long Island, New York, by electromagnetic terrain-conductivity surveys. USGS. Water-Resources Investigations. 86-4045. 39 pp.
- McNeill, J. D. (1980). Electromagnetic terrain conductivity measurement at low induction numbers. Geonics Limited. Technical Note. TN-6. 1-15 pp.
- McNeill, J. D. (1990). Use of electromagnetic methods for groundwater studies. In, Ward, S. H., ed. Pp. 191-218. Geotechnical and Environmental Geophysics, Society of Exploration Geophysicists, Tulsa, OK.

- McQuown, M. S., S. R. Becker, et al. (1991). Subsurface characterization of a landfill using integrated geophysical techniques. Proceedings of the Fifth National Outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods, May 13-16, 1991, Las Vegas, NV, Water Well Journal Publishing Co.
- Monier-Williams, M. E., J. P. Greenhouse, J. M. Mendes and N. Ellert. (1990). Terrain conductivity mapping with topographic corrections at three waste disposal sites in Brazil. *In*, Ward, S. H., ed. Pp. 41-55. Geotechnical and Environmental Geophysics, Society of Exploration Geophysicists, Tulsa, OK.
- Rumbaugh, J. O., III, J. A. Caldwell and S. T. Shaw. (1987). A geophysical ground water monitoring program for a sanitary landfill: Implementation and preliminary analysis. *In*, First National outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods. Graves, B., J. H. Lehr, K. Butcher, P. Alcorn, L. Ammerman, P. Williams, M. Renz and V. Shelton, ed. Pp. 623-641. National Water Well Association, Las Vegas, Nevada.
- Saunders, W. R. and S. A. Cox. (1987). Use of an electromagnetic Induction technique in subsurface hydrocarbon investigations. *In*, First National Outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods. Graves, B., J. H. Lehr, K. Butcher, P. Alcorn, L. Ammerman, P. Williams, M. Renz and V. Shelton, ed. Pp. 585-601. National Water Well Association, Las Vegas, Nevada.
- Scaife, J. E. (1990). Using geophysical techniques in environmental site assessments. Municipal & Industrial Water & Pollution Control. CXXVIII(4): 4-5.
- Schutts, L. D. and D. G. Nichols. (1991). Surface geophysical definition of ground water contamination and buried waste: Case studies of electrical conductivity and magnetic applications. *In*, Proceedings of the Fifth National Outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods, May 13-16, 1991. ed. Pp. 889-903. Water Well Journal Publishing Co., Las Vegas, NV.
- Stenson, R. W. (1988). Electromagnetic data acquisition techniques for landfill investigations. *In*, Symposium on the Application of Geophysics to Engineering Problems. ed. Pp. 735-746. The Society of Engineering & Mineral Exploration Geophysics, Golden, CO.



THG 
GEOPHYSICS


4280 Old William Penn Hwy
Murrysville, Pennsylvania 15668
(724) 325-3996 Fax: (724) 733-7901
www.geo-image.com

0 Miles 2 Miles 4 Miles


Figure 1 Site Location Map

Geophysical Investigation
Eastern Sandusky County Project
Clyde, Ohio

SCALE: 1:120,000	PROJECT NO.:	DRAWING NO.:
DATE : 2/17/12	770-4980	DWG4980F1
DRAWN BY: PJH	SOURCE:	Weston Solutions, 2012
CHECKED BY: PJH		



Color Scale



Legend

○ Footpath

Notes

Geophysical survey conducted February 14, 2012 using Geonics EM-31 frequency-domain electromagnetic conductivity meter.

Real-time positioning of data using fully integrated Trimble ProXRS global positioning system set to NAD 1983 US State Plane (Ohio, North) coordinate system in feet.

Locations are approximate.



Fence

THG GEOPHYSICS

4280 Old Willow Run Hwy
Marsfield, Pennsylvania 16862
(724) 325-3800 Fax: (724) 733-7501
www.geo-image.com

PROJECT:
Geophysical Investigation
Eastern Sandusky
County Project
Clyde, Ohio

DES	PJH	2/17/12
DRN	PJH	2/17/12
CHK	PJH	2/17/12
REV		
PROJ MGR	PJH	2/17/12

SCALE:	1" = 75'
SOURCE:	Base from Weston Solutions, 2012


PREPARED FOR:

WESTON
SOLVERS
www.westonsolutions.com

PROJECT NO.:
770-4980

DRAWING NO.:
DWG4980F10

Figure 2
Terrain Conductivity Map
Leach Dump



THG GEOPHYSICS
4000 Old Wilson Park Rd.
Marsfield, Pennsylvania 16862
(724) 325-3995 Fax: (724) 735-7981
www.geo-image.com

PROJECT: Geophysical Investigation
Eastern Sandusky County Project
Clyde, Ohio

SHEET TITLE: Figure 3
Inphase (Metals) Map
Leach Dump

DES	P.H.	2/17/12
DRN	P.H.	2/17/12
CHK	P.H.	2/17/12
REV		
PROJ. MGR.	P.H.	2/17/12

SCALE: 1" = 75'

SOURCE: Base from Weston Solutions, 2012

PREPARED FOR: WESTON CONSOLIDATED INC.

PROJECT NO.: 770-4980

DRAWING NO.: DWG4980F11

APPENDIX G5
BORING LOGS

Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B01 N/A	Groundwater Levels	
Job No.		Well Type	Date	Depth			
Date Drilled		17 Feb 12	Drilling Method	Direct Push			
Drilling Co.		Buckeye Probe	Completion Depth	8.0 (ft bgs)			
Drill Foreman		Rick Tosatto	Location	Leach Dump			
Logged By		Michael Blair	Ground Elevation	N/A			
Drill Rig Type		Geoprobe	Top of Casing Elevation	N/A			
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
				TS	TOPSOIL - Yellow brown clay, some sand, grass, roots, moist.	0.1'	
				SW	SAND - Mottled yellow brown & gray fine-grained sand, loose, moist/wet.	1.5'	
-	LD-B01-S01-021712 0930 hrs.	36		CL	CLAY - Mottled yellow brown & gray clay, some silt, trace rounded gravel, soft/stiff, moist. Orange coloring (oxidation) in soil fractures.	0.9	
2	LD-B01-S02-021712 0950 hrs.						
4					Note: Color change to gray starting @ 6.0 ft.	1.3	
6		48				N/A	
8						8.0'	
10					Boring terminated @ 8.0 ft.		
12							
14							
16							
18							



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B02	Groundwater Levels	
Job No.				Well Type	LD-W02	Date	Depth
Date Drilled		17 Feb 12		Drilling Method	Direct Push		
Drilling Co.		Buckeye Probe		Completion Depth	5.0 (ft bgs)		
Drill Foreman		Rick Tosatto		Location	Leach Dump		
Logged By		Michael Blair		Ground Elevation	N/A		
Drill Rig Type		Geoprobe		Top of Casing Elevation	N/A		
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
				TS	TOPSOIL - Brown clay, some sand, grass, roots, moist.		
-	LD-B02-S01-021712 1120 hrs.	60		CL	CLAY - Gray clay, some sand, soft, moist.		
2	LD-B02-S02-021712 1135 hrs.			SW	SAND - Gray fine-grained sand, well sorted, loose, saturated.		
4				CL	CLAY - Gray clay, some silt, trace gravel, hard, moist		
					Boring terminated @ 5.0 ft.		
6							
8							
10							
12							
14							
16							
18							



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B03 N/A	Groundwater Levels	
Job No.		Well Type	Date	Depth			
Date Drilled		17 Feb 12	Drilling Method	Direct Push			
Drilling Co.		Buckeye Probe	Completion Depth	10.0 (ft bgs)			
Drill Foreman		Rick Tosatto	Location	Leach Dump			
Logged By		Michael Blair	Ground Elevation	N/A			
Drill Rig Type		Geoprobe	Top of Casing Elevation	N/A			
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
-				TS	TOPSOIL - Brown silt & clay, grass, roots, moist.	0.1'	
2				CL	CLAY - Brown clay & silt, moist, very soft.	1.0'	
4	LD-B03-S01-021712 1245 hrs.	60		SW	SAND - Mottled yellow brown fine-grained sand, well sorted, loose, moist. Note: Saturated at 3.0 ft.	0	
6						N/A	
8	LD-B03-S02-021712 LD-B03-S02-021712-MS	45		CL	CLAY - Gray clay, some silt, trace gravel, stiff/hard, moist.	6.0'	
10	1300 hrs.					0	
12					Boring terminated @ 10 ft.	N/A	
14							
16							
18							



Well screen & sand pack
Well riser/bentonite seal




Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

WESTON SOLUTIONS, INC.					Drilling/Lithologic Log		PAGE 1 OF 1	
Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B04	Groundwater Levels		
Job No.				Well Type	N/A	Date	Depth	
Date Drilled		17 Feb 12		Drilling Method	Direct Push			
Drilling Co.		Buckeye Probe		Completion Depth	18.0 (ft bgs)			
Drill Foreman		Rick Tosatto		Location	Leach Dump			
Logged By		Michael Blair		Ground Elevation	N/A			
Drill Rig Type		Geoprobe		Top of Casing Elevation	N/A			
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description			FID/OVA HEATED HEADSPACE
-				TS	TOPSOIL - Brown clay, some silt, grass, roots, moist.			0.1'
2				CL	CLAY - Brown clay, some silt, soft, moist.			0.3
	LD-B04-S01-021712				2.0'			
	LD-B04-S01-021712-DP	41			SAND - Brown fine-grained sand, trace gravel, loose, well sorted, moist.			0.2
	1500 hrs.				Note: Material changes color to gray and becomes saturated.			
4				SW				0.5
					6.0'			
6								
	LD-B04-S02-021712				SILT - Gray silt, some fine-grained sand, soft, saturated.			0.5
8	1445 hrs.							
								N/A
10								
								0.3
12								
								0.3
14								14'
16								0.3
18								0.2
					18'			
					Boring terminated @ 18 ft.			



Well screen & sand pack
Well riser/bentonite seal




Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B05 N/A	Groundwater Levels	
Job No.		Well Type	Date	Depth			
Date Drilled		Drilling Method	Direct Push				
Drilling Co.		Completion Depth	13.0 (ft bgs)				
Drill Foreman		Location	Leach Dump				
Logged By		Ground Elevation	N/A				
Drill Rig Type		Top of Casing Elevation	N/A				
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
-				TS	TOPSOIL - Brown clay, some silt, grass, roots, moist.		
2					SAND - Brown fine-grained sand, well sorted, loose, moist.		
-	LD-B05-S01-021712 1555 hrs.	36		SW			
4					Note: Material saturated @ 5.5 ft.		
-							
6							
-	LD-B05-S02-021712 1550 hrs.	36			SAND - Gray fine/medium-grained sand, trace gravel, loose, saturated.		
8							
-							
10							
-							
12					SW		
-					SILT - Gray silt, loose, saturated.		
14				ML	Note: Material becomes moist @ 12.0 ft.		
-							
16							
-							
18							
					Boring terminated @ 13.0 ft.		



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00			Boring No.	LD-B06 N/A	Groundwater Levels	
Job No.		Well Type		Date	Depth			
Date Drilled		17 Feb 12			Drilling Method	Direct Push		
Drilling Co.		Buckeye Probe			Completion Depth	5.0 (ft bgs)		
Drill Foreman		Rick Tosatto			Location	Leach Dump		
Logged By		Michael Blair			Ground Elevation	N/A		
Drill Rig Type		Geoprobe			Top of Casing Elevation	N/A		
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description			FID/OVA HEATED HEADSPACE
-	LD-B06-S01-021712 1015 hrs.	60	CL	TS	TOPSOIL - Brownish gray sand, grass, roots, moist.			0.1'
2	LD-B06-S02-021712 1025 hrs.			SW	SAND - Mottled brown & gray fine-grained sand, moist, very soft.			1.0'
4					CLAY - Brown clay, some silt, trace gravel, hard, moist.			0.9
								1.3
					5.0'			
6					Boring terminated @ 5.0 ft.			
8								
10								
12								
14								
16								
18								



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00			Boring No.	LD-B07 N/A	Groundwater Levels	
Job No.					Well Type		Date	Depth
Date Drilled		17 Feb 12			Drilling Method	Direct Push		
Drilling Co.		Buckeye Probe			Completion Depth	5.0 (ft bgs)		
Drill Foreman		Rick Tosatto			Location	Leach Dump		
Logged By		Michael Blair			Ground Elevation	N/A		
Drill Rig Type		Geoprobe			Top of Casing Elevation	N/A		
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description			FID/OVA HEATED HEADSPACE
-	LD-B07-S01-021712 1045 hrs.	54		TS	TOPSOIL - Brown sand, trace silt, grass, roots, moist.			0.1'
2				SW	SAND - Yellow brown sand, trace silt, loose, moist.			0
-	LD-B07-S02-021712 1055 hrs.			CL	CLAY - Mottled yellow brown & gray clay, some silt, trace gravel, hard, moist.			2.5' 0
4								5.0'
-								
6								
8								
10								
12								
14								
16								
18								



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A.		Boring No.	LD-B08	Groundwater Levels	
Job No.		20405.012.001.1691.00		Well Type	N/A	Date	Depth
Date Drilled		17 Feb 12		Drilling Method	Direct Push		
Drilling Co.		Buckeye Probe		Completion Depth	5.0 (ft bgs)		
Drill Foreman		Rick Tosatto		Location	Leach Dump		
Logged By		Michael Blair		Ground Elevation	N/A		
Drill Rig Type		Geoprobe		Top of Casing Elevation	N/A		
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
-	LD-B08-S01-021712 1210 hrs.	60		TS	TOPSOIL - Brown silt, some clay, grass, roots, moist.		
2				ML	SILT - Yellow brown & gray silt, some clay, very soft, moist.		
4				CL	CLAY - Mottled yellow brown & gray clay, some silt, trace gravel, moist, hard.		
6					Boring terminated @ 5.0 ft.		
8							
10							
12							
14							
16							
18							



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

Job Name		East Sandusky S.A. 20405.012.001.1691.00		Boring No.	LD-B09 N/A	Groundwater Levels	
Job No.		Well Type	Date	Depth			
Date Drilled		17 Feb 12	Drilling Method	Direct Push			
Drilling Co.		Buckeye Probe	Completion Depth	13.0 (ft bgs)			
Drill Foreman		Rick Tosatto	Location	Leach Dump			
Logged By		Michael Blair	Ground Elevation	N/A			
Drill Rig Type		Geoprobe	Top of Casing Elevation	N/A			
Depth ft BGS	Sample Number/Time	Recovery (In.)	Well Log	USCS	Visual Description		
-				TS	TOPSOIL - Brown sand, grass, roots, moist.	0.1'	
2					SAND - Yellow brown fine-grained sand, loose, moist.	0.2	
-	LD-B09-S01-021712	32				0.2	
4	1630 hrs.			SW			
-					Note: Material saturated @ 5.5 ft.	0.3	
6							
-	LD-B09-S02-021712	36				0.1	
8	1640 hrs.			SW	SAND - Gray fine/medium-grained sand, loose, saturated.	7.5'	
-							
10				SW		0.2	
-							
12		24				0.1	
-				ML	SILT - Gray silt, soft, saturated.	12.5'	
14							
-					Boring terminated @ 13.0 ft.	13'	
16							
-							
18							



Well screen & sand pack
Well riser/bentonite seal



Bentonite Seal

Soil Vapor Screen Interval: ft. To ft.

APPENDIX G6
ANALYTICAL DATA VALIDATION REPORTS

**EASTERN SANDUSKY COUNTY DUMPS
SANDUSKY COUNTY, OHIO
DATA VALIDATION REPORT**

Date: March 15, 2012

Laboratory: ALS Environmental (ALS), Holland, Michigan

Laboratory Project #: 1202556

Data Validation Performed By: Lisa Graczyk, Weston Solutions, Inc. (WESTON[®]) Superfund Technical Assessment and Response Team (START)

Weston Analytical Work Order #/TDD #: 20405.016.001.1731.00/S05-0001-1201-020

This data validation report has been prepared by WESTON START under the START III Region V contract. This report documents the data validation for 18 soil samples plus one trip blank collected for the Eastern Sandusky County Dumps Site that were analyzed for the following parameters and U.S. Environmental Protection Agency (U.S. EPA) methods:

- Volatile Organic Compounds (VOC) by SW-846 Method 8260
- Toxicity Characteristic Leaching Procedure (TCLP) VOCs by SW-846 Methods 1311 and 8260
- Semivolatile Organic Carbons (SVOC) by SW-846 Method 8270
- TCLP SVOCs by SW-846 Methods 1311 and 8270
- Polychlorinated Biphenyls (PCB) by SW-846 Method 8082
- Pesticides by SW-846 Method 8081
- TCLP Pesticides by SW-846 Methods 1311 and 8081
- Herbicides by SW-846 Method 8151
- TCLP Herbicides by SW-846 Methods 1311 and 8151
- Metals by SW-846 Methods 6020A and 7471A
- TCLP Metals by SW-846 Methods 1311, 6020A, and 7470A
- Hexavalent Chromium by SW-846 Method 7196A

A level II data package was requested from ALS. The data validation was conducted in general accordance with the U.S. EPA “Contract Laboratory Program National Functional Guidance for Superfund Organic Methods Data Review” dated June 2008 and “Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review” dated January 2010. The Attachment contains the results summary sheets with the hand-written qualifiers applied during data validation.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

VOCs by SW-846 METHOD 8260

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/25/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/25/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/25/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/25/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/25/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/25/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/25/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/25/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/26/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/26/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/26/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/26/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/26/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/26/2012
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/26/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/26/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/26/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/26/2012
Trip Blank	1202556-37	Soil	2/17/2012	2/25/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection.

3. Blanks

Method blanks were analyzed with the VOC analyses. The method blanks were free of target compound contamination above the reporting limit.

In addition, the trip blank contained no detection of target analytes.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

4. Surrogate Results

The surrogate recovery results were within the laboratory-established quality control (QC) limits.

5. Laboratory Control Sample (LCS) Results

The LCS and LCS duplicate (LCSD) recoveries and relative percent differences (RPD) were within laboratory QC limits.

6. Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The VOC data are acceptable for use based on the information received.

TCLP VOCs by SW-846 METHODS 1311 AND 8260

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B01-S01-021712	1202556-10	Soil	2/17/2012	2/24/2012
LD-B01-S02-021712	1202556-11	Soil	2/17/2012	2/24/2012
LD-B02-S01-021712	1202556-12	Soil	2/17/2012	2/24/2012
LD-B02-S02-021712	1202556-13	Soil	2/17/2012	2/24/2012
LD-B03-S01-021712	1202556-14	Soil	2/17/2012	2/24/2012
LD-B03-S02-021712	1202556-15	Soil	2/17/2012	2/28/2012
LD-B04-S01-021712	1202556-16	Soil	2/17/2012	2/24/2012
LD-B04-S01-021712-DP	1202556-17	Soil	2/17/2012	2/24/2012
LD-B04-S02-021712	1202556-18	Soil	2/17/2012	2/23/2012

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B05-S01-021712	1202556-28	Soil	2/17/2012	2/24/2012
LD-B05-S02-021712	1202556-29	Soil	2/17/2012	2/24/2012
LD-B06-S01-021712	1202556-30	Soil	2/17/2012	2/28/2012
LD-B06-S02-021712	1202556-31	Soil	2/17/2012	2/27/2012
LD-B07-S01-021712	1202556-32	Soil	2/17/2012	2/27/2012
LD-B07-S02-021712	1202556-33	Soil	2/17/2012	2/27/2012
LD-B08-S01-021712	1202556-34	Soil	2/17/2012	2/27/2012
LD-B09-S01-021712	1202556-35	Soil	2/17/2012	2/28/2012
LD-B09-S02-021712	1202556-36	Soil	2/17/2012	2/28/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection.

3. Blanks

Method blanks were analyzed with the TCLP VOC analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogate Results

The surrogate recovery results were within the laboratory-established QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within laboratory QC limits.

6. MS and MSD Results

A site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

8. Overall Assessment

The TCLP VOC data are acceptable for use based on the information received.

SVOCs BY SW-846 METHOD 8270

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/21/2012	2/25/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/22/2012	2/25/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/22/2012	2/25/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/22/2012	2/27/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/22/2012	2/27/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the SVOC analyses. The method blanks were free of target compound contamination above the reporting limits.

4. Surrogate Results

The surrogate recoveries were within the laboratory-established QC limits.

5. LCS Results

The percent recoveries and RPDs for the LCS and LCSD results were within the laboratory-established QC limits except for as follows.

Some compounds were detected high in an LCS and some compounds were detected low. For the compounds detected high in the LCS, the compound was not detected in the samples and no qualifications were required. 4-Nitroanaline was detected low in the LCS/LCSD samples. The quantitation limits for 4-nitroanaline were flagged "UJ" as estimated.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits except for as follows.

Some compounds were detected slightly above the QC limit for recovery; however, sample results were non-detect and no qualifications were required.

The compounds 4-nitroanaline and hexachlorocyclopentadiene were detected low. In sample LD-B03-S02-021712, the quantitation limits for 4-nitroanaline and hexachlorocyclopentadiene were flagged "UJ" as estimated. In general, matrix interferences were low to non-existent.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The SVOC data are acceptable for use as qualified based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

TCLP SVOCs BY SW-846 METHODS 1311 AND 8270

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-10	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B01-S02-021712	1202556-11	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B02-S01-021712	1202556-12	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B02-S02-021712	1202556-13	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B03-S01-021712	1202556-14	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B03-S02-021712	1202556-15	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B04-S01-021712	1202556-16	Soil	2/17/2012	2/23/2012	2/25/2012
LD-B04-S01-021712-DP	1202556-17	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B04-S02-021712	1202556-18	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B05-S01-021712	1202556-28	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B05-S02-021712	1202556-29	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B06-S01-021712	1202556-30	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B06-S02-021712	1202556-31	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B07-S01-021712	1202556-32	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B07-S02-021712	1202556-33	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B08-S01-021712	1202556-34	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B09-S01-021712	1202556-35	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B09-S02-021712	1202556-36	Soil	2/17/2012	2/24/2012	2/27/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the TCLP SVOC analyses. The method blanks were free of target compound contamination above the reporting limits.

4. Surrogate Results

The surrogate recoveries were within the laboratory-established QC limits.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

5. LCS Results

The percent recoveries and RPDs for the LCS and LCSD results were within the laboratory-established QC limits.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The TCLP SVOC data are acceptable for use based on the information received.

PCBs BY U.S. EPA SW-846 METHOD 8082

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/23/2012	2/26/2012

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/23/2012	2/26/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the PCB analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. In the parent sample, PCBs were all non-detect. In the field duplicate sample, there was a detection of Aroclor 1254 at 0.40 milligram per kilogram. There appears to be some sample heterogeneity associated with PCBs in the samples. No qualifications are required.

8. Overall Assessment

The PCB data are acceptable for use based on the information received.

PESTICIDES BY U.S. EPA SW-846 METHOD 8081

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/23/2012	2/26/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/23/2012	2/28/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/23/2012	2/29/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/23/2012	2/29/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the pesticide analyses. The method blanks were free of target compound contamination above the reporting limit.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits except for as follows. Endrin and methoxychlor were detected high in one of the three LCS/LCSD pairs. No qualifications were required because these compounds were not detected in the samples.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The pesticide data are acceptable for use based on the information received.

TCLP PESTICIDES BY U.S. EPA SW-846 METHODS 1311 AND 8081

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-10	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B01-S02-021712	1202556-11	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B02-S01-021712	1202556-12	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B02-S02-021712	1202556-13	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B03-S01-021712	1202556-14	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B03-S02-021712	1202556-15	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B04-S01-021712	1202556-16	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B04-S01-021712-DP	1202556-17	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B04-S02-021712	1202556-18	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B05-S01-021712	1202556-28	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B05-S02-021712	1202556-29	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B06-S01-021712	1202556-30	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B06-S02-021712	1202556-31	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B07-S01-021712	1202556-32	Soil	2/17/2012	2/24/2012	2/26/2012
LD-B07-S02-021712	1202556-33	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B08-S01-021712	1202556-34	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B09-S01-021712	1202556-35	Soil	2/17/2012	2/27/2012	2/29/2012
LD-B09-S02-021712	1202556-36	Soil	2/17/2012	2/27/2012	2/29/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the pesticide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The TCLP pesticide data are acceptable for use based on the information received.

HERBICIDES BY U.S. EPA SW-846 METHOD 8151

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/24/2012	2/25/2012

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/24/2012	2/25/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/24/2012	2/25/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the herbicide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The herbicide data are acceptable for use based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

TCLP HERBICIDES BY U.S. EPA SW-846 METHODS 1311 AND 8151

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
LD-B01-S01-021712	1202556-10	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B01-S02-021712	1202556-11	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B02-S01-021712	1202556-12	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B02-S02-021712	1202556-13	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B03-S01-021712	1202556-14	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B03-S02-021712	1202556-15	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B04-S01-021712	1202556-16	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B04-S01-021712-DP	1202556-17	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B04-S02-021712	1202556-18	Soil	2/17/2012	2/23/2012	2/24/2012
LD-B05-S01-021712	1202556-28	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B05-S02-021712	1202556-29	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B06-S01-021712	1202556-30	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B06-S02-021712	1202556-31	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B07-S01-021712	1202556-32	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B07-S02-021712	1202556-33	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B08-S01-021712	1202556-34	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B09-S01-021712	1202556-35	Soil	2/17/2012	2/24/2012	2/27/2012
LD-B09-S02-021712	1202556-36	Soil	2/17/2012	2/24/2012	2/27/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the herbicide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries and RPDs were with QC limits.

7. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. Both the field duplicate and parent sample contained no detections of target analytes above the reporting limit.

8. Overall Assessment

The TCLP herbicide data are acceptable for use based on the information received.

TOTAL METALS BY SW-846 METHODS 6020A AND 7471

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/27/2012 – 2/29/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/22/2012 – 2/23/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/22/2012 – 2/27/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/22/2012 – 2/27/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/27/2012 – 2/28/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/27/2012 – 2/28/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/27/2012 – 2/29/2012
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/27/2012 – 2/29/2012

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/27/2012 – 2/29/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/27/2012 – 2/29/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/27/2012 – 2/29/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 28 days from sample collection to analysis for mercury and 180 days from sample collection to analysis for all other metals.

3. Blank Results

Method blanks were analyzed with the metals analysis. The blanks were free of target analyte contamination above the reporting limits. Some metals were detected below the reporting limits in the method blanks; however, the sample concentrations were either non-detect or much higher than the blank concentrations. No qualifications were required.

4. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

5. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries were with QC limits except for as follows.

Some of the metals could not be adequately recovered because the spike amount was much less (more than four times less) than the sample concentrations. No qualifications are required in these instances.

Some metals were detected below the QC limit for recovery and some were detected above the QC limit for recovery. For metals detected below the QC limit, detected results were qualified “J” as estimated and the quantitation limits for non-detected results were flagged “UJ” as estimated in the parent samples. For metals detected above the QC limit, only detected results were flagged “J” as estimated in the parent samples.

6. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. The RPDs were calculated for detected metals. Most RPDs were below a standard QC limit of 50 percent. The exceptions were arsenic, barium, and copper for which the RPDs were 75, 82, and 80, respectively. This indicated that some matrix heterogeneity does exist. However, in general, correlation between the field duplicate and parent sample was acceptable.

7. Overall Assessment

The metals data are acceptable for use as qualified based on the information received.

TCLP METALS BY SW-846 METHODS 1311, 6020, AND 7470A

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B01-S01-021712	1202556-10	Soil	2/17/2012	2/24/2012 – 2/27/2012
LD-B01-S02-021712	1202556-11	Soil	2/17/2012	2/24/2012 – 2/27/2012
LD-B02-S01-021712	1202556-12	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B02-S02-021712	1202556-13	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B03-S01-021712	1202556-14	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B03-S02-021712	1202556-15	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B04-S01-021712	1202556-16	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B04-S01-021712-DP	1202556-17	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B04-S02-021712	1202556-18	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B05-S01-021712	1202556-28	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B05-S02-021712	1202556-29	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B06-S01-021712	1202556-30	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B06-S02-021712	1202556-31	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B07-S01-021712	1202556-32	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B07-S02-021712	1202556-33	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B08-S01-021712	1202556-34	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B09-S01-021712	1202556-35	Soil	2/17/2012	2/24/2012 – 2/25/2012
LD-B09-S02-021712	1202556-36	Soil	2/17/2012	2/24/2012 – 2/25/2012

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

2. Holding Times

The samples were analyzed within the required holding time limit of 28 days from sample collection to analysis for mercury and 180 days from sample collection to analysis for all other metals.

3. Blank Results

Method blanks were analyzed with the metals analysis. The blanks were free of target analyte contamination above the reporting limits. Some TCLP metals were detected below the reporting limit. However, the sample results were either non-detect or much greater than the method blank results and no qualifications were required.

4. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits for target analytes.

5. MS and MSD Results

A site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The percent recoveries were with QC limits except for as follows. TCLP barium was detected slightly below the QC limit. The detected result for TCLP barium in sample LD-B03-S02-021712 was flagged "J" as estimated.

6. Field Duplicate Results

There is one field duplicate associated with this work order: LD-B04-S01-021712-DP. The RPD was calculated for TCLP barium which was the only detected TCLP metal result in the field duplicate and parent sample. The RPD for TCLP barium is 63 percent which is a little elevated indicating some minor heterogeneity associated with this sample. No qualifications were required.

7. Overall Assessment

The TCLP metals data are acceptable for use as qualified based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

HEXAVALENT CHROMIUM BY SW-846 METHOD 7196A

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
LD-B01-S01-021712	1202556-01	Soil	2/17/2012	2/24/2012
LD-B01-S02-021712	1202556-02	Soil	2/17/2012	2/24/2012
LD-B02-S01-021712	1202556-03	Soil	2/17/2012	2/24/2012
LD-B02-S02-021712	1202556-04	Soil	2/17/2012	2/24/2012
LD-B03-S01-021712	1202556-05	Soil	2/17/2012	2/24/2012
LD-B03-S02-021712	1202556-06	Soil	2/17/2012	2/24/2012
LD-B04-S01-021712	1202556-07	Soil	2/17/2012	2/24/2012
LD-B04-S01-021712-DP	1202556-08	Soil	2/17/2012	2/24/2012
LD-B04-S02-021712	1202556-09	Soil	2/17/2012	2/24/2012
LD-B05-S01-021712	1202556-19	Soil	2/17/2012	2/24/2012
LD-B05-S02-021712	1202556-20	Soil	2/17/2012	2/24/2012
LD-B06-S01-021712	1202556-21	Soil	2/17/2012	2/24/2012
LD-B06-S02-021712	1202556-22	Soil	2/17/2012	2/24/2012
LD-B07-S01-021712	1202556-23	Soil	2/17/2012	2/24/2012
LD-B07-S02-021712	1202556-24	Soil	2/17/2012	2/24/2012
LD-B08-S01-021712	1202556-25	Soil	2/17/2012	2/24/2012
LD-B09-S01-021712	1202556-26	Soil	2/17/2012	2/24/2012
LD-B09-S02-021712	1202556-27	Soil	2/17/2012	2/24/2012

2. Holding Times

The holding time of 30 days for hexavalent chromium analysis of solid samples was met.

3. Method Blanks

A method blank was analyzed with the hexavalent chromium analyses and was free of target analyte contamination above the reporting limit..

4. LCS Results

The percent recoveries and RPDs were within QC limits for the LCS and LCSD analyzed.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

5. MS and MSD Results

One site-specific MS and MSD were analyzed using sample LD-B03-S02-021712 as the spiked sample. The matrix spike was not detected in the sample indicating matrix interference associated with hexavalent chromium analysis in this sample. The quantitation limit for hexavalent chromium in sample LD-B03-S02-021712 was flagged "UJ" as estimated.

6. Field Duplicate Results

There are two field duplicates associated with this work order: YD-B01-S01-021512-DP and GC-B01-S01-021612-DP. Both samples contained no detections of target analytes above the reporting limit.

7. Overall Assessment

The hexavalent chromium data are acceptable for use as qualified based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202556

ATTACHMENT

**ALS ENVIRONMENTAL
RESULTS SUMMARY WITH QUALIFIERS**

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
WorkOrder: 1202556

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
SD	Serial Dilution
TDL	Target Detection Limit

<u>Units Reported</u>	<u>Description</u>
% of sample	Percent of Sample
mg/Kg	Milligrams per Kilogram
mg/Kg-dry	Milligrams per Kilogram Dry Weight
mg/L	Milligrams per Liter

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B01-S01-021712
Collection Date: 02/17/12 09:30 AM

Work Order: 1202556
Lab ID: 1202556-01
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0060	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0060	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	89.8	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1221	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1232	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1242	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1248	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1254	0.087	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
Aroclor 1260	ND	0.048	mg/Kg-dry	1	02/26/12 09:10 AM	
<i>Surr: Decachlorobiphenyl</i>	89.1	40-140	%REC	1	02/26/12 09:10 AM	
PESTICIDES						
4,4'-DDD	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
4,4'-DDE	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
4,4'-DDT	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Aldrin	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
alpha-BHC	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
alpha-Chlordane	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
beta-BHC	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Chlordane, Technical	ND	0.060	mg/Kg-dry	2	02/26/12 01:20 PM	
delta-BHC	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Dieldrin	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endosulfan I	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endosulfan II	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endosulfan sulfate	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endrin	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endrin aldehyde	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Endrin ketone	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
gamma-BHC (Lindane)	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
gamma-Chlordane	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Heptachlor	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Heptachlor epoxide	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Methoxychlor	ND	0.024	mg/Kg-dry	2	02/26/12 01:20 PM	
Toxaphene	ND	0.14	mg/Kg-dry	2	02/26/12 01:20 PM	
<i>Surr: Decachlorobiphenyl</i>	72.1	45-135	%REC	2	02/26/12 01:20 PM	
<i>Surr: Tetrachloro-m-xylene</i>	76.1	45-124	%REC	2	02/26/12 01:20 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S01-021712 **Lab ID:** 1202556-01
Collection Date: 02/17/12 09:30 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.019		SW7471 0.019	mg/Kg-dry	1	Prep Date: 02/22/12 02/23/12 02:20 PM
METALS BY ICP-MS						
Aluminum	8,200		SW6020A 1.5	mg/Kg-dry	2	Prep Date: 02/21/12 02/22/12 08:37 PM
Antimony	ND		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Arsenic	6.5		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Barium	120		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Beryllium	ND		2.9	mg/Kg-dry	20	02/23/12 05:44 PM
Boron	150		29	mg/Kg-dry	20	02/23/12 05:44 PM
Cadmium	0.30		0.29	mg/Kg-dry	2	02/22/12 08:37 PM
Calcium	5,300		74	mg/Kg-dry	2	02/22/12 08:37 PM
Chromium	12		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Cobalt	10		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Copper	12		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Iron	18,000		12	mg/Kg-dry	2	02/22/12 08:37 PM
Lead	11		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Magnesium	2,500		29	mg/Kg-dry	2	02/22/12 08:37 PM
Manganese	480		7.4	mg/Kg-dry	20	02/23/12 05:44 PM
Nickel	22		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Potassium	1,100		29	mg/Kg-dry	2	02/22/12 08:37 PM
Selenium	1.1		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Silver	ND		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Sodium	610		29	mg/Kg-dry	2	02/22/12 08:37 PM
Thallium	ND		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Vanadium	19		0.74	mg/Kg-dry	2	02/22/12 08:37 PM
Zinc	62		1.5	mg/Kg-dry	2	02/22/12 08:37 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.39	mg/Kg-dry	1	Prep Date: 02/21/12 02/25/12 10:02 AM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2,4-Dimethylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
2,4-Dinitrophenol	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2-Chloronaphthalene	ND		0.094	mg/Kg-dry	1	02/25/12 10:02 AM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
2-Methylnaphthalene	ND		0.094	mg/Kg-dry	1	02/25/12 10:02 AM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S01-021712 **Lab ID:** 1202556-01
Collection Date: 02/17/12 09:30 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
3,3'-Dichlorobenzidine	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
3-Nitroaniline	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
4,6-Dinitro-2-methylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
4-Chloroaniline	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
4-Nitroaniline	ND ✓		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
4-Nitrophenol	ND		0.78	mg/Kg-dry	1	02/25/12 10:02 AM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Acetophenone	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Atrazine	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Benzaldehyde	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Bis(2-ethylhexyl)phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Caprolactam	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Chrysene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Diethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Dimethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Di-n-butyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Fluorene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

19
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B01-S01-021712

Lab ID: 1202556-01

Collection Date: 02/17/12 09:30 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Hexachlorocyclopentadiene	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Pentachlorophenol	ND		0.39	mg/Kg-dry	1	02/25/12 10:02 AM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:02 AM
Pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:02 AM
<i>Surr: 2,4,6-Tribromophenol</i>	93.7		34-140	%REC	1	02/25/12 10:02 AM
<i>Surr: 2-Fluorobiphenyl</i>	76.9		12-100	%REC	1	02/25/12 10:02 AM
<i>Surr: 2-Fluorophenol</i>	87.7		33-117	%REC	1	02/25/12 10:02 AM
<i>Surr: 4-Terphenyl-d14</i>	82.0		25-137	%REC	1	02/25/12 10:02 AM
<i>Surr: Nitrobenzene-d5</i>	74.9		37-107	%REC	1	02/25/12 10:02 AM
<i>Surr: Phenol-d6</i>	83.7		40-106	%REC	1	02/25/12 10:02 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
1,1,2-Trichlorotrifluoroethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,1-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,1-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,2,4-Trichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
1,2-Dibromoethane	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
1,2-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,2-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/25/12 08:51 PM
1,3-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
1,4-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
2-Butanone	ND		0.45	mg/Kg-dry	50	02/25/12 08:51 PM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/25/12 08:51 PM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/25/12 08:51 PM
Acetone	ND		0.27	mg/Kg-dry	50	02/25/12 08:51 PM
Benzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Bromodichloromethane	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client:	Weston Solutions, Inc	Work Order:	1202556
Project:	20405.016.001.17XX.00/ E Sandusky Co Dumps	Lab ID:	1202556-01
Sample ID:	LD-B01-S01-021712	Matrix:	SOIL
Collection Date:	02/17/12 09:30 AM		

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Bromomethane	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Carbon disulfide	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Carbon tetrachloride	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Chlorobenzene	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/25/12 08:51 PM
Chloroform	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/25/12 08:51 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
cis-1,3-Dichloropropene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Cyclohexane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
Dichlorodifluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
Isopropylbenzene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Methyl acetate	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Methyl tert-butyl ether	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 08:51 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
Styrene	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Tetrachloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Toluene	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
trans-1,2-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
trans-1,3-Dichloropropene	ND		0.091	mg/Kg-dry	50	02/25/12 08:51 PM
Trichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Trichlorofluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 08:51 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 08:51 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/25/12 08:51 PM
Surr: 1,2-Dichloroethane-d4	89.5		70-120	%REC	50	02/25/12 08:51 PM
Surr: 4-Bromofluorobenzene	98.0		75-120	%REC	50	02/25/12 08:51 PM
Surr: Dibromofluoromethane	91.5		85-115	%REC	50	02/25/12 08:51 PM
Surr: Toluene-d8	99.7		85-115	%REC	50	02/25/12 08:51 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.60	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	17		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S02-021712 **Lab ID:** 1202556-02
Collection Date: 02/17/12 09:50 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	74.0	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1221	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1232	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1242	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1248	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1254	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
Aroclor 1260	ND	0.047	mg/Kg-dry	1	02/26/12 12:28 PM	
<i>Surr: Decachlorobiphenyl</i>	89.1	40-140	%REC	1	02/26/12 12:28 PM	
PESTICIDES						
4,4'-DDD	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
4,4'-DDE	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
4,4'-DDT	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Aldrin	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
alpha-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
alpha-Chlordane	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
beta-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Chlordane, Technical	ND	0.059	mg/Kg-dry	2	02/28/12 10:44 PM	
delta-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Dieldrin	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endosulfan I	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endosulfan II	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endosulfan sulfate	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endrin	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endrin aldehyde	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Endrin ketone	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
gamma-BHC (Lindane)	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
gamma-Chlordane	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Heptachlor	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Heptachlor epoxide	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Methoxychlor	ND	0.023	mg/Kg-dry	2	02/28/12 10:44 PM	
Toxaphene	ND	0.14	mg/Kg-dry	2	02/28/12 10:44 PM	
<i>Surr: Decachlorobiphenyl</i>	68.1	45-135	%REC	2	02/28/12 10:44 PM	
<i>Surr: Tetrachloro-m-xylene</i>	76.1	45-124	%REC	2	02/28/12 10:44 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S02-021712 **Lab ID:** 1202556-02
Collection Date: 02/17/12 09:50 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.019	mg/Kg-dry	1	02/23/12 02:22 PM
METALS BY ICP-MS						
Aluminum	9,400		SW6020A 1.6	mg/Kg-dry	2	02/22/12 08:43 PM
Antimony	ND		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Arsenic	9.4		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Barium	43		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Beryllium	ND		3.3	mg/Kg-dry	20	02/23/12 05:50 PM
Boron	100		33	mg/Kg-dry	20	02/23/12 05:50 PM
Cadmium	ND		0.33	mg/Kg-dry	2	02/22/12 08:43 PM
Calcium	49,000		820	mg/Kg-dry	20	02/23/12 05:50 PM
Chromium	17		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Cobalt	7.0		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Copper	24		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Iron	26,000		13	mg/Kg-dry	2	02/22/12 08:43 PM
Lead	12		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Magnesium	9,300		33	mg/Kg-dry	2	02/22/12 08:43 PM
Manganese	330		8.2	mg/Kg-dry	20	02/23/12 05:50 PM
Nickel	27		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Potassium	1,900		33	mg/Kg-dry	2	02/22/12 08:43 PM
Selenium	1.4		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Silver	ND		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Sodium	490		33	mg/Kg-dry	2	02/22/12 08:43 PM
Thallium	ND		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Vanadium	22		0.82	mg/Kg-dry	2	02/22/12 08:43 PM
Zinc	59		1.6	mg/Kg-dry	2	02/22/12 08:43 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.38	mg/Kg-dry	1	02/25/12 10:28 AM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2,4-Dimethylphenol	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
2,4-Dinitrophenol	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2-Chloronaphthalene	ND		0.093	mg/Kg-dry	1	02/25/12 10:28 AM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
2-Methylnaphthalene	ND		0.093	mg/Kg-dry	1	02/25/12 10:28 AM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B01-S02-021712
Collection Date: 02/17/12 09:50 AM

Work Order: 1202556
Lab ID: 1202556-02
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
3,3'-Dichlorobenzidine	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
3-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
4,6-Dinitro-2-methylphenol	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
4-Chloroaniline	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
4-Nitroaniline	ND UJ		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
4-Nitrophenol	ND		0.76	mg/Kg-dry	1	02/25/12 10:28 AM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Acetophenone	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Atrazine	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Benzaldehyde	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Bis(2-ethylhexyl)phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Caprolactam	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Chrysene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Diethyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Dimethyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Di-n-butyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Fluorene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

10
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B01-S02-021712

Lab ID: 1202556-02

Collection Date: 02/17/12 09:50 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Hexachlorocyclopentadiene	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Pentachlorophenol	ND		0.38	mg/Kg-dry	1	02/25/12 10:28 AM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 10:28 AM
Pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 10:28 AM
<i>Surr: 2,4,6-Tribromophenol</i>	99.9		34-140	%REC	1	02/25/12 10:28 AM
<i>Surr: 2-Fluorobiphenyl</i>	83.4		12-100	%REC	1	02/25/12 10:28 AM
<i>Surr: 2-Fluorophenol</i>	93.9		33-117	%REC	1	02/25/12 10:28 AM
<i>Surr: 4-Terphenyl-d14</i>	81.1		25-137	%REC	1	02/25/12 10:28 AM
<i>Surr: Nitrobenzene-d5</i>	80.3		37-107	%REC	1	02/25/12 10:28 AM
<i>Surr: Phenol-d6</i>	89.0		40-106	%REC	1	02/25/12 10:28 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
1,1,2-Trichlorotrifluoroethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,1-Dichloroethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,1-Dichloroethene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,2,4-Trichlorobenzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
1,2-Dibromoethane	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
1,2-Dichlorobenzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,2-Dichloroethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/25/12 09:16 PM
1,3-Dichlorobenzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
1,4-Dichlorobenzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
2-Butanone	ND		0.44	mg/Kg-dry	50	02/25/12 09:16 PM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/25/12 09:16 PM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/25/12 09:16 PM
Acetone	ND		0.26	mg/Kg-dry	50	02/25/12 09:16 PM
Benzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Bromodichloromethane	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B01-S02-021712
Collection Date: 02/17/12 09:50 AM

Work Order: 1202556
Lab ID: 1202556-02
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Bromomethane	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Carbon disulfide	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Carbon tetrachloride	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Chlorobenzene	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/25/12 09:16 PM
Chloroform	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/25/12 09:16 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
cis-1,3-Dichloropropene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Cyclohexane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
Dichlorodifluoromethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
Isopropylbenzene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Methyl acetate	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Methyl tert-butyl ether	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 09:16 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
Styrene	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Tetrachloroethene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Toluene	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
trans-1,2-Dichloroethene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
trans-1,3-Dichloropropene	ND		0.088	mg/Kg-dry	50	02/25/12 09:16 PM
Trichloroethene	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Trichlorofluoromethane	ND		0.059	mg/Kg-dry	50	02/25/12 09:16 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 09:16 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/25/12 09:16 PM
Surr: 1,2-Dichloroethane-d4	88.9		70-120	%REC	50	02/25/12 09:16 PM
Surr: 4-Bromofluorobenzene	98.7		75-120	%REC	50	02/25/12 09:16 PM
Surr: Dibromofluoromethane	90.3		85-115	%REC	50	02/25/12 09:16 PM
Surr: Toluene-d8	99.0		85-115	%REC	50	02/25/12 09:16 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.58	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	15		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B02-S01-021712

Lab ID: 1202556-03

Collection Date: 02/17/12 11:20 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0062	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0062	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	79.0	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1221	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1232	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1242	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1248	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1254	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
Aroclor 1260	ND	0.050	mg/Kg-dry	1	02/26/12 12:48 PM	
<i>Surr: Decachlorobiphenyl</i>	84.1	40-140	%REC	1	02/26/12 12:48 PM	
PESTICIDES						
4,4'-DDD	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
4,4'-DDE	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
4,4'-DDT	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Aldrin	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
alpha-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
alpha-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
beta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Chlordane, Technical	ND	0.031	mg/Kg-dry	1	02/28/12 10:59 PM	
delta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Dieldrin	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endosulfan I	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endosulfan II	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endosulfan sulfate	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endrin	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endrin aldehyde	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Endrin ketone	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
gamma-BHC (Lindane)	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
gamma-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Heptachlor	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Heptachlor epoxide	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Methoxychlor	ND	0.012	mg/Kg-dry	1	02/28/12 10:59 PM	
Toxaphene	ND	0.074	mg/Kg-dry	1	02/28/12 10:59 PM	
<i>Surr: Decachlorobiphenyl</i>	68.1	45-135	%REC	1	02/28/12 10:59 PM	
<i>Surr: Tetrachloro-m-xylene</i>	87.1	45-124	%REC	1	02/28/12 10:59 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S01-021712 **Lab ID:** 1202556-03
Collection Date: 02/17/12 11:20 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.054		SW7471 0.019	mg/Kg-dry	1	Prep Date: 02/22/12 02/23/12 02:24 PM
METALS BY ICP-MS						
Aluminum	9,100		SW6020A 1.5	mg/Kg-dry	2	Prep Date: 02/21/12 02/22/12 08:49 PM
Antimony	ND		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Arsenic	3.4		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Barium	68		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Beryllium	ND		2.9	mg/Kg-dry	20	02/23/12 05:56 PM
Boron	52		29	mg/Kg-dry	20	02/23/12 05:56 PM
Cadmium	0.36		0.29	mg/Kg-dry	2	02/22/12 08:49 PM
Calcium	3,000		73	mg/Kg-dry	2	02/22/12 08:49 PM
Chromium	13		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Cobalt	5.7		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Copper	9.8		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Iron	13,000		12	mg/Kg-dry	2	02/22/12 08:49 PM
Lead	10		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Magnesium	2,400		29	mg/Kg-dry	2	02/22/12 08:49 PM
Manganese	200		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Nickel	14		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Potassium	1,100		29	mg/Kg-dry	2	02/22/12 08:49 PM
Selenium	1.2		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Silver	ND		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Sodium	430		29	mg/Kg-dry	2	02/22/12 08:49 PM
Thallium	ND		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Vanadium	17		0.73	mg/Kg-dry	2	02/22/12 08:49 PM
Zinc	45		1.5	mg/Kg-dry	2	02/22/12 08:49 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.41	mg/Kg-dry	1	Prep Date: 02/21/12 02/25/12 10:55 AM
2,4,5-Trichlorophenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2,4,6-Trichlorophenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2,4-Dichlorophenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2,4-Dimethylphenol	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
2,4-Dinitrophenol	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
2,4-Dinitrotoluene	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2,6-Dinitrotoluene	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2-Chloronaphthalene	ND		0.10	mg/Kg-dry	1	02/25/12 10:55 AM
2-Chlorophenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
2-Methylnaphthalene	ND		0.10	mg/Kg-dry	1	02/25/12 10:55 AM
2-Methylphenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B02-S01-021712
Collection Date: 02/17/12 11:20 AM

Work Order: 1202556
Lab ID: 1202556-03
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
2-Nitrophenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
3,3'-Dichlorobenzidine	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
3-Nitroaniline	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
4,6-Dinitro-2-methylphenol	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
4-Bromophenyl phenyl ether	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
4-Chloro-3-methylphenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
4-Chloroaniline	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
4-Chlorophenyl phenyl ether	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
4-Methylphenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
4-Nitroaniline	ND ✓		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
4-Nitrophenol	ND		0.82	mg/Kg-dry	1	02/25/12 10:55 AM
Acenaphthene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Acenaphthylene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Acetophenone	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Anthracene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Atrazine	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Benzaldehyde	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Benzo(a)anthracene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Benzo(a)pyrene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Benzo(b)fluoranthene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Benzo(g,h,i)perylene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Benzo(k)fluoranthene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Bis(2-chloroethoxy)methane	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Bis(2-chloroethyl)ether	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Bis(2-chloroisopropyl)ether	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Bis(2-ethylhexyl)phthalate	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Butyl benzyl phthalate	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Caprolactam	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Carbazole	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Chrysene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Dibenzo(a,h)anthracene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Dibenzofuran	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Diethyl phthalate	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Dimethyl phthalate	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Di-n-butyl phthalate	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Di-n-octyl phthalate	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Fluoranthene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Fluorene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Hexachlorobenzene	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

28
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B02-S01-021712

Lab ID: 1202556-03

Collection Date: 02/17/12 11:20 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Hexachlorocyclopentadiene	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Hexachloroethane	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Indeno(1,2,3-cd)pyrene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Isophorone	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Naphthalene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Nitrobenzene	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
N-Nitrosodi-n-propylamine	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
N-Nitrosodiphenylamine	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Pentachlorophenol	ND		0.41	mg/Kg-dry	1	02/25/12 10:55 AM
Phenanthrene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
Phenol	ND		0.20	mg/Kg-dry	1	02/25/12 10:55 AM
Pyrene	ND		0.037	mg/Kg-dry	1	02/25/12 10:55 AM
<i>Surr: 2,4,6-Tribromophenol</i>	95.4		34-140	%REC	1	02/25/12 10:55 AM
<i>Surr: 2-Fluorobiphenyl</i>	71.2		12-100	%REC	1	02/25/12 10:55 AM
<i>Surr: 2-Fluorophenol</i>	79.5		33-117	%REC	1	02/25/12 10:55 AM
<i>Surr: 4-Terphenyl-d14</i>	79.9		25-137	%REC	1	02/25/12 10:55 AM
<i>Surr: Nitrobenzene-d5</i>	69.5		37-107	%REC	1	02/25/12 10:55 AM
<i>Surr: Phenol-d6</i>	77.0		40-106	%REC	1	02/25/12 10:55 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,1,2,2-Tetrachloroethane	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
1,1,2-Trichloroethane	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
1,1,2-Trichlorotrifluoroethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,1-Dichloroethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,1-Dichloroethene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,2,4-Trichlorobenzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,2-Dibromo-3-chloropropane	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
1,2-Dibromoethane	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
1,2-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,2-Dichloroethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,2-Dichloropropane	ND		0.22	mg/Kg-dry	50	02/25/12 09:41 PM
1,3-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
1,4-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
2-Butanone	ND		0.47	mg/Kg-dry	50	02/25/12 09:41 PM
2-Hexanone	ND		0.31	mg/Kg-dry	50	02/25/12 09:41 PM
4-Methyl-2-pentanone	ND		0.31	mg/Kg-dry	50	02/25/12 09:41 PM
Acetone	ND		0.28	mg/Kg-dry	50	02/25/12 09:41 PM
Benzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Bromodichloromethane	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client:	Weston Solutions, Inc	Work Order:	1202556
Project:	20405.016.001.17XX.00/ E Sandusky Co Dumps	Lab ID:	1202556-03
Sample ID:	LD-B02-S01-021712	Matrix:	SOIL
Collection Date:	02/17/12 11:20 AM		

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Bromomethane	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Carbon disulfide	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Carbon tetrachloride	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Chlorobenzene	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Chloroethane	ND		0.19	mg/Kg-dry	50	02/25/12 09:41 PM
Chloroform	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Chloromethane	ND		0.19	mg/Kg-dry	50	02/25/12 09:41 PM
cis-1,2-Dichloroethene	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
cis-1,3-Dichloropropene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Cyclohexane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Dibromochloromethane	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
Dichlorodifluoromethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Ethylbenzene	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
Isopropylbenzene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Methyl acetate	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Methyl tert-butyl ether	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Methylcyclohexane	ND		1.3	mg/Kg-dry	50	02/25/12 09:41 PM
Methylene chloride	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
Styrene	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Tetrachloroethene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Toluene	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
trans-1,2-Dichloroethene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
trans-1,3-Dichloropropene	ND		0.094	mg/Kg-dry	50	02/25/12 09:41 PM
Trichloroethene	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Trichlorofluoromethane	ND		0.063	mg/Kg-dry	50	02/25/12 09:41 PM
Vinyl chloride	ND		0.13	mg/Kg-dry	50	02/25/12 09:41 PM
Xylenes, Total	ND		0.19	mg/Kg-dry	50	02/25/12 09:41 PM
Surr: 1,2-Dichloroethane-d4	88.7		70-120	%REC	50	02/25/12 09:41 PM
Surr: 4-Bromofluorobenzene	98.9		75-120	%REC	50	02/25/12 09:41 PM
Surr: Dibromofluoromethane	91.8		85-115	%REC	50	02/25/12 09:41 PM
Surr: Toluene-d8	99.9		85-115	%REC	50	02/25/12 09:41 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.62	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	20		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S02-021712 **Lab ID:** 1202556-04
Collection Date: 02/17/12 11:35 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0057	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0057	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	74.6	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1221	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1232	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1242	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1248	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1254	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
Aroclor 1260	ND	0.046	mg/Kg-dry	1	02/26/12 01:08 PM	
<i>Surr: Decachlorobiphenyl</i>	78.1	40-140	%REC	1	02/26/12 01:08 PM	
PESTICIDES						
4,4'-DDD	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
4,4'-DDE	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
4,4'-DDT	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Aldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
alpha-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
alpha-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
beta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Chlordane, Technical	ND	0.029	mg/Kg-dry	1	02/28/12 11:13 PM	
delta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Dieldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endosulfan I	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endosulfan II	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endosulfan sulfate	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endrin aldehyde	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Endrin ketone	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
gamma-BHC (Lindane)	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
gamma-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Heptachlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Heptachlor epoxide	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Methoxychlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:13 PM	
Toxaphene	ND	0.069	mg/Kg-dry	1	02/28/12 11:13 PM	
<i>Surr: Decachlorobiphenyl</i>	63.1	45-135	%REC	1	02/28/12 11:13 PM	
<i>Surr: Tetrachloro-m-xylene</i>	80.1	45-124	%REC	1	02/28/12 11:13 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S02-021712 **Lab ID:** 1202556-04
Collection Date: 02/17/12 11:35 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.018	mg/Kg-dry	1	02/23/12 03:32 PM
METALS BY ICP-MS						
Aluminum	2,300		SW6020A 1.5	mg/Kg-dry	2	02/22/12 08:55 PM
Antimony	ND		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Arsenic	ND		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Barium	14		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Beryllium	ND		0.31	mg/Kg-dry	2	02/22/12 08:55 PM
Boron	12		3.1	mg/Kg-dry	2	02/22/12 08:55 PM
Cadmium	ND		0.31	mg/Kg-dry	2	02/22/12 08:55 PM
Calcium	890		77	mg/Kg-dry	2	02/22/12 08:55 PM
Chromium	3.8		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Cobalt	1.8		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Copper	5.4		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Iron	3,100		12	mg/Kg-dry	2	02/22/12 08:55 PM
Lead	3.0		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Magnesium	860		31	mg/Kg-dry	2	02/22/12 08:55 PM
Manganese	31		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Nickel	4.8		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Potassium	290		31	mg/Kg-dry	2	02/22/12 08:55 PM
Selenium	ND		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Silver	ND		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Sodium	81		31	mg/Kg-dry	2	02/22/12 08:55 PM
Thallium	ND		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Vanadium	5.1		0.77	mg/Kg-dry	2	02/22/12 08:55 PM
Zinc	15		1.5	mg/Kg-dry	2	02/22/12 08:55 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.37	mg/Kg-dry	1	02/25/12 12:14 PM
2,4,5-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2,4,6-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2,4-Dichlorophenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2,4-Dimethylphenol	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
2,4-Dinitrophenol	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
2,4-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2,6-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2-Chloronaphthalene	ND		0.090	mg/Kg-dry	1	02/25/12 12:14 PM
2-Chlorophenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
2-Methylnaphthalene	ND		0.090	mg/Kg-dry	1	02/25/12 12:14 PM
2-Methylphenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S02-021712 **Lab ID:** 1202556-04
Collection Date: 02/17/12 11:35 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
2-Nitrophenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
3,3'-Dichlorobenzidine	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
3-Nitroaniline	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
4,6-Dinitro-2-methylphenol	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
4-Bromophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
4-Chloro-3-methylphenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
4-Chloroaniline	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
4-Chlorophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
4-Methylphenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
4-Nitroaniline	ND ✓		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
4-Nitrophenol	ND		0.74	mg/Kg-dry	1	02/25/12 12:14 PM
Acenaphthene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Acenaphthylene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Acetophenone	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Anthracene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Atrazine	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Benzaldehyde	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Benzo(a)anthracene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Benzo(a)pyrene	0.037		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Benzo(b)fluoranthene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Benzo(g,h,i)perylene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Benzo(k)fluoranthene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Bis(2-chloroethoxy)methane	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Bis(2-chloroethyl)ether	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Bis(2-chloroisopropyl)ether	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Bis(2-ethylhexyl)phthalate	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Butyl benzyl phthalate	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Caprolactam	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Carbazole	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Chrysene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Dibenzo(a,h)anthracene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Dibenzofuran	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Diethyl phthalate	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Dimethyl phthalate	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Di-n-butyl phthalate	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Di-n-octyl phthalate	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Fluoranthene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Fluorene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Hexachlorobenzene	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2/15/12

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B02-S02-021712

Lab ID: 1202556-04

Collection Date: 02/17/12 11:35 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Hexachlorocyclopentadiene	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Hexachloroethane	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Indeno(1,2,3-cd)pyrene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Isophorone	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Naphthalene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Nitrobenzene	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
N-Nitrosodi-n-propylamine	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
N-Nitrosodiphenylamine	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Pentachlorophenol	ND		0.37	mg/Kg-dry	1	02/25/12 12:14 PM
Phenanthrene	ND		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
Phenol	ND		0.18	mg/Kg-dry	1	02/25/12 12:14 PM
Pyrene	0.049		0.034	mg/Kg-dry	1	02/25/12 12:14 PM
<i>Surr: 2,4,6-Tribromophenol</i>	97.8		34-140	%REC	1	02/25/12 12:14 PM
<i>Surr: 2-Fluorobiphenyl</i>	77.9		12-100	%REC	1	02/25/12 12:14 PM
<i>Surr: 2-Fluorophenol</i>	89.5		33-117	%REC	1	02/25/12 12:14 PM
<i>Surr: 4-Terphenyl-d14</i>	82.8		25-137	%REC	1	02/25/12 12:14 PM
<i>Surr: Nitrobenzene-d5</i>	76.3		37-107	%REC	1	02/25/12 12:14 PM
<i>Surr: Phenol-d6</i>	84.9		40-106	%REC	1	02/25/12 12:14 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
1,1,2-Trichlorotrifluoroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,1-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,1-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,2,4-Trichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
1,2-Dibromoethane	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
1,2-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,2-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/25/12 10:06 PM
1,3-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
1,4-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
2-Butanone	ND		0.43	mg/Kg-dry	50	02/25/12 10:06 PM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/25/12 10:06 PM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/25/12 10:06 PM
Acetone	ND		0.26	mg/Kg-dry	50	02/25/12 10:06 PM
Benzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Bromodichloromethane	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B02-S02-021712

Lab ID: 1202556-04

Collection Date: 02/17/12 11:35 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Bromomethane	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Carbon disulfide	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Carbon tetrachloride	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Chlorobenzene	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/25/12 10:06 PM
Chloroform	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/25/12 10:06 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
cis-1,3-Dichloropropene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Cyclohexane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
Dichlorodifluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
Isopropylbenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Methyl acetate	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Methyl tert-butyl ether	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 10:06 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
Styrene	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Tetrachloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Toluene	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
trans-1,2-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
trans-1,3-Dichloropropene	ND		0.087	mg/Kg-dry	50	02/25/12 10:06 PM
Trichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Trichlorofluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:06 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:06 PM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/25/12 10:06 PM
Surr: 1,2-Dichloroethane-d4	90.9		70-120	%REC	50	02/25/12 10:06 PM
Surr: 4-Bromofluorobenzene	97.6		75-120	%REC	50	02/25/12 10:06 PM
Surr: Dibromofluoromethane	91.6		85-115	%REC	50	02/25/12 10:06 PM
Surr: Toluene-d8	98.8		85-115	%REC	50	02/25/12 10:06 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.57	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	14		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S01-021712 **Lab ID:** 1202556-05
Collection Date: 02/17/12 12:45 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	71.4	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1221	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1232	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1242	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1248	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1254	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
Aroclor 1260	ND	0.046	mg/Kg-dry	1	02/26/12 01:28 PM	
<i>Surr: Decachlorobiphenyl</i>	77.1	40-140	%REC	1	02/26/12 01:28 PM	
PESTICIDES						
4,4'-DDD	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
4,4'-DDE	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
4,4'-DDT	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Aldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
alpha-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
alpha-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
beta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Chlordane, Technical	ND	0.029	mg/Kg-dry	1	02/28/12 11:28 PM	
delta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Dieldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endosulfan I	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endosulfan II	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endosulfan sulfate	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endrin aldehyde	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Endrin ketone	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
gamma-BHC (Lindane)	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
gamma-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Heptachlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Heptachlor epoxide	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Methoxychlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:28 PM	
Toxaphene	ND	0.070	mg/Kg-dry	1	02/28/12 11:28 PM	
<i>Surr: Decachlorobiphenyl</i>	64.1	45-135	%REC	1	02/28/12 11:28 PM	
<i>Surr: Tetrachloro-m-xylene</i>	82.1	45-124	%REC	1	02/28/12 11:28 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S01-021712 **Lab ID:** 1202556-05
Collection Date: 02/17/12 12:45 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.019	mg/Kg-dry	1	02/23/12 03:35 PM
METALS BY ICP-MS						
Aluminum	2,600		SW6020A 1.5	mg/Kg-dry	2	02/22/12 09:01 PM
Antimony	ND		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Arsenic	3.0		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Barium	9.6		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Beryllium	ND		3.1	mg/Kg-dry	20	02/23/12 06:02 PM
Boron	ND		31	mg/Kg-dry	20	02/23/12 06:02 PM
Cadmium	ND		0.31	mg/Kg-dry	2	02/22/12 09:01 PM
Calcium	13,000		76	mg/Kg-dry	2	02/22/12 09:01 PM
Chromium	5.7		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Cobalt	2.9		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Copper	6.7		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Iron	8,300		12	mg/Kg-dry	2	02/22/12 09:01 PM
Lead	3.8		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Magnesium	2,600		31	mg/Kg-dry	2	02/22/12 09:01 PM
Manganese	100		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Nickel	7.9		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Potassium	450		31	mg/Kg-dry	2	02/22/12 09:01 PM
Selenium	ND		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Silver	ND		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Sodium	67		31	mg/Kg-dry	2	02/22/12 09:01 PM
Thallium	ND		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Vanadium	11		0.76	mg/Kg-dry	2	02/22/12 09:01 PM
Zinc	25		1.5	mg/Kg-dry	2	02/22/12 09:01 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.39	mg/Kg-dry	1	02/25/12 12:41 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2,4-Dimethylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
2,4-Dinitrophenol	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2-Chloronaphthalene	ND		0.094	mg/Kg-dry	1	02/25/12 12:41 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
2-Methylnaphthalene	ND		0.094	mg/Kg-dry	1	02/25/12 12:41 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/E Sandusky Co Dumps
Sample ID: LD-B03-S01-021712
Collection Date: 02/17/12 12:45 PM

Work Order: 1202556
Lab ID: 1202556-05
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
3,3'-Dichlorobenzidine	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
3-Nitroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
4,6-Dinitro-2-methylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
4-Chloroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
4-Nitroaniline	ND <i>VJ</i>		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
4-Nitrophenol	ND		0.77	mg/Kg-dry	1	02/25/12 12:41 PM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Acetophenone	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Atrazine	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Benzaldehyde	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Bis(2-ethylhexyl)phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Caprolactam	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Chrysene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Diethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Dimethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Di-n-butyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Fluorene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

29
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B03-S01-021712

Lab ID: 1202556-05

Collection Date: 02/17/12 12:45 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Hexachlorocyclopentadiene	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Pentachlorophenol	ND		0.39	mg/Kg-dry	1	02/25/12 12:41 PM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 12:41 PM
Pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 12:41 PM
<i>Surr: 2,4,6-Tribromophenol</i>	95.2		34-140	%REC	1	02/25/12 12:41 PM
<i>Surr: 2-Fluorobiphenyl</i>	81.3		12-100	%REC	1	02/25/12 12:41 PM
<i>Surr: 2-Fluorophenol</i>	93.7		33-117	%REC	1	02/25/12 12:41 PM
<i>Surr: 4-Terphenyl-d14</i>	81.6		25-137	%REC	1	02/25/12 12:41 PM
<i>Surr: Nitrobenzene-d5</i>	79.5		37-107	%REC	1	02/25/12 12:41 PM
<i>Surr: Phenol-d6</i>	88.8		40-106	%REC	1	02/25/12 12:41 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
1,1,2-Trichlorotrifluoroethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,1-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,1-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,2,4-Trichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
1,2-Dibromoethane	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
1,2-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,2-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/25/12 10:31 PM
1,3-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
1,4-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
2-Butanone	ND		0.45	mg/Kg-dry	50	02/25/12 10:31 PM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/25/12 10:31 PM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/25/12 10:31 PM
Acetone	ND		0.27	mg/Kg-dry	50	02/25/12 10:31 PM
Benzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Bromodichloromethane	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B03-S01-021712

Lab ID: 1202556-05

Collection Date: 02/17/12 12:45 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Bromomethane	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Carbon disulfide	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Carbon tetrachloride	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Chlorobenzene	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/25/12 10:31 PM
Chloroform	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/25/12 10:31 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
cis-1,3-Dichloropropene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Cyclohexane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
Dichlorodifluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
Isopropylbenzene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Methyl acetate	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Methyl tert-butyl ether	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 10:31 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
Styrene	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Tetrachloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Toluene	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
trans-1,2-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
trans-1,3-Dichloropropene	ND		0.090	mg/Kg-dry	50	02/25/12 10:31 PM
Trichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Trichlorofluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 10:31 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:31 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/25/12 10:31 PM
Surr: 1,2-Dichloroethane-d4	88.7		70-120	%REC	50	02/25/12 10:31 PM
Surr: 4-Bromofluorobenzene	98.0		75-120	%REC	50	02/25/12 10:31 PM
Surr: Dibromofluoromethane	89.8		85-115	%REC	50	02/25/12 10:31 PM
Surr: Toluene-d8	99.7		85-115	%REC	50	02/25/12 10:31 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.59	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	17		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B03-S02-021712

Lab ID: 1202556-06

Collection Date: 02/17/12 01:00 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0057	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0057	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	82.8	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	Analyst: JD
Aroclor 1221	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
Aroclor 1232	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
Aroclor 1242	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
Aroclor 1248	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
Aroclor 1254	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
Aroclor 1260	ND	0.044	mg/Kg-dry	1	02/29/12 12:25 AM	
<i>Surr: Decachlorobiphenyl</i>	83.1	40-140	%REC	1	02/29/12 12:25 AM	
PESTICIDES						
4,4'-DDD	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	Analyst: JD
4,4'-DDE	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
4,4'-DDT	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Aldrin	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
alpha-BHC	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
alpha-Chlordane	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
beta-BHC	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Chlordane, Technical	ND	0.14	mg/Kg-dry	5	02/29/12 10:04 AM	
delta-BHC	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Dieldrin	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endosulfan I	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endosulfan II	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endosulfan sulfate	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endrin	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endrin aldehyde	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Endrin ketone	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
gamma-BHC (Lindane)	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
gamma-Chlordane	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Heptachlor	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Heptachlor epoxide	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Methoxychlor	ND	0.055	mg/Kg-dry	5	02/29/12 10:04 AM	
Toxaphene	ND	0.33	mg/Kg-dry	5	02/29/12 10:04 AM	
<i>Surr: Decachlorobiphenyl</i>	70.1	45-135	%REC	5	02/29/12 10:04 AM	
<i>Surr: Tetrachloro-m-xylene</i>	70.1	45-124	%REC	5	02/29/12 10:04 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S02-021712 **Lab ID:** 1202556-06
Collection Date: 02/17/12 01:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.021		SW7471 0.020	mg/Kg-dry	1	Prep Date: 02/27/12 Analyst: LR 02/27/12 02:37 PM
METALS BY ICP-MS						
Aluminum	9,200		SW6020A 18	mg/Kg-dry	20	Prep Date: 02/23/12 Analyst: RH 02/29/12 01:36 PM
Antimony	ND ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Arsenic	12 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Barium	43		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Beryllium	ND		3.6	mg/Kg-dry	20	02/28/12 03:43 PM
Boron	ND		36	mg/Kg-dry	20	02/28/12 05:14 PM
Cadmium	ND		0.36	mg/Kg-dry	2	02/28/12 12:42 PM
Calcium	55,000		890	mg/Kg-dry	20	02/28/12 03:43 PM
Chromium	15 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Cobalt	12 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Copper	20 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Iron	20,000		14	mg/Kg-dry	2	02/28/12 12:42 PM
Lead	11 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Magnesium	16,000		36	mg/Kg-dry	2	02/28/12 12:42 PM
Manganese	390		8.9	mg/Kg-dry	20	02/28/12 03:43 PM
Nickel	32		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Potassium	2,500 ✓		36	mg/Kg-dry	2	02/28/12 12:42 PM
Selenium	2.8 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Silver	ND		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Sodium	210		36	mg/Kg-dry	2	02/28/12 12:42 PM
Thallium	1.4		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Vanadium	25 ✓		0.89	mg/Kg-dry	2	02/28/12 12:42 PM
Zinc	59		1.8	mg/Kg-dry	2	02/28/12 12:42 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.38	mg/Kg-dry	1	Prep Date: 02/22/12 Analyst: HL 02/27/12 01:38 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2,4-Dimethylphenol	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
2,4-Dinitrophenol	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2-Chloronaphthalene	ND		0.093	mg/Kg-dry	1	02/27/12 01:38 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
2-Methylnaphthalene	ND		0.093	mg/Kg-dry	1	02/27/12 01:38 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

AM
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S02-021712 **Lab ID:** 1202556-06
Collection Date: 02/17/12 01:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
3,3'-Dichlorobenzidine	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
3-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
4,6-Dinitro-2-methylphenol	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
4-Chloroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
4-Nitroaniline	ND <i>UJ</i>		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
4-Nitrophenol	ND		0.76	mg/Kg-dry	1	02/27/12 01:38 PM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Acetophenone	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Atrazine	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Benzaldehyde	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Bis(2-ethylhexyl)phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Caprolactam	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Chrysene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Diethyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Dimethyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Di-n-butyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Fluorene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2/2
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B03-S02-021712
Collection Date: 02/17/12 01:00 PM

Work Order: 1202556
Lab ID: 1202556-06
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Hexachlorocyclopentadiene	ND	J	0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Pentachlorophenol	ND		0.38	mg/Kg-dry	1	02/27/12 01:38 PM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/27/12 01:38 PM
Pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 01:38 PM
<i>Surr: 2,4,6-Tribromophenol</i>	84.0		34-140	%REC	1	02/27/12 01:38 PM
<i>Surr: 2-Fluorobiphenyl</i>	77.9		12-100	%REC	1	02/27/12 01:38 PM
<i>Surr: 2-Fluorophenol</i>	84.5		33-117	%REC	1	02/27/12 01:38 PM
<i>Surr: 4-Terphenyl-d14</i>	81.7		25-137	%REC	1	02/27/12 01:38 PM
<i>Surr: Nitrobenzene-d5</i>	73.6		37-107	%REC	1	02/27/12 01:38 PM
<i>Surr: Phenol-d6</i>	80.7		40-106	%REC	1	02/27/12 01:38 PM

VOLATILE ORGANIC COMPOUNDS			SW8260		Analyst: RS	
1,1,1-Trichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
1,1,2-Trichlorotrifluoroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,1-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,1-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,2,4-Trichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
1,2-Dibromoethane	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
1,2-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,2-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/25/12 10:56 PM
1,3-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
1,4-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
2-Butanone	ND		0.44	mg/Kg-dry	50	02/25/12 10:56 PM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/25/12 10:56 PM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/25/12 10:56 PM
Acetone	ND		0.26	mg/Kg-dry	50	02/25/12 10:56 PM
Benzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Bromodichloromethane	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2/15/12

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S02-021712 **Lab ID:** 1202556-06
Collection Date: 02/17/12 01:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Bromomethane	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Carbon disulfide	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Carbon tetrachloride	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Chlorobenzene	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/25/12 10:56 PM
Chloroform	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/25/12 10:56 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
cis-1,3-Dichloropropene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Cyclohexane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
Dichlorodifluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
Isopropylbenzene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Methyl acetate	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Methyl tert-butyl ether	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 10:56 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
Styrene	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Tetrachloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Toluene	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
trans-1,2-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
trans-1,3-Dichloropropene	ND		0.088	mg/Kg-dry	50	02/25/12 10:56 PM
Trichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Trichlorofluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 10:56 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 10:56 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/25/12 10:56 PM
Surr: 1,2-Dichloroethane-d4	89.5		70-120	%REC	50	02/25/12 10:56 PM
Surr: 4-Bromofluorobenzene	99.7		75-120	%REC	50	02/25/12 10:56 PM
Surr: Dibromofluoromethane	90.4		85-115	%REC	50	02/25/12 10:56 PM
Surr: Toluene-d8	98.4		85-115	%REC	50	02/25/12 10:56 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND	UJ	0.57	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G		Analyst: CG	
Moisture	14		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B04-S01-021712

Lab ID: 1202556-07

Collection Date: 02/17/12 03:00 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	83.8	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1221	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1232	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1242	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1248	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1254	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
Aroclor 1260	ND	0.047	mg/Kg-dry	1	02/26/12 01:48 PM	
<i>Surr: Decachlorobiphenyl</i>	78.1	40-140	%REC	1	02/26/12 01:48 PM	
PESTICIDES						
4,4'-DDD	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
4,4'-DDE	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
4,4'-DDT	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Aldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
alpha-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
alpha-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
beta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Chlordane, Technical	ND	0.029	mg/Kg-dry	1	02/28/12 11:43 PM	
delta-BHC	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Dieldrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endosulfan I	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endosulfan II	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endosulfan sulfate	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endrin	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endrin aldehyde	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Endrin ketone	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
gamma-BHC (Lindane)	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
gamma-Chlordane	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Heptachlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Heptachlor epoxide	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Methoxychlor	ND	0.012	mg/Kg-dry	1	02/28/12 11:43 PM	
Toxaphene	ND	0.070	mg/Kg-dry	1	02/28/12 11:43 PM	
<i>Surr: Decachlorobiphenyl</i>	63.1	45-135	%REC	1	02/28/12 11:43 PM	
<i>Surr: Tetrachloro-m-xylene</i>	84.1	45-124	%REC	1	02/28/12 11:43 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712 **Lab ID:** 1202556-07
Collection Date: 02/17/12 03:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.021	mg/Kg-dry	1	02/23/12 03:37 PM
METALS BY ICP-MS						
Aluminum	1,700		SW6020A 1.5	mg/Kg-dry	2	02/22/12 09:31 PM
Antimony	ND		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Arsenic	1.5		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Barium	5.0		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Beryllium	ND		0.31	mg/Kg-dry	2	02/22/12 09:31 PM
Boron	ND		3.1	mg/Kg-dry	2	02/22/12 09:31 PM
Cadmium	ND		0.31	mg/Kg-dry	2	02/22/12 09:31 PM
Calcium	37,000		760	mg/Kg-dry	20	02/23/12 06:08 PM
Chromium	3.0		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Cobalt	2.3		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Copper	3.7		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Iron	4,700		12	mg/Kg-dry	2	02/22/12 09:31 PM
Lead	3.0		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Magnesium	2,300		31	mg/Kg-dry	2	02/22/12 09:31 PM
Manganese	220		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Nickel	6.4		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Potassium	320		31	mg/Kg-dry	2	02/22/12 09:31 PM
Selenium	ND		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Silver	ND		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Sodium	53		31	mg/Kg-dry	2	02/22/12 09:31 PM
Thallium	ND		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Vanadium	6.8		0.76	mg/Kg-dry	2	02/22/12 09:31 PM
Zinc	14		1.5	mg/Kg-dry	2	02/22/12 09:31 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.40	mg/Kg-dry	1	02/25/12 01:07 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2,4-Dimethylphenol	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
2,4-Dinitrophenol	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2-Chloronaphthalene	ND		0.096	mg/Kg-dry	1	02/25/12 01:07 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
2-Methylnaphthalene	ND		0.096	mg/Kg-dry	1	02/25/12 01:07 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B04-S01-021712
Collection Date: 02/17/12 03:00 PM

Work Order: 1202556
Lab ID: 1202556-07
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
3,3'-Dichlorobenzidine	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
3-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
4,6-Dinitro-2-methylphenol	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
4-Chloroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
4-Nitroaniline	ND ✓		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
4-Nitrophenol	ND		0.79	mg/Kg-dry	1	02/25/12 01:07 PM
Acenaphthene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Acenaphthylene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Acetophenone	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Atrazine	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Benzaldehyde	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Benzo(a)anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Benzo(a)pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Benzo(b)fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Benzo(g,h,i)perylene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Benzo(k)fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Bis(2-ethylhexyl)phthalate	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Caprolactam	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Chrysene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Dibenzo(a,h)anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Diethyl phthalate	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Dimethyl phthalate	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Di-n-butyl phthalate	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Fluorene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

fY
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712 **Lab ID:** 1202556-07
Collection Date: 02/17/12 03:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Hexachlorocyclopentadiene	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Indeno(1,2,3-cd)pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Naphthalene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Pentachlorophenol	ND		0.40	mg/Kg-dry	1	02/25/12 01:07 PM
Phenanthrene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 01:07 PM
Pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 01:07 PM
<i>Surr: 2,4,6-Tribromophenol</i>	95.7		34-140	%REC	1	02/25/12 01:07 PM
<i>Surr: 2-Fluorobiphenyl</i>	81.3		12-100	%REC	1	02/25/12 01:07 PM
<i>Surr: 2-Fluorophenol</i>	92.2		33-117	%REC	1	02/25/12 01:07 PM
<i>Surr: 4-Terphenyl-d14</i>	80.9		25-137	%REC	1	02/25/12 01:07 PM
<i>Surr: Nitrobenzene-d5</i>	79.1		37-107	%REC	1	02/25/12 01:07 PM
<i>Surr: Phenol-d6</i>	86.8		40-106	%REC	1	02/25/12 01:07 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
1,1,2-Trichlorotrifluoroethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,1-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,1-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,2,4-Trichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
1,2-Dibromoethane	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
1,2-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,2-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/25/12 11:21 PM
1,3-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
1,4-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
2-Butanone	ND		0.45	mg/Kg-dry	50	02/25/12 11:21 PM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/25/12 11:21 PM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/25/12 11:21 PM
Acetone	ND		0.27	mg/Kg-dry	50	02/25/12 11:21 PM
Benzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Bromodichloromethane	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B04-S01-021712**Lab ID:** 1202556-07**Collection Date:** 02/17/12 03:00 PM**Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Bromomethane	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Carbon disulfide	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Carbon tetrachloride	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Chlorobenzene	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/25/12 11:21 PM
Chloroform	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/25/12 11:21 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
cis-1,3-Dichloropropene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Cyclohexane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
Dichlorodifluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
Isopropylbenzene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Methyl acetate	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Methyl tert-butyl ether	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 11:21 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
Styrene	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Tetrachloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Toluene	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
trans-1,2-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
trans-1,3-Dichloropropene	ND		0.090	mg/Kg-dry	50	02/25/12 11:21 PM
Trichloroethene	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Trichlorofluoromethane	ND		0.060	mg/Kg-dry	50	02/25/12 11:21 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 11:21 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/25/12 11:21 PM
Surr: 1,2-Dichloroethane-d4	89.0		70-120	%REC	50	02/25/12 11:21 PM
Surr: 4-Bromofluorobenzene	97.4		75-120	%REC	50	02/25/12 11:21 PM
Surr: Dibromofluoromethane	89.8		85-115	%REC	50	02/25/12 11:21 PM
Surr: Toluene-d8	98.6		85-115	%REC	50	02/25/12 11:21 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.60	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	17		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B04-S01-021712-DP

Lab ID: 1202556-08

Collection Date: 02/17/12 03:00 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0057	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0057	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	89.0	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1221	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1232	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1242	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1248	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1254	0.40	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
Aroclor 1260	ND	0.045	mg/Kg-dry	1	02/26/12 02:08 PM	
<i>Surr: Decachlorobiphenyl</i>	81.1	40-140	%REC	1	02/26/12 02:08 PM	
PESTICIDES						
4,4'-DDD	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
4,4'-DDE	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
4,4'-DDT	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Aldrin	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
alpha-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
alpha-Chlordane	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
beta-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Chlordane, Technical	ND	0.056	mg/Kg-dry	2	02/28/12 11:58 PM	
delta-BHC	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Dieldrin	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endosulfan I	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endosulfan II	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endosulfan sulfate	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endrin	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endrin aldehyde	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Endrin ketone	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
gamma-BHC (Lindane)	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
gamma-Chlordane	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Heptachlor	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Heptachlor epoxide	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Methoxychlor	ND	0.023	mg/Kg-dry	2	02/28/12 11:58 PM	
Toxaphene	ND	0.14	mg/Kg-dry	2	02/28/12 11:58 PM	
<i>Surr: Decachlorobiphenyl</i>	56.1	45-135	%REC	2	02/28/12 11:58 PM	
<i>Surr: Tetrachloro-m-xylene</i>	88.1	45-124	%REC	2	02/28/12 11:58 PM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712-DP **Lab ID:** 1202556-08
Collection Date: 02/17/12 03:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.018	mg/Kg-dry	1	02/23/12 03:40 PM
METALS BY ICP-MS						
Aluminum	2,700		SW6020A 1.6	mg/Kg-dry	2	02/22/12 09:37 PM
Antimony	ND		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Arsenic	3.3		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Barium	12		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Beryllium	ND		3.1	mg/Kg-dry	20	02/23/12 06:14 PM
Boron	ND		31	mg/Kg-dry	20	02/23/12 06:14 PM
Cadmium	ND		0.31	mg/Kg-dry	2	02/22/12 09:37 PM
Calcium	25,000		78	mg/Kg-dry	2	02/22/12 09:37 PM
Chromium	4.1		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Cobalt	3.5		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Copper	8.6		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Iron	7,300		12	mg/Kg-dry	2	02/22/12 09:37 PM
Lead	4.9		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Magnesium	2,100		31	mg/Kg-dry	2	02/22/12 09:37 PM
Manganese	150		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Nickel	9.7		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Potassium	450		31	mg/Kg-dry	2	02/22/12 09:37 PM
Selenium	ND		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Silver	ND		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Sodium	50		31	mg/Kg-dry	2	02/22/12 09:37 PM
Thallium	ND		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Vanadium	8.9		0.78	mg/Kg-dry	2	02/22/12 09:37 PM
Zinc	22		1.6	mg/Kg-dry	2	02/22/12 09:37 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.38	mg/Kg-dry	1	02/25/12 11:21 AM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2,4-Dimethylphenol	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
2,4-Dinitrophenol	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2-Chloronaphthalene	ND		0.093	mg/Kg-dry	1	02/25/12 11:21 AM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
2-Methylnaphthalene	ND		0.093	mg/Kg-dry	1	02/25/12 11:21 AM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B04-S01-021712-DP

Lab ID: 1202556-08

Collection Date: 02/17/12 03:00 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
3,3'-Dichlorobenzidine	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
3-Nitroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
4,6-Dinitro-2-methylphenol	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
4-Chloroaniline	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
4-Nitroaniline	ND UJ		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
4-Nitrophenol	ND		0.77	mg/Kg-dry	1	02/25/12 11:21 AM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Acetophenone	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Atrazine	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Benzaldehyde	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Bis(2-ethylhexyl)phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Caprolactam	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Chrysene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Diethyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Dimethyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Di-n-butyl phthalate	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Fluorene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2
3/15/12

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B04-S01-021712-DP
Collection Date: 02/17/12 03:00 PM

Work Order: 1202556
Lab ID: 1202556-08
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Hexachlorocyclopentadiene	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Pentachlorophenol	ND		0.38	mg/Kg-dry	1	02/25/12 11:21 AM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:21 AM
Pyrene	ND		0.035	mg/Kg-dry	1	02/25/12 11:21 AM
Surr: 2,4,6-Tribromophenol	91.2		34-140	%REC	1	02/25/12 11:21 AM
Surr: 2-Fluorobiphenyl	82.3		12-100	%REC	1	02/25/12 11:21 AM
Surr: 2-Fluorophenol	90.8		33-117	%REC	1	02/25/12 11:21 AM
Surr: 4-Terphenyl-d14	81.3		25-137	%REC	1	02/25/12 11:21 AM
Surr: Nitrobenzene-d5	80.9		37-107	%REC	1	02/25/12 11:21 AM
Surr: Phenol-d6	86.8		40-106	%REC	1	02/25/12 11:21 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
1,1,2-Trichlorotrifluoroethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,1-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,1-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,2,4-Trichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
1,2-Dibromoethane	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
1,2-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,2-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/25/12 11:46 PM
1,3-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
1,4-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
2-Butanone	ND		0.44	mg/Kg-dry	50	02/25/12 11:46 PM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/25/12 11:46 PM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/25/12 11:46 PM
Acetone	ND		0.26	mg/Kg-dry	50	02/25/12 11:46 PM
Benzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Bromodichloromethane	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712-DP **Lab ID:** 1202556-08
Collection Date: 02/17/12 03:00 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Bromomethane	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Carbon disulfide	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Carbon tetrachloride	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Chlorobenzene	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/25/12 11:46 PM
Chloroform	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/25/12 11:46 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
cis-1,3-Dichloropropene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Cyclohexane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
Dichlorodifluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
Isopropylbenzene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Methyl acetate	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Methyl tert-butyl ether	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/25/12 11:46 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
Styrene	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Tetrachloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Toluene	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
trans-1,2-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
trans-1,3-Dichloropropene	ND		0.087	mg/Kg-dry	50	02/25/12 11:46 PM
Trichloroethene	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Trichlorofluoromethane	ND		0.058	mg/Kg-dry	50	02/25/12 11:46 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/25/12 11:46 PM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/25/12 11:46 PM
<i>Surr: 1,2-Dichloroethane-d4</i>	87.9		70-120	%REC	50	02/25/12 11:46 PM
<i>Surr: 4-Bromofluorobenzene</i>	98.1		75-120	%REC	50	02/25/12 11:46 PM
<i>Surr: Dibromofluoromethane</i>	88.6		85-115	%REC	50	02/25/12 11:46 PM
<i>Surr: Toluene-d8</i>	99.8		85-115	%REC	50	02/25/12 11:46 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.58	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	14		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B04-S02-021712

Lab ID: 1202556-09

Collection Date: 02/17/12 02:45 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0060	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0060	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	84.4	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1221	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1232	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1242	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1248	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1254	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
Aroclor 1260	ND	0.048	mg/Kg-dry	1	02/26/12 02:27 PM	
<i>Surr: Decachlorobiphenyl</i>	88.1	40-140	%REC	1	02/26/12 02:27 PM	
PESTICIDES						
4,4'-DDD	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
4,4'-DDE	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
4,4'-DDT	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Aldrin	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
alpha-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
alpha-Chlordane	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
beta-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Chlordane, Technical	ND	0.060	mg/Kg-dry	2	02/29/12 12:13 AM	
delta-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Dieldrin	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endosulfan I	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endosulfan II	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endosulfan sulfate	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endrin	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endrin aldehyde	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Endrin ketone	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
gamma-BHC (Lindane)	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
gamma-Chlordane	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Heptachlor	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Heptachlor epoxide	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Methoxychlor	ND	0.024	mg/Kg-dry	2	02/29/12 12:13 AM	
Toxaphene	ND	0.14	mg/Kg-dry	2	02/29/12 12:13 AM	
<i>Surr: Decachlorobiphenyl</i>	60.1	45-135	%REC	2	02/29/12 12:13 AM	
<i>Surr: Tetrachloro-m-xylene</i>	76.1	45-124	%REC	2	02/29/12 12:13 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S02-021712 **Lab ID:** 1202556-09
Collection Date: 02/17/12 02:45 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.018	mg/Kg-dry	1	02/23/12 03:42 PM
METALS BY ICP-MS						
Aluminum	1,900		SW6020A 1.7	mg/Kg-dry	2	02/22/12 09:43 PM
Antimony	ND		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Arsenic	2.4		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Barium	9.3		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Beryllium	ND		0.33	mg/Kg-dry	2	02/22/12 09:43 PM
Boron	ND		3.3	mg/Kg-dry	2	02/22/12 09:43 PM
Cadmium	ND		0.33	mg/Kg-dry	2	02/22/12 09:43 PM
Calcium	46,000		830	mg/Kg-dry	20	02/23/12 06:44 PM
Chromium	4.5		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Cobalt	2.7		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Copper	4.8		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Iron	5,800		13	mg/Kg-dry	2	02/22/12 09:43 PM
Lead	3.6		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Magnesium	8,600		33	mg/Kg-dry	2	02/22/12 09:43 PM
Manganese	190		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Nickel	6.9		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Potassium	440		33	mg/Kg-dry	2	02/22/12 09:43 PM
Selenium	ND		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Silver	ND		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Sodium	87		33	mg/Kg-dry	2	02/22/12 09:43 PM
Thallium	ND		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Vanadium	7.4		0.83	mg/Kg-dry	2	02/22/12 09:43 PM
Zinc	17		1.7	mg/Kg-dry	2	02/22/12 09:43 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.39	mg/Kg-dry	1	02/25/12 11:47 AM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2,4-Dimethylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
2,4-Dinitrophenol	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2-Chloronaphthalene	ND		0.095	mg/Kg-dry	1	02/25/12 11:47 AM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
2-Methylnaphthalene	ND		0.095	mg/Kg-dry	1	02/25/12 11:47 AM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B04-S02-021712

Lab ID: 1202556-09

Collection Date: 02/17/12 02:45 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
3,3'-Dichlorobenzidine	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
3-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
4,6-Dinitro-2-methylphenol	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
4-Chloroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
4-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
4-Nitrophenol	ND		0.79	mg/Kg-dry	1	02/25/12 11:47 AM
Acenaphthene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Acenaphthylene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Acetophenone	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Atrazine	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Benzaldehyde	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Benzo(a)anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Benzo(a)pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Benzo(b)fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Benzo(g,h,i)perylene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Benzo(k)fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Bis(2-ethylhexyl)phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Caprolactam	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Carbazole	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Chrysene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Dibenzo(a,h)anthracene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Diethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Dimethyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Di-n-butyl phthalate	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Fluoranthene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Fluorene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B04-S02-021712
Collection Date: 02/17/12 02:45 PM

Work Order: 1202556
Lab ID: 1202556-09
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Hexachlorocyclopentadiene	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Indeno(1,2,3-cd)pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Isophorone	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Naphthalene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Pentachlorophenol	ND		0.39	mg/Kg-dry	1	02/25/12 11:47 AM
Phenanthrene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
Phenol	ND		0.19	mg/Kg-dry	1	02/25/12 11:47 AM
Pyrene	ND		0.036	mg/Kg-dry	1	02/25/12 11:47 AM
<i>Surr: 2,4,6-Tribromophenol</i>	47.3		34-140	%REC	1	02/25/12 11:47 AM
<i>Surr: 2-Fluorobiphenyl</i>	46.1		12-100	%REC	1	02/25/12 11:47 AM
<i>Surr: 2-Fluorophenol</i>	52.6		33-117	%REC	1	02/25/12 11:47 AM
<i>Surr: 4-Terphenyl-d14</i>	52.4		25-137	%REC	1	02/25/12 11:47 AM
<i>Surr: Nitrobenzene-d5</i>	50.3		37-107	%REC	1	02/25/12 11:47 AM
<i>Surr: Phenol-d6</i>	51.5		40-106	%REC	1	02/25/12 11:47 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
1,1,2-Trichlorotrifluoroethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,1-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,1-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,2,4-Trichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
1,2-Dibromoethane	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
1,2-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,2-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/26/12 12:11 PM
1,3-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
1,4-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
2-Butanone	ND		0.45	mg/Kg-dry	50	02/26/12 12:11 PM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/26/12 12:11 PM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/26/12 12:11 PM
Acetone	ND		0.27	mg/Kg-dry	50	02/26/12 12:11 PM
Benzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Bromodichloromethane	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B04-S02-021712**Lab ID:** 1202556-09**Collection Date:** 02/17/12 02:45 PM**Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Bromomethane	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Carbon disulfide	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Carbon tetrachloride	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Chlorobenzene	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/26/12 12:11 PM
Chloroform	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/26/12 12:11 PM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
cis-1,3-Dichloropropene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Cyclohexane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
Dichlorodifluoromethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
Isopropylbenzene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Methyl acetate	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Methyl tert-butyl ether	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 12:11 PM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
Styrene	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Tetrachloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Toluene	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
trans-1,2-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
trans-1,3-Dichloropropene	ND		0.091	mg/Kg-dry	50	02/26/12 12:11 PM
Trichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Trichlorofluoromethane	ND		0.060	mg/Kg-dry	50	02/26/12 12:11 PM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 12:11 PM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/26/12 12:11 PM
Surr: 1,2-Dichloroethane-d4	96.3		70-120	%REC	50	02/26/12 12:11 PM
Surr: 4-Bromofluorobenzene	98.0		75-120	%REC	50	02/26/12 12:11 PM
Surr: Dibromofluoromethane	93.3		85-115	%REC	50	02/26/12 12:11 PM
Surr: Toluene-d8	112		85-115	%REC	50	02/26/12 12:11 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.59	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	17		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B01-S01-021712
Collection Date: 02/17/12 09:30 AM

Work Order: 1202556
Lab ID: 1202556-10
Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
Surr: DCAA	79.4		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 03:09 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 03:09 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 03:09 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 03:09 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 03:09 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 03:09 AM
Surr: Decachlorobiphenyl	75.0		30-135	%REC	1	02/26/12 03:09 AM
Surr: Tetrachloro-m-xylene	76.0		25-140	%REC	1	02/26/12 03:09 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 01:59 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 04:18 AM
Barium	2.3		0.050	mg/L	1	02/25/12 04:18 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 04:18 AM
Chromium	ND		0.020	mg/L	1	02/27/12 08:31 PM
Lead	ND		0.010	mg/L	1	02/25/12 04:18 AM
Selenium	ND		0.020	mg/L	1	02/25/12 04:18 AM
Silver	ND		0.0050	mg/L	1	02/25/12 04:18 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 12:52 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 12:52 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 12:52 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 12:52 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 12:52 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 12:52 PM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 12:52 PM
m-Cresol	ND		0.10	mg/L	1	02/25/12 12:52 PM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 12:52 PM
o-Cresol	ND		0.10	mg/L	1	02/25/12 12:52 PM
p-Cresol	ND		0.10	mg/L	1	02/25/12 12:52 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 12:52 PM
Pyridine	ND		0.40	mg/L	1	02/25/12 12:52 PM
Surr: 2,4,6-Tribromophenol	77.5		21-125	%REC	1	02/25/12 12:52 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S01-021712 **Lab ID:** 1202556-10
Collection Date: 02/17/12 09:30 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	67.4		39-94	%REC	1	02/25/12 12:52 PM
Surr: 2-Fluorophenol	50.8		10-75	%REC	1	02/25/12 12:52 PM
Surr: 4-Terphenyl-d14	68.8		26-119	%REC	1	02/25/12 12:52 PM
Surr: Nitrobenzene-d5	70.9		41-104	%REC	1	02/25/12 12:52 PM
Surr: Phenol-d6	32.8		11-50	%REC	1	02/25/12 12:52 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 08:09 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 08:09 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 08:09 AM
Benzene	ND		0.020	mg/L	20	02/24/12 08:09 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 08:09 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 08:09 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 08:09 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 08:09 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 08:09 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 08:09 AM
Surr: 1,2-Dichloroethane-d4	105		70-130	%REC	20	02/24/12 08:09 AM
Surr: 4-Bromofluorobenzene	94.4		70-130	%REC	20	02/24/12 08:09 AM
Surr: Dibromofluoromethane	97.4		70-130	%REC	20	02/24/12 08:09 AM
Surr: Toluene-d8	103		70-130	%REC	20	02/24/12 08:09 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S02-021712 **Lab ID:** 1202556-11
Collection Date: 02/17/12 09:50 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	77.6		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 03:23 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 03:23 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 03:23 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 03:23 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 03:23 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 03:23 AM
<i>Surr: Decachlorobiphenyl</i>	78.0		30-135	%REC	1	02/26/12 03:23 AM
<i>Surr: Tetrachloro-m-xylene</i>	73.0		25-140	%REC	1	02/26/12 03:23 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:01 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 04:23 AM
Barium	3.0		0.050	mg/L	1	02/25/12 04:23 AM
Cadmium	0.0084		0.0020	mg/L	1	02/25/12 04:23 AM
Chromium	ND		0.020	mg/L	1	02/27/12 08:36 PM
Lead	ND		0.010	mg/L	1	02/25/12 04:23 AM
Selenium	ND		0.020	mg/L	1	02/25/12 04:23 AM
Silver	ND		0.0050	mg/L	1	02/25/12 04:23 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 01:19 AM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 01:19 AM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 01:19 AM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 01:19 AM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 01:19 AM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 01:19 AM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 01:19 AM
m-Cresol	ND		0.10	mg/L	1	02/25/12 01:19 AM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 01:19 AM
o-Cresol	ND		0.10	mg/L	1	02/25/12 01:19 AM
p-Cresol	ND		0.10	mg/L	1	02/25/12 01:19 AM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 01:19 AM
Pyridine	ND		0.40	mg/L	1	02/25/12 01:19 AM
<i>Surr: 2,4,6-Tribromophenol</i>	80.0		21-125	%REC	1	02/25/12 01:19 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B01-S02-021712 **Lab ID:** 1202556-11
Collection Date: 02/17/12 09:50 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	69.3		39-94	%REC	1	02/25/12 01:19 AM
Surr: 2-Fluorophenol	45.0		10-75	%REC	1	02/25/12 01:19 AM
Surr: 4-Terphenyl-d14	59.0		26-119	%REC	1	02/25/12 01:19 AM
Surr: Nitrobenzene-d5	72.5		41-104	%REC	1	02/25/12 01:19 AM
Surr: Phenol-d6	28.4		11-50	%REC	1	02/25/12 01:19 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 08:34 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 08:34 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 08:34 AM
Benzene	ND		0.020	mg/L	20	02/24/12 08:34 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 08:34 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 08:34 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 08:34 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 08:34 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 08:34 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 08:34 AM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/24/12 08:34 AM
Surr: 4-Bromofluorobenzene	92.8		70-130	%REC	20	02/24/12 08:34 AM
Surr: Dibromofluoromethane	99.4		70-130	%REC	20	02/24/12 08:34 AM
Surr: Toluene-d8	104		70-130	%REC	20	02/24/12 08:34 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S01-021712 **Lab ID:** 1202556-12
Collection Date: 02/17/12 11:20 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	70.4		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 03:38 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 03:38 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 03:38 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 03:38 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 03:38 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 03:38 AM
<i>Surr: Decachlorobiphenyl</i>	73.0		30-135	%REC	1	02/26/12 03:38 AM
<i>Surr: Tetrachloro-m-xylene</i>	76.0		25-140	%REC	1	02/26/12 03:38 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:03 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 05:56 AM
Barium	1.9		0.050	mg/L	1	02/25/12 05:56 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 05:56 AM
Chromium	ND		0.020	mg/L	1	02/25/12 05:56 AM
Lead	0.020		0.010	mg/L	1	02/25/12 05:56 AM
Selenium	ND		0.020	mg/L	1	02/25/12 05:56 AM
Silver	ND		0.0050	mg/L	1	02/25/12 05:56 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 01:46 AM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 01:46 AM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 01:46 AM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 01:46 AM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 01:46 AM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 01:46 AM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 01:46 AM
m-Cresol	ND		0.10	mg/L	1	02/25/12 01:46 AM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 01:46 AM
o-Cresol	ND		0.10	mg/L	1	02/25/12 01:46 AM
p-Cresol	ND		0.10	mg/L	1	02/25/12 01:46 AM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 01:46 AM
Pyridine	ND		0.40	mg/L	1	02/25/12 01:46 AM
<i>Surr: 2,4,6-Tribromophenol</i>	77.6		21-125	%REC	1	02/25/12 01:46 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S01-021712 **Lab ID:** 1202556-12
Collection Date: 02/17/12 11:20 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	67.6		39-94	%REC	1	02/25/12 01:46 AM
Surr: 2-Fluorophenol	46.5		10-75	%REC	1	02/25/12 01:46 AM
Surr: 4-Terphenyl-d14	67.4		26-119	%REC	1	02/25/12 01:46 AM
Surr: Nitrobenzene-d5	71.9		41-104	%REC	1	02/25/12 01:46 AM
Surr: Phenol-d6	29.5		11-50	%REC	1	02/25/12 01:46 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 08:58 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 08:58 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 08:58 AM
Benzene	ND		0.020	mg/L	20	02/24/12 08:58 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 08:58 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 08:58 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 08:58 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 08:58 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 08:58 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 08:58 AM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/24/12 08:58 AM
Surr: 4-Bromofluorobenzene	94.0		70-130	%REC	20	02/24/12 08:58 AM
Surr: Dibromofluoromethane	101		70-130	%REC	20	02/24/12 08:58 AM
Surr: Toluene-d8	104		70-130	%REC	20	02/24/12 08:58 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B02-S02-021712 **Lab ID:** 1202556-13
Collection Date: 02/17/12 11:35 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	82.8		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 03:53 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 03:53 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 03:53 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 03:53 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 03:53 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 03:53 AM
<i>Surr: Decachlorobiphenyl</i>	61.0		30-135	%REC	1	02/26/12 03:53 AM
<i>Surr: Tetrachloro-m-xylene</i>	72.0		25-140	%REC	1	02/26/12 03:53 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:06 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 06:01 AM
Barium	1.0		0.050	mg/L	1	02/25/12 06:01 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 06:01 AM
Chromium	ND		0.020	mg/L	1	02/25/12 06:01 AM
Lead	ND		0.010	mg/L	1	02/25/12 06:01 AM
Selenium	ND		0.020	mg/L	1	02/25/12 06:01 AM
Silver	ND		0.0050	mg/L	1	02/25/12 06:01 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 02:12 AM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 02:12 AM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 02:12 AM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 02:12 AM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 02:12 AM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 02:12 AM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 02:12 AM
m-Cresol	ND		0.10	mg/L	1	02/25/12 02:12 AM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 02:12 AM
o-Cresol	ND		0.10	mg/L	1	02/25/12 02:12 AM
p-Cresol	ND		0.10	mg/L	1	02/25/12 02:12 AM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 02:12 AM
Pyridine	ND		0.40	mg/L	1	02/25/12 02:12 AM
<i>Surr: 2,4,6-Tribromophenol</i>	83.3		21-125	%REC	1	02/25/12 02:12 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B02-S02-021712
Collection Date: 02/17/12 11:35 AM

Work Order: 1202556
Lab ID: 1202556-13
Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	70.8		39-94	%REC	1	02/25/12 02:12 AM
Surr: 2-Fluorophenol	52.3		10-75	%REC	1	02/25/12 02:12 AM
Surr: 4-Terphenyl-d14	70.2		26-119	%REC	1	02/25/12 02:12 AM
Surr: Nitrobenzene-d5	74.0		41-104	%REC	1	02/25/12 02:12 AM
Surr: Phenol-d6	33.4		11-50	%REC	1	02/25/12 02:12 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 09:23 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 09:23 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 09:23 AM
Benzene	ND		0.020	mg/L	20	02/24/12 09:23 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 09:23 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 09:23 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 09:23 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 09:23 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 09:23 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 09:23 AM
Surr: 1,2-Dichloroethane-d4	107		70-130	%REC	20	02/24/12 09:23 AM
Surr: 4-Bromofluorobenzene	93.2		70-130	%REC	20	02/24/12 09:23 AM
Surr: Dibromofluoromethane	98.7		70-130	%REC	20	02/24/12 09:23 AM
Surr: Toluene-d8	103		70-130	%REC	20	02/24/12 09:23 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S01-021712 **Lab ID:** 1202556-14
Collection Date: 02/17/12 12:45 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
Surr: DCAA	90.4		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 04:08 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 04:08 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 04:08 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 04:08 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 04:08 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 04:08 AM
Surr: Decachlorobiphenyl	55.0		30-135	%REC	1	02/26/12 04:08 AM
Surr: Tetrachloro-m-xylene	67.0		25-140	%REC	1	02/26/12 04:08 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:08 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 06:06 AM
Barium	1.3		0.050	mg/L	1	02/25/12 06:06 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 06:06 AM
Chromium	ND		0.020	mg/L	1	02/25/12 06:06 AM
Lead	ND		0.010	mg/L	1	02/25/12 06:06 AM
Selenium	ND		0.020	mg/L	1	02/25/12 06:06 AM
Silver	ND		0.0050	mg/L	1	02/25/12 06:06 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 02:39 AM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 02:39 AM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 02:39 AM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 02:39 AM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 02:39 AM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 02:39 AM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 02:39 AM
m-Cresol	ND		0.10	mg/L	1	02/25/12 02:39 AM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 02:39 AM
o-Cresol	ND		0.10	mg/L	1	02/25/12 02:39 AM
p-Cresol	ND		0.10	mg/L	1	02/25/12 02:39 AM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 02:39 AM
Pyridine	ND		0.40	mg/L	1	02/25/12 02:39 AM
Surr: 2,4,6-Tribromophenol	85.4		21-125	%REC	1	02/25/12 02:39 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S01-021712 **Lab ID:** 1202556-14
Collection Date: 02/17/12 12:45 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	72.7		39-94	%REC	1	02/25/12 02:39 AM
Surr: 2-Fluorophenol	53.7		10-75	%REC	1	02/25/12 02:39 AM
Surr: 4-Terphenyl-d14	69.9		26-119	%REC	1	02/25/12 02:39 AM
Surr: Nitrobenzene-d5	76.5		41-104	%REC	1	02/25/12 02:39 AM
Surr: Phenol-d6	34.4		11-50	%REC	1	02/25/12 02:39 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 09:48 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 09:48 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 09:48 AM
Benzene	ND		0.020	mg/L	20	02/24/12 09:48 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 09:48 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 09:48 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 09:48 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 09:48 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 09:48 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 09:48 AM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/24/12 09:48 AM
Surr: 4-Bromofluorobenzene	92.8		70-130	%REC	20	02/24/12 09:48 AM
Surr: Dibromofluoromethane	99.6		70-130	%REC	20	02/24/12 09:48 AM
Surr: Toluene-d8	102		70-130	%REC	20	02/24/12 09:48 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B03-S02-021712
Collection Date: 02/17/12 01:00 PM

Work Order: 1202556
Lab ID: 1202556-15
Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
Surr: DCAA	87.4		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/29/12 04:26 AM
Endrin	ND		0.00050	mg/L	1	02/29/12 04:26 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/29/12 04:26 AM
Heptachlor	ND		0.00025	mg/L	1	02/29/12 04:26 AM
Methoxychlor	ND		0.0025	mg/L	1	02/29/12 04:26 AM
Toxaphene	ND		0.020	mg/L	1	02/29/12 04:26 AM
Surr: Decachlorobiphenyl	80.0		30-135	%REC	1	02/29/12 04:26 AM
Surr: Tetrachloro-m-xylene	72.0		25-140	%REC	1	02/29/12 04:26 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:11 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 06:11 AM
Barium	1.7	J	0.050	mg/L	1	02/25/12 06:11 AM
Cadmium	0.0038		0.0020	mg/L	1	02/25/12 06:11 AM
Chromium	ND		0.020	mg/L	1	02/25/12 06:11 AM
Lead	0.017		0.010	mg/L	1	02/25/12 06:11 AM
Selenium	ND		0.020	mg/L	1	02/25/12 06:11 AM
Silver	ND		0.0050	mg/L	1	02/25/12 06:11 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 02:05 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 02:05 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 02:05 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 02:05 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 02:05 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 02:05 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 02:05 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 02:05 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 02:05 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 02:05 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 02:05 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 02:05 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 02:05 PM
Surr: 2,4,6-Tribromophenol	86.3		21-125	%REC	1	02/27/12 02:05 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B03-S02-021712 **Lab ID:** 1202556-15
Collection Date: 02/17/12 01:00 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	72.9		39-94	%REC	1	02/27/12 02:05 PM
Surr: 2-Fluorophenol	54.7		10-75	%REC	1	02/27/12 02:05 PM
Surr: 4-Terphenyl-d14	77.5		26-119	%REC	1	02/27/12 02:05 PM
Surr: Nitrobenzene-d5	70.3		41-104	%REC	1	02/27/12 02:05 PM
Surr: Phenol-d6	33.2		11-50	%REC	1	02/27/12 02:05 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/28/12 02:57 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/28/12 02:57 PM
2-Butanone	ND		0.20	mg/L	20	02/28/12 02:57 PM
Benzene	ND		0.020	mg/L	20	02/28/12 02:57 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/28/12 02:57 PM
Chlorobenzene	ND		0.020	mg/L	20	02/28/12 02:57 PM
Chloroform	ND		0.020	mg/L	20	02/28/12 02:57 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/28/12 02:57 PM
Trichloroethene	ND		0.020	mg/L	20	02/28/12 02:57 PM
Vinyl chloride	ND		0.020	mg/L	20	02/28/12 02:57 PM
Surr: 1,2-Dichloroethane-d4	105		70-130	%REC	20	02/28/12 02:57 PM
Surr: 4-Bromofluorobenzene	96.5		70-130	%REC	20	02/28/12 02:57 PM
Surr: Dibromofluoromethane	97.5		70-130	%REC	20	02/28/12 02:57 PM
Surr: Toluene-d8	101		70-130	%REC	20	02/28/12 02:57 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712 **Lab ID:** 1202556-16
Collection Date: 02/17/12 03:00 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	88.2		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 04:23 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 04:23 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 04:23 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 04:23 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 04:23 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 04:23 AM
<i>Surr: Decachlorobiphenyl</i>	57.0		30-135	%REC	1	02/26/12 04:23 AM
<i>Surr: Tetrachloro-m-xylene</i>	69.0		25-140	%REC	1	02/26/12 04:23 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:23 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:04 AM
Barium	0.73		0.050	mg/L	1	02/25/12 07:04 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:04 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:04 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:04 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:04 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:04 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/25/12 03:06 AM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 03:06 AM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/25/12 03:06 AM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/25/12 03:06 AM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/25/12 03:06 AM
Hexachlorobenzene	ND		0.10	mg/L	1	02/25/12 03:06 AM
Hexachloroethane	ND		0.10	mg/L	1	02/25/12 03:06 AM
m-Cresol	ND		0.10	mg/L	1	02/25/12 03:06 AM
Nitrobenzene	ND		0.10	mg/L	1	02/25/12 03:06 AM
o-Cresol	ND		0.10	mg/L	1	02/25/12 03:06 AM
p-Cresol	ND		0.10	mg/L	1	02/25/12 03:06 AM
Pentachlorophenol	ND		0.40	mg/L	1	02/25/12 03:06 AM
Pyridine	ND		0.40	mg/L	1	02/25/12 03:06 AM
<i>Surr: 2,4,6-Tribromophenol</i>	75.7		21-125	%REC	1	02/25/12 03:06 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712 **Lab ID:** 1202556-16
Collection Date: 02/17/12 03:00 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	65.6		39-94	%REC	1	02/25/12 03:06 AM
Surr: 2-Fluorophenol	55.6		10-75	%REC	1	02/25/12 03:06 AM
Surr: 4-Terphenyl-d14	75.6		26-119	%REC	1	02/25/12 03:06 AM
Surr: Nitrobenzene-d5	69.7		41-104	%REC	1	02/25/12 03:06 AM
Surr: Phenol-d6	33.9		11-50	%REC	1	02/25/12 03:06 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 10:37 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 10:37 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 10:37 AM
Benzene	ND		0.020	mg/L	20	02/24/12 10:37 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 10:37 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 10:37 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 10:37 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 10:37 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 10:37 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 10:37 AM
Surr: 1,2-Dichloroethane-d4	107		70-130	%REC	20	02/24/12 10:37 AM
Surr: 4-Bromofluorobenzene	92.6		70-130	%REC	20	02/24/12 10:37 AM
Surr: Dibromofluoromethane	100		70-130	%REC	20	02/24/12 10:37 AM
Surr: Toluene-d8	103		70-130	%REC	20	02/24/12 10:37 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B04-S01-021712-DP
Collection Date: 02/17/12 03:00 PM

Work Order: 1202556
Lab ID: 1202556-17
Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
Surr: DCAA	91.6		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 04:38 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 04:38 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 04:38 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 04:38 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 04:38 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 04:38 AM
Surr: Decachlorobiphenyl	52.0		30-135	%REC	1	02/26/12 04:38 AM
Surr: Tetrachloro-m-xylene	58.0		25-140	%REC	1	02/26/12 04:38 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:25 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:09 AM
Barium	1.4		0.050	mg/L	1	02/25/12 07:09 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:09 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:09 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:09 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:09 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:09 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 06:34 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 06:34 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 06:34 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 06:34 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 06:34 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 06:34 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 06:34 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 06:34 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 06:34 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 06:34 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 06:34 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 06:34 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 06:34 PM
Surr: 2,4,6-Tribromophenol	79.6		21-125	%REC	1	02/27/12 06:34 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S01-021712-DP **Lab ID:** 1202556-17
Collection Date: 02/17/12 03:00 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	65.5		39-94	%REC	1	02/27/12 06:34 PM
Surr: 2-Fluorophenol	48.8		10-75	%REC	1	02/27/12 06:34 PM
Surr: 4-Terphenyl-d14	73.6		26-119	%REC	1	02/27/12 06:34 PM
Surr: Nitrobenzene-d5	63.1		41-104	%REC	1	02/27/12 06:34 PM
Surr: Phenol-d6	28.7		11-50	%REC	1	02/27/12 06:34 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 11:02 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 11:02 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 11:02 AM
Benzene	ND		0.020	mg/L	20	02/24/12 11:02 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 11:02 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 11:02 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 11:02 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 11:02 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 11:02 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 11:02 AM
Surr: 1,2-Dichloroethane-d4	108		70-130	%REC	20	02/24/12 11:02 AM
Surr: 4-Bromofluorobenzene	92.5		70-130	%REC	20	02/24/12 11:02 AM
Surr: Dibromofluoromethane	101		70-130	%REC	20	02/24/12 11:02 AM
Surr: Toluene-d8	102		70-130	%REC	20	02/24/12 11:02 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S02-021712 **Lab ID:** 1202556-18
Collection Date: 02/17/12 02:45 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
Surr: DCAA	88.4		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 04:53 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 04:53 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 04:53 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 04:53 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 04:53 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 04:53 AM
Surr: Decachlorobiphenyl	68.0		30-135	%REC	1	02/26/12 04:53 AM
Surr: Tetrachloro-m-xylene	72.0		25-140	%REC	1	02/26/12 04:53 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:28 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:14 AM
Barium	0.58		0.050	mg/L	1	02/25/12 07:14 AM
Cadmium	0.0030		0.0020	mg/L	1	02/25/12 07:14 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:14 AM
Lead	0.031		0.010	mg/L	1	02/25/12 07:14 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:14 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:14 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 07:01 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:01 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:01 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 07:01 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 07:01 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 07:01 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 07:01 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 07:01 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 07:01 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 07:01 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 07:01 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 07:01 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 07:01 PM
Surr: 2,4,6-Tribromophenol	85.2		21-125	%REC	1	02/27/12 07:01 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B04-S02-021712 **Lab ID:** 1202556-18
Collection Date: 02/17/12 02:45 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	71.0		39-94	%REC	1	02/27/12 07:01 PM
Surr: 2-Fluorophenol	53.7		10-75	%REC	1	02/27/12 07:01 PM
Surr: 4-Terphenyl-d14	75.9		26-119	%REC	1	02/27/12 07:01 PM
Surr: Nitrobenzene-d5	68.9		41-104	%REC	1	02/27/12 07:01 PM
Surr: Phenol-d6	32.6		11-50	%REC	1	02/27/12 07:01 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/23/12 07:29 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/23/12 07:29 AM
2-Butanone	ND		0.20	mg/L	20	02/23/12 07:29 AM
Benzene	ND		0.020	mg/L	20	02/23/12 07:29 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/23/12 07:29 AM
Chlorobenzene	ND		0.020	mg/L	20	02/23/12 07:29 AM
Chloroform	ND		0.020	mg/L	20	02/23/12 07:29 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/23/12 07:29 AM
Trichloroethene	ND		0.020	mg/L	20	02/23/12 07:29 AM
Vinyl chloride	ND		0.020	mg/L	20	02/23/12 07:29 AM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/23/12 07:29 AM
Surr: 4-Bromofluorobenzene	91.7		70-130	%REC	20	02/23/12 07:29 AM
Surr: Dibromofluoromethane	100		70-130	%REC	20	02/23/12 07:29 AM
Surr: Toluene-d8	97.9		70-130	%REC	20	02/23/12 07:29 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B05-S01-021712
Collection Date: 02/17/12 03:55 PM

Work Order: 1202556
Lab ID: 1202556-19
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0055	mg/Kg-dry	1	02/24/12 07:17 PM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/24/12 07:17 PM	
2,4-D	ND	0.0055	mg/Kg-dry	1	02/24/12 07:17 PM	
<i>Surr: DCAA</i>	81.0	30-150	%REC	1	02/24/12 07:17 PM	
PCBS						
Aroclor 1016	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	Analyst: JD
Aroclor 1221	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
Aroclor 1232	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
Aroclor 1242	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
Aroclor 1248	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
Aroclor 1254	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
Aroclor 1260	ND	0.045	mg/Kg-dry	1	02/26/12 02:47 PM	
<i>Surr: Decachlorobiphenyl</i>	80.1	40-140	%REC	1	02/26/12 02:47 PM	
PESTICIDES						
4,4'-DDD	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	Analyst: JD
4,4'-DDE	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
4,4'-DDT	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Aldrin	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
alpha-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
alpha-Chlordane	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
beta-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Chlordane, Technical	ND	0.028	mg/Kg-dry	1	02/29/12 12:28 AM	
delta-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Dieldrin	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endosulfan I	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endosulfan II	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endosulfan sulfate	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endrin	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endrin aldehyde	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Endrin ketone	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
gamma-BHC (Lindane)	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
gamma-Chlordane	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Heptachlor	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Heptachlor epoxide	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Methoxychlor	ND	0.011	mg/Kg-dry	1	02/29/12 12:28 AM	
Toxaphene	ND	0.067	mg/Kg-dry	1	02/29/12 12:28 AM	
<i>Surr: Decachlorobiphenyl</i>	68.1	45-135	%REC	1	02/29/12 12:28 AM	
<i>Surr: Tetrachloro-m-xylene</i>	86.1	45-124	%REC	1	02/29/12 12:28 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B05-S01-021712 **Lab ID:** 1202556-19
Collection Date: 02/17/12 03:55 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.021	mg/Kg-dry	1	02/27/12 02:44 PM
METALS BY ICP-MS						
Aluminum	2,100		SW6020A 1.7	mg/Kg-dry	2	02/22/12 09:49 PM
Antimony	ND		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Arsenic	4.6		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Barium	6.1		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Beryllium	ND		3.5	mg/Kg-dry	20	02/23/12 06:50 PM
Boron	ND		35	mg/Kg-dry	20	02/23/12 06:50 PM
Cadmium	ND		0.35	mg/Kg-dry	2	02/22/12 09:49 PM
Calcium	36,000		870	mg/Kg-dry	20	02/23/12 06:50 PM
Chromium	8.4		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Cobalt	2.4		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Copper	7.1		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Iron	7,200		14	mg/Kg-dry	2	02/22/12 09:49 PM
Lead	3.8		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Magnesium	2,600		35	mg/Kg-dry	2	02/22/12 09:49 PM
Manganese	120		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Nickel	7.9		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Potassium	440		35	mg/Kg-dry	2	02/22/12 09:49 PM
Selenium	ND		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Silver	ND		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Sodium	54		35	mg/Kg-dry	2	02/22/12 09:49 PM
Thallium	ND		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Vanadium	6.8		0.87	mg/Kg-dry	2	02/22/12 09:49 PM
Zinc	19		1.7	mg/Kg-dry	2	02/22/12 09:49 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.38	mg/Kg-dry	1	02/27/12 02:32 PM
2,4,5-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2,4,6-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2,4-Dichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2,4-Dimethylphenol	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
2,4-Dinitrophenol	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
2,4-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2,6-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2-Chloronaphthalene	ND		0.092	mg/Kg-dry	1	02/27/12 02:32 PM
2-Chlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
2-Methylnaphthalene	ND		0.092	mg/Kg-dry	1	02/27/12 02:32 PM
2-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B05-S01-021712
Collection Date: 02/17/12 03:55 PM

Work Order: 1202556
Lab ID: 1202556-19
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
2-Nitrophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
3,3'-Dichlorobenzidine	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
3-Nitroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
4,6-Dinitro-2-methylphenol	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
4-Bromophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
4-Chloro-3-methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
4-Chloroaniline	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
4-Chlorophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
4-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
4-Nitroaniline	ND	UJ	0.76	mg/Kg-dry	1	02/27/12 02:32 PM
4-Nitrophenol	ND		0.76	mg/Kg-dry	1	02/27/12 02:32 PM
Acenaphthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Acenaphthylene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Acetophenone	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Atrazine	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Benzaldehyde	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Benzo(a)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Benzo(a)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Benzo(b)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Benzo(g,h,i)perylene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Benzo(k)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Bis(2-chloroethoxy)methane	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Bis(2-chloroethyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Bis(2-chloroisopropyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Bis(2-ethylhexyl)phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Butyl benzyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Caprolactam	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Carbazole	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Chrysene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Dibenzo(a,h)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Dibenzofuran	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Diethyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Dimethyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Di-n-butyl phthalate	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Di-n-octyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Fluorene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Hexachlorobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

29
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B05-S01-021712

Lab ID: 1202556-19

Collection Date: 02/17/12 03:55 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Hexachlorocyclopentadiene	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Hexachloroethane	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Indeno(1,2,3-cd)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Isophorone	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Naphthalene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Nitrobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
N-Nitrosodi-n-propylamine	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
N-Nitrosodiphenylamine	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Pentachlorophenol	ND		0.38	mg/Kg-dry	1	02/27/12 02:32 PM
Phenanthrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
Phenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:32 PM
Pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:32 PM
<i>Surr: 2,4,6-Tribromophenol</i>	76.5		34-140	%REC	1	02/27/12 02:32 PM
<i>Surr: 2-Fluorobiphenyl</i>	72.2		12-100	%REC	1	02/27/12 02:32 PM
<i>Surr: 2-Fluorophenol</i>	77.1		33-117	%REC	1	02/27/12 02:32 PM
<i>Surr: 4-Terphenyl-d14</i>	79.7		25-137	%REC	1	02/27/12 02:32 PM
<i>Surr: Nitrobenzene-d5</i>	67.9		37-107	%REC	1	02/27/12 02:32 PM
<i>Surr: Phenol-d6</i>	62.6		40-106	%REC	1	02/27/12 02:32 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,1,2,2-Tetrachloroethane	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
1,1,2-Trichloroethane	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
1,1,2-Trichlorotrifluoroethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,1-Dichloroethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,1-Dichloroethene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,2,4-Trichlorobenzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,2-Dibromo-3-chloropropane	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
1,2-Dibromoethane	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
1,2-Dichlorobenzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,2-Dichloroethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/26/12 12:36 PM
1,3-Dichlorobenzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
1,4-Dichlorobenzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
2-Butanone	ND		0.43	mg/Kg-dry	50	02/26/12 12:36 PM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/26/12 12:36 PM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/26/12 12:36 PM
Acetone	ND		0.26	mg/Kg-dry	50	02/26/12 12:36 PM
Benzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Bromodichloromethane	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B05-S01-021712
Collection Date: 02/17/12 03:55 PM

Work Order: 1202556
Lab ID: 1202556-19
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Bromomethane	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Carbon disulfide	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Carbon tetrachloride	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Chlorobenzene	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/26/12 12:36 PM
Chloroform	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/26/12 12:36 PM
cis-1,2-Dichloroethene	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
cis-1,3-Dichloropropene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Cyclohexane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Dibromochloromethane	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
Dichlorodifluoromethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Ethylbenzene	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
Isopropylbenzene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Methyl acetate	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Methyl tert-butyl ether	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Methylcyclohexane	ND		1.1	mg/Kg-dry	50	02/26/12 12:36 PM
Methylene chloride	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
Styrene	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Tetrachloroethene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Toluene	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
trans-1,2-Dichloroethene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
trans-1,3-Dichloropropene	ND		0.086	mg/Kg-dry	50	02/26/12 12:36 PM
Trichloroethene	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Trichlorofluoromethane	ND		0.057	mg/Kg-dry	50	02/26/12 12:36 PM
Vinyl chloride	ND		0.11	mg/Kg-dry	50	02/26/12 12:36 PM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/26/12 12:36 PM
Surr: 1,2-Dichloroethane-d4	88.2		70-120	%REC	50	02/26/12 12:36 PM
Surr: 4-Bromofluorobenzene	96.9		75-120	%REC	50	02/26/12 12:36 PM
Surr: Dibromofluoromethane	89.9		85-115	%REC	50	02/26/12 12:36 PM
Surr: Toluene-d8	99.5		85-115	%REC	50	02/26/12 12:36 PM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.57	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	13		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B05-S02-021712
Collection Date: 02/17/12 03:50 PM

Work Order: 1202556
Lab ID: 1202556-20
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0056	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0056	mg/Kg-dry	1	02/25/12 03:09 AM	
Surr: DCAA	61.8	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	Analyst: JD
Aroclor 1221	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Aroclor 1232	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Aroclor 1242	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Aroclor 1248	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Aroclor 1254	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Aroclor 1260	ND	0.044	mg/Kg-dry	1	02/26/12 03:07 PM	
Surr: Decachlorobiphenyl	87.1	40-140	%REC	1	02/26/12 03:07 PM	
PESTICIDES						
4,4'-DDD	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	Analyst: JD
4,4'-DDE	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
4,4'-DDT	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Aldrin	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
alpha-BHC	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
alpha-Chlordane	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
beta-BHC	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Chlordane, Technical	ND	0.14	mg/Kg-dry	5	02/29/12 12:43 AM	
delta-BHC	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Dieldrin	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endosulfan I	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endosulfan II	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endosulfan sulfate	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endrin	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endrin aldehyde	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Endrin ketone	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
gamma-BHC (Lindane)	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
gamma-Chlordane	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Heptachlor	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Heptachlor epoxide	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Methoxychlor	ND	0.056	mg/Kg-dry	5	02/29/12 12:43 AM	
Toxaphene	ND	0.33	mg/Kg-dry	5	02/29/12 12:43 AM	
Surr: Decachlorobiphenyl	65.1	45-135	%REC	5	02/29/12 12:43 AM	
Surr: Tetrachloro-m-xylene	80.1	45-124	%REC	5	02/29/12 12:43 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B05-S02-021712 **Lab ID:** 1202556-20
Collection Date: 02/17/12 03:50 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.021	mg/Kg-dry	1	02/27/12 02:46 PM
METALS BY ICP-MS						
Aluminum	1,900		SW6020A 1.4	mg/Kg-dry	2	02/22/12 09:55 PM
Antimony	ND		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Arsenic	2.3		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Barium	7.9		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Beryllium	ND		0.29	mg/Kg-dry	2	02/22/12 09:55 PM
Boron	ND		2.9	mg/Kg-dry	2	02/22/12 09:55 PM
Cadmium	ND		0.29	mg/Kg-dry	2	02/22/12 09:55 PM
Calcium	47,000		710	mg/Kg-dry	20	02/23/12 06:56 PM
Chromium	3.7		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Cobalt	2.9		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Copper	5.3		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Iron	5,800		11	mg/Kg-dry	2	02/22/12 09:55 PM
Lead	3.4		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Magnesium	4,300		29	mg/Kg-dry	2	02/22/12 09:55 PM
Manganese	160		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Nickel	7.8		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Potassium	380		29	mg/Kg-dry	2	02/22/12 09:55 PM
Selenium	ND		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Silver	ND		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Sodium	62		29	mg/Kg-dry	2	02/22/12 09:55 PM
Thallium	ND		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Vanadium	7.6		0.71	mg/Kg-dry	2	02/22/12 09:55 PM
Zinc	16		1.4	mg/Kg-dry	2	02/22/12 09:55 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.37	mg/Kg-dry	1	02/27/12 02:59 PM
2,4,5-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2,4,6-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2,4-Dichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2,4-Dimethylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
2,4-Dinitrophenol	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
2,4-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2,6-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2-Chloronaphthalene	ND		0.090	mg/Kg-dry	1	02/27/12 02:59 PM
2-Chlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
2-Methylnaphthalene	ND		0.090	mg/Kg-dry	1	02/27/12 02:59 PM
2-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B05-S02-021712

Lab ID: 1202556-20

Collection Date: 02/17/12 03:50 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
2-Nitrophenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
3,3'-Dichlorobenzidine	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
3-Nitroaniline	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
4,6-Dinitro-2-methylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
4-Bromophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
4-Chloro-3-methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
4-Chloroaniline	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
4-Chlorophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
4-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
4-Nitroaniline	ND	UJ	0.74	mg/Kg-dry	1	02/27/12 02:59 PM
4-Nitrophenol	ND		0.74	mg/Kg-dry	1	02/27/12 02:59 PM
Acenaphthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Acenaphthylene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Acetophenone	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Atrazine	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Benzaldehyde	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Benzo(a)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Benzo(a)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Benzo(b)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Benzo(g,h,i)perylene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Benzo(k)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Bis(2-chloroethoxy)methane	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Bis(2-chloroethyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Bis(2-chloroisopropyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Bis(2-ethylhexyl)phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Butyl benzyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Caprolactam	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Carbazole	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Chrysene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Dibenzo(a,h)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Dibenzofuran	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Diethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Dimethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Di-n-butyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Di-n-octyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Fluorene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Hexachlorobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

29
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B05-S02-021712

Lab ID: 1202556-20

Collection Date: 02/17/12 03:50 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Hexachlorocyclopentadiene	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Hexachloroethane	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Indeno(1,2,3-cd)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Isophorone	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Naphthalene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Nitrobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
N-Nitrosodi-n-propylamine	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
N-Nitrosodiphenylamine	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Pentachlorophenol	ND		0.37	mg/Kg-dry	1	02/27/12 02:59 PM
Phenanthrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
Phenol	ND		0.18	mg/Kg-dry	1	02/27/12 02:59 PM
Pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 02:59 PM
<i>Surr: 2,4,6-Tribromophenol</i>	78.6		34-140	%REC	1	02/27/12 02:59 PM
<i>Surr: 2-Fluorobiphenyl</i>	79.3		12-100	%REC	1	02/27/12 02:59 PM
<i>Surr: 2-Fluorophenol</i>	85.8		33-117	%REC	1	02/27/12 02:59 PM
<i>Surr: 4-Terphenyl-d14</i>	78.7		25-137	%REC	1	02/27/12 02:59 PM
<i>Surr: Nitrobenzene-d5</i>	75.6		37-107	%REC	1	02/27/12 02:59 PM
<i>Surr: Phenol-d6</i>	83.2		40-106	%REC	1	02/27/12 02:59 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
1,1,2-Trichlorotrifluoroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,1-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,1-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,2,4-Trichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
1,2-Dibromoethane	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
1,2-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,2-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/26/12 01:01 AM
1,3-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
1,4-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
2-Butanone	ND		0.43	mg/Kg-dry	50	02/26/12 01:01 AM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/26/12 01:01 AM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/26/12 01:01 AM
Acetone	ND		0.26	mg/Kg-dry	50	02/26/12 01:01 AM
Benzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Bromodichloromethane	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B05-S02-021712

Lab ID: 1202556-20

Collection Date: 02/17/12 03:50 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Bromomethane	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Carbon disulfide	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Carbon tetrachloride	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Chlorobenzene	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/26/12 01:01 AM
Chloroform	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/26/12 01:01 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
cis-1,3-Dichloropropene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Cyclohexane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
Dichlorodifluoromethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
Isopropylbenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Methyl acetate	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Methyl tert-butyl ether	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 01:01 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
Styrene	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Tetrachloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Toluene	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
trans-1,2-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
trans-1,3-Dichloropropene	ND		0.086	mg/Kg-dry	50	02/26/12 01:01 AM
Trichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Trichlorofluoromethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:01 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:01 AM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/26/12 01:01 AM
Surr: 1,2-Dichloroethane-d4	90.4		70-120	%REC	50	02/26/12 01:01 AM
Surr: 4-Bromofluorobenzene	100		75-120	%REC	50	02/26/12 01:01 AM
Surr: Dibromofluoromethane	89.8		85-115	%REC	50	02/26/12 01:01 AM
Surr: Toluene-d8	98.1		85-115	%REC	50	02/26/12 01:01 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.56	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	13		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B06-S01-021712
Collection Date: 02/17/12 10:15 AM

Work Order: 1202556
Lab ID: 1202556-21
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	75.8	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	Analyst: JD
Aroclor 1221	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
Aroclor 1232	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
Aroclor 1242	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
Aroclor 1248	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
Aroclor 1254	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
Aroclor 1260	ND	0.045	mg/Kg-dry	1	02/26/12 03:27 PM	
<i>Surr: Decachlorobiphenyl</i>	84.1	40-140	%REC	1	02/26/12 03:27 PM	
PESTICIDES						
4,4'-DDD	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	Analyst: JD
4,4'-DDE	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
4,4'-DDT	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Aldrin	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
alpha-BHC	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
alpha-Chlordane	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
beta-BHC	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Chlordane, Technical	ND	0.056	mg/Kg-dry	2	02/29/12 12:58 AM	
delta-BHC	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Dieldrin	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endosulfan I	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endosulfan II	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endosulfan sulfate	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endrin	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endrin aldehyde	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Endrin ketone	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
gamma-BHC (Lindane)	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
gamma-Chlordane	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Heptachlor	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Heptachlor epoxide	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Methoxychlor	ND	0.023	mg/Kg-dry	2	02/29/12 12:58 AM	
Toxaphene	ND	0.14	mg/Kg-dry	2	02/29/12 12:58 AM	
<i>Surr: Decachlorobiphenyl</i>	68.1	45-135	%REC	2	02/29/12 12:58 AM	
<i>Surr: Tetrachloro-m-xylene</i>	86.1	45-124	%REC	2	02/29/12 12:58 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B06-S01-021712 **Lab ID:** 1202556-21
Collection Date: 02/17/12 10:15 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.018	mg/Kg-dry	1	02/27/12 02:54 PM
METALS BY ICP-MS						
Aluminum	4,600		SW6020A 1.7	mg/Kg-dry	2	02/28/12 07:09 PM
Antimony	ND		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Arsenic	1.5		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Barium	40		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Beryllium	ND		0.35	mg/Kg-dry	2	02/28/12 07:09 PM
Boron	17		3.5	mg/Kg-dry	2	02/29/12 02:06 PM
Cadmium	ND		0.35	mg/Kg-dry	2	02/28/12 07:09 PM
Calcium	2,100		87	mg/Kg-dry	2	02/28/12 07:09 PM
Chromium	6.3		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Cobalt	4.5		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Copper	4.9		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Iron	6,400		14	mg/Kg-dry	2	02/28/12 07:09 PM
Lead	4.5		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Magnesium	1,300		35	mg/Kg-dry	2	02/28/12 07:09 PM
Manganese	75		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Nickel	11		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Potassium	630		35	mg/Kg-dry	2	02/28/12 07:09 PM
Selenium	ND		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Silver	ND		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Sodium	150		35	mg/Kg-dry	2	02/28/12 07:09 PM
Thallium	ND		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Vanadium	9.4		0.87	mg/Kg-dry	2	02/28/12 07:09 PM
Zinc	26		1.7	mg/Kg-dry	2	02/28/12 07:09 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.39	mg/Kg-dry	1	02/27/12 03:26 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2,4-Dimethylphenol	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
2,4-Dinitrophenol	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2-Chloronaphthalene	ND		0.095	mg/Kg-dry	1	02/27/12 03:26 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
2-Methylnaphthalene	ND		0.095	mg/Kg-dry	1	02/27/12 03:26 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B06-S01-021712

Lab ID: 1202556-21

Collection Date: 02/17/12 10:15 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
3,3'-Dichlorobenzidine	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
3-Nitroaniline	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
4,6-Dinitro-2-methylphenol	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
4-Chloroaniline	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
4-Nitroaniline	ND <i>UV</i>		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
4-Nitrophenol	ND		0.78	mg/Kg-dry	1	02/27/12 03:26 PM
Acenaphthene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Acenaphthylene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Acetophenone	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Atrazine	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Benzaldehyde	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Benzo(a)anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Benzo(a)pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Benzo(b)fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Benzo(g,h,i)perylene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Benzo(k)fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Bis(2-ethylhexyl)phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Caprolactam	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Chrysene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Dibenzo(a,h)anthracene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Diethyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Dimethyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Di-n-butyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Fluoranthene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Fluorene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

 10
 3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B06-S01-021712

Lab ID: 1202556-21

Collection Date: 02/17/12 10:15 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Hexachlorocyclopentadiene	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Indeno(1,2,3-cd)pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Naphthalene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Pentachlorophenol	ND		0.39	mg/Kg-dry	1	02/27/12 03:26 PM
Phenanthrene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/27/12 03:26 PM
Pyrene	ND		0.035	mg/Kg-dry	1	02/27/12 03:26 PM
<i>Surr: 2,4,6-Tribromophenol</i>	87.4		34-140	%REC	1	02/27/12 03:26 PM
<i>Surr: 2-Fluorobiphenyl</i>	82.3		12-100	%REC	1	02/27/12 03:26 PM
<i>Surr: 2-Fluorophenol</i>	90.3		33-117	%REC	1	02/27/12 03:26 PM
<i>Surr: 4-Terphenyl-d14</i>	81.1		25-137	%REC	1	02/27/12 03:26 PM
<i>Surr: Nitrobenzene-d5</i>	76.3		37-107	%REC	1	02/27/12 03:26 PM
<i>Surr: Phenol-d6</i>	86.2		40-106	%REC	1	02/27/12 03:26 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
1,1,2-Trichlorotrifluoroethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,1-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,1-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,2,4-Trichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
1,2-Dibromoethane	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
1,2-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,2-Dichloroethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/26/12 01:27 AM
1,3-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
1,4-Dichlorobenzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
2-Butanone	ND		0.45	mg/Kg-dry	50	02/26/12 01:27 AM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/26/12 01:27 AM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/26/12 01:27 AM
Acetone	ND		0.27	mg/Kg-dry	50	02/26/12 01:27 AM
Benzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Bromodichloromethane	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B06-S01-021712**Lab ID:** 1202556-21**Collection Date:** 02/17/12 10:15 AM**Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Bromomethane	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Carbon disulfide	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Carbon tetrachloride	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Chlorobenzene	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/26/12 01:27 AM
Chloroform	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/26/12 01:27 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
cis-1,3-Dichloropropene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Cyclohexane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
Dichlorodifluoromethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
Isopropylbenzene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Methyl acetate	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Methyl tert-butyl ether	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 01:27 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
Styrene	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Tetrachloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Toluene	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
trans-1,2-Dichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
trans-1,3-Dichloropropene	ND		0.089	mg/Kg-dry	50	02/26/12 01:27 AM
Trichloroethene	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Trichlorofluoromethane	ND		0.060	mg/Kg-dry	50	02/26/12 01:27 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:27 AM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/26/12 01:27 AM
Surr: 1,2-Dichloroethane-d4	88.8		70-120	%REC	50	02/26/12 01:27 AM
Surr: 4-Bromofluorobenzene	98.3		75-120	%REC	50	02/26/12 01:27 AM
Surr: Dibromofluoromethane	90.5		85-115	%REC	50	02/26/12 01:27 AM
Surr: Toluene-d8	99.5		85-115	%REC	50	02/26/12 01:27 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.59	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	16		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B06-S02-021712
Collection Date: 02/17/12 10:25 AM

Work Order: 1202556
Lab ID: 1202556-22
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	
Surr: DCAA	71.4	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	Analyst: JD
Aroclor 1221	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Aroclor 1232	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Aroclor 1242	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Aroclor 1248	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Aroclor 1254	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Aroclor 1260	ND	0.046	mg/Kg-dry	1	02/26/12 03:47 PM	
Surr: Decachlorobiphenyl	82.1	40-140	%REC	1	02/26/12 03:47 PM	
PESTICIDES						
4,4'-DDD	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	Analyst: JD
4,4'-DDE	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
4,4'-DDT	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Aldrin	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
alpha-BHC	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
alpha-Chlordane	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
beta-BHC	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Chlordane, Technical	ND	0.14	mg/Kg-dry	5	02/29/12 01:13 AM	
delta-BHC	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Dieldrin	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endosulfan I	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endosulfan II	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endosulfan sulfate	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endrin	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endrin aldehyde	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Endrin ketone	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
gamma-BHC (Lindane)	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
gamma-Chlordane	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Heptachlor	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Heptachlor epoxide	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Methoxychlor	ND	0.057	mg/Kg-dry	5	02/29/12 01:13 AM	
Toxaphene	ND	0.34	mg/Kg-dry	5	02/29/12 01:13 AM	
Surr: Decachlorobiphenyl	70.1	45-135	%REC	5	02/29/12 01:13 AM	
Surr: Tetrachloro-m-xylene	75.1	45-124	%REC	5	02/29/12 01:13 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B06-S02-021712 **Lab ID:** 1202556-22
Collection Date: 02/17/12 10:25 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.020	mg/Kg-dry	1	02/27/12 02:56 PM
METALS BY ICP-MS						
Aluminum	12,000		SW6020A 1.7	mg/Kg-dry	2	02/28/12 07:15 PM
Antimony	ND		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Arsenic	8.3		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Barium	79		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Beryllium	ND		3.5	mg/Kg-dry	20	02/29/12 02:54 PM
Boron	76		35	mg/Kg-dry	20	02/29/12 02:54 PM
Cadmium	ND		0.35	mg/Kg-dry	2	02/28/12 07:15 PM
Calcium	63,000		860	mg/Kg-dry	20	02/29/12 02:54 PM
Chromium	19		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Cobalt	12		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Copper	21		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Iron	27,000		14	mg/Kg-dry	2	02/28/12 07:15 PM
Lead	14		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Magnesium	12,000		35	mg/Kg-dry	2	02/28/12 07:15 PM
Manganese	510		8.6	mg/Kg-dry	20	02/29/12 02:54 PM
Nickel	31		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Potassium	2,800		35	mg/Kg-dry	2	02/28/12 07:15 PM
Selenium	1.6		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Silver	ND		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Sodium	500		35	mg/Kg-dry	2	02/28/12 07:15 PM
Thallium	ND		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Vanadium	27		0.86	mg/Kg-dry	2	02/28/12 07:15 PM
Zinc	55		1.7	mg/Kg-dry	2	02/28/12 07:15 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.37	mg/Kg-dry	1	02/27/12 03:53 PM
2,4,5-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2,4,6-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2,4-Dichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2,4-Dimethylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
2,4-Dinitrophenol	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
2,4-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2,6-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2-Chloronaphthalene	ND		0.091	mg/Kg-dry	1	02/27/12 03:53 PM
2-Chlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
2-Methylnaphthalene	ND		0.091	mg/Kg-dry	1	02/27/12 03:53 PM
2-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
 Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
 Sample ID: LD-B06-S02-021712
 Collection Date: 02/17/12 10:25 AM

Work Order: 1202556
 Lab ID: 1202556-22
 Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
2-Nitrophenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
3,3'-Dichlorobenzidine	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
3-Nitroaniline	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
4,6-Dinitro-2-methylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
4-Bromophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
4-Chloro-3-methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
4-Chloroaniline	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
4-Chlorophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
4-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
4-Nitroaniline	ND	UJ	0.75	mg/Kg-dry	1	02/27/12 03:53 PM
4-Nitrophenol	ND		0.75	mg/Kg-dry	1	02/27/12 03:53 PM
Acenaphthene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Acenaphthylene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Acetophenone	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Atrazine	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Benzaldehyde	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Benzo(a)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Benzo(a)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Benzo(b)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Benzo(g,h,i)perylene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Benzo(k)fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Bis(2-chloroethoxy)methane	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Bis(2-chloroethyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Bis(2-chloroisopropyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Bis(2-ethylhexyl)phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Butyl benzyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Caprolactam	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Carbazole	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Chrysene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Dibenzo(a,h)anthracene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Dibenzofuran	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Diethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Dimethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Di-n-butyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Di-n-octyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Fluoranthene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Fluorene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Hexachlorobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B06-S02-021712

Lab ID: 1202556-22

Collection Date: 02/17/12 10:25 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Hexachlorocyclopentadiene	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Hexachloroethane	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Indeno(1,2,3-cd)pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Isophorone	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Naphthalene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Nitrobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
N-Nitrosodi-n-propylamine	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
N-Nitrosodiphenylamine	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Pentachlorophenol	ND		0.37	mg/Kg-dry	1	02/27/12 03:53 PM
Phenanthrene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
Phenol	ND		0.18	mg/Kg-dry	1	02/27/12 03:53 PM
Pyrene	ND		0.034	mg/Kg-dry	1	02/27/12 03:53 PM
<i>Surr: 2,4,6-Tribromophenol</i>	74.4		34-140	%REC	1	02/27/12 03:53 PM
<i>Surr: 2-Fluorobiphenyl</i>	66.7		12-100	%REC	1	02/27/12 03:53 PM
<i>Surr: 2-Fluorophenol</i>	73.5		33-117	%REC	1	02/27/12 03:53 PM
<i>Surr: 4-Terphenyl-d14</i>	73.8		25-137	%REC	1	02/27/12 03:53 PM
<i>Surr: Nitrobenzene-d5</i>	65.8		37-107	%REC	1	02/27/12 03:53 PM
<i>Surr: Phenol-d6</i>	71.6		40-106	%REC	1	02/27/12 03:53 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
1,1,2-Trichlorotrifluoroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,1-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,1-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,2,4-Trichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
1,2-Dibromoethane	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
1,2-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,2-Dichloroethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,2-Dichloropropane	ND		0.20	mg/Kg-dry	50	02/26/12 01:52 AM
1,3-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
1,4-Dichlorobenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
2-Butanone	ND		0.44	mg/Kg-dry	50	02/26/12 01:52 AM
2-Hexanone	ND		0.29	mg/Kg-dry	50	02/26/12 01:52 AM
4-Methyl-2-pentanone	ND		0.29	mg/Kg-dry	50	02/26/12 01:52 AM
Acetone	ND		0.26	mg/Kg-dry	50	02/26/12 01:52 AM
Benzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Bromodichloromethane	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B06-S02-021712

Lab ID: 1202556-22

Collection Date: 02/17/12 10:25 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Bromomethane	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Carbon disulfide	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Carbon tetrachloride	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Chlorobenzene	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/26/12 01:52 AM
Chloroform	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/26/12 01:52 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
cis-1,3-Dichloropropene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Cyclohexane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
Dichlorodifluoromethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
Isopropylbenzene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Methyl acetate	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Methyl tert-butyl ether	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 01:52 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
Styrene	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Tetrachloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Toluene	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
trans-1,2-Dichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
trans-1,3-Dichloropropene	ND		0.087	mg/Kg-dry	50	02/26/12 01:52 AM
Trichloroethene	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Trichlorofluoromethane	ND		0.058	mg/Kg-dry	50	02/26/12 01:52 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 01:52 AM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/26/12 01:52 AM
Surr: 1,2-Dichloroethane-d4	89.3		70-120	%REC	50	02/26/12 01:52 AM
Surr: 4-Bromofluorobenzene	97.5		75-120	%REC	50	02/26/12 01:52 AM
Surr: Dibromofluoromethane	90.2		85-115	%REC	50	02/26/12 01:52 AM
Surr: Toluene-d8	96.5		85-115	%REC	50	02/26/12 01:52 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.56	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	14		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B07-S01-021712
Collection Date: 02/17/12 10:45 AM

Work Order: 1202556
Lab ID: 1202556-23
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0058	mg/Kg-dry	1	02/25/12 03:09 AM	
Surr: DCAA	81.0	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	Analyst: JD
Aroclor 1221	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Aroclor 1232	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Aroclor 1242	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Aroclor 1248	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Aroclor 1254	0.057	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Aroclor 1260	ND	0.047	mg/Kg-dry	1	02/26/12 04:07 PM	
Surr: Decachlorobiphenyl	83.1	40-140	%REC	1	02/26/12 04:07 PM	
PESTICIDES						
4,4'-DDD	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	Analyst: JD
4,4'-DDE	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
4,4'-DDT	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Aldrin	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
alpha-BHC	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
alpha-Chlordane	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
beta-BHC	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Chlordane, Technical	ND	0.030	mg/Kg-dry	1	02/29/12 01:28 AM	
delta-BHC	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Dieldrin	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endosulfan I	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endosulfan II	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endosulfan sulfate	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endrin	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endrin aldehyde	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Endrin ketone	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
gamma-BHC (Lindane)	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
gamma-Chlordane	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Heptachlor	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Heptachlor epoxide	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Methoxychlor	ND	0.012	mg/Kg-dry	1	02/29/12 01:28 AM	
Toxaphene	ND	0.071	mg/Kg-dry	1	02/29/12 01:28 AM	
Surr: Decachlorobiphenyl	71.1	45-135	%REC	1	02/29/12 01:28 AM	
Surr: Tetrachloro-m-xylene	94.1	45-124	%REC	1	02/29/12 01:28 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S01-021712 **Lab ID:** 1202556-23
Collection Date: 02/17/12 10:45 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.023		SW7471 0.022	mg/Kg-dry	1	02/27/12 02:59 PM
METALS BY ICP-MS						
Aluminum	5,500		SW6020A 1.8	mg/Kg-dry	2	02/28/12 07:21 PM
Antimony	ND		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Arsenic	14		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Barium	50		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Beryllium	ND		3.5	mg/Kg-dry	20	02/29/12 03:00 PM
Boron	ND		35	mg/Kg-dry	20	02/29/12 03:00 PM
Cadmium	ND		0.35	mg/Kg-dry	2	02/28/12 07:21 PM
Calcium	3,000		88	mg/Kg-dry	2	02/28/12 07:21 PM
Chromium	9.5		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Cobalt	11		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Copper	11		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Iron	19,000		14	mg/Kg-dry	2	02/28/12 07:21 PM
Lead	9.2		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Magnesium	2,100		35	mg/Kg-dry	2	02/28/12 07:21 PM
Manganese	500		8.8	mg/Kg-dry	20	02/29/12 03:00 PM
Nickel	22		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Potassium	840		35	mg/Kg-dry	2	02/28/12 07:21 PM
Selenium	1.2		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Silver	ND		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Sodium	57		35	mg/Kg-dry	2	02/28/12 07:21 PM
Thallium	ND		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Vanadium	21		0.88	mg/Kg-dry	2	02/28/12 07:21 PM
Zinc	50		1.8	mg/Kg-dry	2	02/28/12 07:21 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.39	mg/Kg-dry	1	02/27/12 04:20 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2,4-Dimethylphenol	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
2,4-Dinitrophenol	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2-Chloronaphthalene	ND		0.096	mg/Kg-dry	1	02/27/12 04:20 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
2-Methylnaphthalene	ND		0.096	mg/Kg-dry	1	02/27/12 04:20 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S01-021712 **Lab ID:** 1202556-23
Collection Date: 02/17/12 10:45 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
3,3'-Dichlorobenzidine	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
3-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
4,6-Dinitro-2-methylphenol	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
4-Chloroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
4-Nitroaniline	ND	UJ	0.79	mg/Kg-dry	1	02/27/12 04:20 PM
4-Nitrophenol	ND		0.79	mg/Kg-dry	1	02/27/12 04:20 PM
Acenaphthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Acenaphthylene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Acetophenone	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Atrazine	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Benzaldehyde	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Benzo(a)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Benzo(a)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Benzo(b)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Benzo(g,h,i)perylene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Benzo(k)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Bis(2-ethylhexyl)phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Caprolactam	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Chrysene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Dibenzo(a,h)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Diethyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Dimethyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Di-n-butyl phthalate	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Fluorene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

29
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B07-S01-021712

Lab ID: 1202556-23

Collection Date: 02/17/12 10:45 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Hexachlorocyclopentadiene	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Indeno(1,2,3-cd)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Naphthalene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Pentachlorophenol	ND		0.39	mg/Kg-dry	1	02/27/12 04:20 PM
Phenanthrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:20 PM
Pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:20 PM
<i>Surr: 2,4,6-Tribromophenol</i>	89.6		34-140	%REC	1	02/27/12 04:20 PM
<i>Surr: 2-Fluorobiphenyl</i>	78.1		12-100	%REC	1	02/27/12 04:20 PM
<i>Surr: 2-Fluorophenol</i>	77.7		33-117	%REC	1	02/27/12 04:20 PM
<i>Surr: 4-Terphenyl-d14</i>	82.9		25-137	%REC	1	02/27/12 04:20 PM
<i>Surr: Nitrobenzene-d5</i>	70.1		37-107	%REC	1	02/27/12 04:20 PM
<i>Surr: Phenol-d6</i>	78.5		40-106	%REC	1	02/27/12 04:20 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
1,1,2-Trichlorotrifluoroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,1-Dichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,1-Dichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,2,4-Trichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
1,2-Dibromoethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
1,2-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,2-Dichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/26/12 02:17 AM
1,3-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
1,4-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
2-Butanone	ND		0.46	mg/Kg-dry	50	02/26/12 02:17 AM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/26/12 02:17 AM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/26/12 02:17 AM
Acetone	ND		0.27	mg/Kg-dry	50	02/26/12 02:17 AM
Benzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Bromodichloromethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B07-S01-021712

Lab ID: 1202556-23

Collection Date: 02/17/12 10:45 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Bromomethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Carbon disulfide	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Carbon tetrachloride	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Chlorobenzene	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/26/12 02:17 AM
Chloroform	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/26/12 02:17 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
cis-1,3-Dichloropropene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Cyclohexane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
Dichlorodifluoromethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
Isopropylbenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Methyl acetate	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Methyl tert-butyl ether	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 02:17 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
Styrene	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Tetrachloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Toluene	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
trans-1,2-Dichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
trans-1,3-Dichloropropene	ND		0.091	mg/Kg-dry	50	02/26/12 02:17 AM
Trichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Trichlorofluoromethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:17 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 02:17 AM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/26/12 02:17 AM
Surr: 1,2-Dichloroethane-d4	89.9		70-120	%REC	50	02/26/12 02:17 AM
Surr: 4-Bromofluorobenzene	96.8		75-120	%REC	50	02/26/12 02:17 AM
Surr: Dibromofluoromethane	89.9		85-115	%REC	50	02/26/12 02:17 AM
Surr: Toluene-d8	98.2		85-115	%REC	50	02/26/12 02:17 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.59	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	18		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S02-021712 **Lab ID:** 1202556-24
Collection Date: 02/17/12 10:55 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0061	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0061	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	79.4	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	Analyst: JD
Aroclor 1221	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
Aroclor 1232	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
Aroclor 1242	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
Aroclor 1248	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
Aroclor 1254	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
Aroclor 1260	ND	0.048	mg/Kg-dry	1	02/26/12 04:27 PM	
<i>Surr: Decachlorobiphenyl</i>	84.1	40-140	%REC	1	02/26/12 04:27 PM	
PESTICIDES						
4,4'-DDD	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	Analyst: JD
4,4'-DDE	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
4,4'-DDT	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Aldrin	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
alpha-BHC	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
alpha-Chlordane	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
beta-BHC	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Chlordane, Technical	ND	0.15	mg/Kg-dry	5	02/29/12 01:43 AM	
delta-BHC	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Dieldrin	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endosulfan I	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endosulfan II	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endosulfan sulfate	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endrin	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endrin aldehyde	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Endrin ketone	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
gamma-BHC (Lindane)	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
gamma-Chlordane	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Heptachlor	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Heptachlor epoxide	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Methoxychlor	ND	0.060	mg/Kg-dry	5	02/29/12 01:43 AM	
Toxaphene	ND	0.36	mg/Kg-dry	5	02/29/12 01:43 AM	
<i>Surr: Decachlorobiphenyl</i>	70.1	45-135	%REC	5	02/29/12 01:43 AM	
<i>Surr: Tetrachloro-m-xylene</i>	90.1	45-124	%REC	5	02/29/12 01:43 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S02-021712 **Lab ID:** 1202556-24
Collection Date: 02/17/12 10:55 AM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.020	mg/Kg-dry	1	02/27/12 03:01 PM
METALS BY ICP-MS						
Aluminum	7,600		SW6020A 1.6	mg/Kg-dry	2	02/28/12 07:27 PM
Antimony	ND		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Arsenic	8.4		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Barium	39		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Beryllium	ND		3.2	mg/Kg-dry	20	02/29/12 03:06 PM
Boron	ND		32	mg/Kg-dry	20	02/29/12 03:06 PM
Cadmium	ND		0.32	mg/Kg-dry	2	02/28/12 07:27 PM
Calcium	8,100		81	mg/Kg-dry	2	02/28/12 07:27 PM
Chromium	12		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Cobalt	8.3		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Copper	18		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Iron	19,000		13	mg/Kg-dry	2	02/28/12 07:27 PM
Lead	9.9		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Magnesium	3,300		32	mg/Kg-dry	2	02/28/12 07:27 PM
Manganese	380		8.1	mg/Kg-dry	20	02/29/12 03:06 PM
Nickel	25		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Potassium	1,500		32	mg/Kg-dry	2	02/28/12 07:27 PM
Selenium	1.3		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Silver	ND		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Sodium	96		32	mg/Kg-dry	2	02/28/12 07:27 PM
Thallium	ND		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Vanadium	20		0.81	mg/Kg-dry	2	02/28/12 07:27 PM
Zinc	52		1.6	mg/Kg-dry	2	02/28/12 07:27 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.40	mg/Kg-dry	1	02/27/12 04:46 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2,4-Dimethylphenol	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
2,4-Dinitrophenol	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2-Chloronaphthalene	ND		0.096	mg/Kg-dry	1	02/27/12 04:46 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
2-Methylnaphthalene	ND		0.096	mg/Kg-dry	1	02/27/12 04:46 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B07-S02-021712
Collection Date: 02/17/12 10:55 AM

Work Order: 1202556
Lab ID: 1202556-24
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
3,3'-Dichlorobenzidine	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
3-Nitroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
4,6-Dinitro-2-methylphenol	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
4-Chloroaniline	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
4-Nitroaniline	ND	✓	0.79	mg/Kg-dry	1	02/27/12 04:46 PM
4-Nitrophenol	ND		0.79	mg/Kg-dry	1	02/27/12 04:46 PM
Acenaphthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Acenaphthylene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Acetophenone	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Atrazine	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Benzaldehyde	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Benzo(a)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Benzo(a)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Benzo(b)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Benzo(g,h,i)perylene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Benzo(k)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Bis(2-ethylhexyl)phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Caprolactam	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Chrysene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Dibenzo(a,h)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Diethyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Dimethyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Di-n-butyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Fluorene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

21
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B07-S02-021712

Lab ID: 1202556-24

Collection Date: 02/17/12 10:55 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Hexachlorocyclopentadiene	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Indeno(1,2,3-cd)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Naphthalene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Pentachlorophenol	ND		0.40	mg/Kg-dry	1	02/27/12 04:46 PM
Phenanthrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/27/12 04:46 PM
Pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 04:46 PM
<i>Surr: 2,4,6-Tribromophenol</i>	84.7		34-140	%REC	1	02/27/12 04:46 PM
<i>Surr: 2-Fluorobiphenyl</i>	73.2		12-100	%REC	1	02/27/12 04:46 PM
<i>Surr: 2-Fluorophenol</i>	82.2		33-117	%REC	1	02/27/12 04:46 PM
<i>Surr: 4-Terphenyl-d14</i>	82.3		25-137	%REC	1	02/27/12 04:46 PM
<i>Surr: Nitrobenzene-d5</i>	70.5		37-107	%REC	1	02/27/12 04:46 PM
<i>Surr: Phenol-d6</i>	79.7		40-106	%REC	1	02/27/12 04:46 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
1,1,2-Trichlorotrifluoroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,1-Dichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,1-Dichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,2,4-Trichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
1,2-Dibromoethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
1,2-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,2-Dichloroethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,2-Dichloropropane	ND		0.21	mg/Kg-dry	50	02/26/12 02:43 AM
1,3-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
1,4-Dichlorobenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
2-Butanone	ND		0.46	mg/Kg-dry	50	02/26/12 02:43 AM
2-Hexanone	ND		0.30	mg/Kg-dry	50	02/26/12 02:43 AM
4-Methyl-2-pentanone	ND		0.30	mg/Kg-dry	50	02/26/12 02:43 AM
Acetone	ND		0.27	mg/Kg-dry	50	02/26/12 02:43 AM
Benzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Bromodichloromethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B07-S02-021712

Lab ID: 1202556-24

Collection Date: 02/17/12 10:55 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Bromomethane	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Carbon disulfide	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Carbon tetrachloride	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Chlorobenzene	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Chloroethane	ND		0.18	mg/Kg-dry	50	02/26/12 02:43 AM
Chloroform	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Chloromethane	ND		0.18	mg/Kg-dry	50	02/26/12 02:43 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
cis-1,3-Dichloropropene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Cyclohexane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
Dichlorodifluoromethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
Isopropylbenzene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Methyl acetate	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Methyl tert-butyl ether	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 02:43 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
Styrene	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Tetrachloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Toluene	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
trans-1,2-Dichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
trans-1,3-Dichloropropene	ND		0.091	mg/Kg-dry	50	02/26/12 02:43 AM
Trichloroethene	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Trichlorofluoromethane	ND		0.061	mg/Kg-dry	50	02/26/12 02:43 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 02:43 AM
Xylenes, Total	ND		0.18	mg/Kg-dry	50	02/26/12 02:43 AM
Surr: 1,2-Dichloroethane-d4	96.9		70-120	%REC	50	02/26/12 02:43 AM
Surr: 4-Bromofluorobenzene	104		75-120	%REC	50	02/26/12 02:43 AM
Surr: Dibromofluoromethane	92.7		85-115	%REC	50	02/26/12 02:43 AM
Surr: Toluene-d8	102		85-115	%REC	50	02/26/12 02:43 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.60	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	18		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B08-S01-021712 **Lab ID:** 1202556-25
Collection Date: 02/17/12 12:10 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0060	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0060	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	85.2	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	Analyst: JD
Aroclor 1221	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
Aroclor 1232	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
Aroclor 1242	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
Aroclor 1248	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
Aroclor 1254	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
Aroclor 1260	ND	0.049	mg/Kg-dry	1	02/26/12 04:46 PM	
<i>Surr: Decachlorobiphenyl</i>	85.1	40-140	%REC	1	02/26/12 04:46 PM	
PESTICIDES						
4,4'-DDD	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	Analyst: JD
4,4'-DDE	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
4,4'-DDT	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Aldrin	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
alpha-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
alpha-Chlordane	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
beta-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Chlordane, Technical	ND	0.061	mg/Kg-dry	2	02/29/12 01:58 AM	
delta-BHC	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Dieldrin	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endosulfan I	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endosulfan II	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endosulfan sulfate	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endrin	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endrin aldehyde	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Endrin ketone	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
gamma-BHC (Lindane)	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
gamma-Chlordane	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Heptachlor	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Heptachlor epoxide	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Methoxychlor	ND	0.024	mg/Kg-dry	2	02/29/12 01:58 AM	
Toxaphene	ND	0.15	mg/Kg-dry	2	02/29/12 01:58 AM	
<i>Surr: Decachlorobiphenyl</i>	72.1	45-135	%REC	2	02/29/12 01:58 AM	
<i>Surr: Tetrachloro-m-xylene</i>	92.1	45-124	%REC	2	02/29/12 01:58 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B08-S01-021712 **Lab ID:** 1202556-25
Collection Date: 02/17/12 12:10 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.035		SW7471 0.022	mg/Kg-dry	1	Prep Date: 02/27/12 02/27/12 03:07 PM
METALS BY ICP-MS						
Aluminum	8,400		SW6020A 1.8	mg/Kg-dry	2	Prep Date: 02/23/12 02/28/12 07:33 PM
Antimony	ND		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Arsenic	6.0		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Barium	73		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Beryllium	0.41		0.36	mg/Kg-dry	2	02/28/12 07:33 PM
Boron	ND		36	mg/Kg-dry	20	02/29/12 03:12 PM
Cadmium	ND		0.36	mg/Kg-dry	2	02/28/12 07:33 PM
Calcium	11,000		90	mg/Kg-dry	2	02/28/12 07:33 PM
Chromium	11		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Cobalt	9.2		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Copper	11		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Iron	16,000		14	mg/Kg-dry	2	02/28/12 07:33 PM
Lead	11		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Magnesium	2,500		36	mg/Kg-dry	2	02/28/12 07:33 PM
Manganese	480		9.0	mg/Kg-dry	20	02/29/12 03:12 PM
Nickel	16		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Potassium	1,200		36	mg/Kg-dry	2	02/28/12 07:33 PM
Selenium	1.2		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Silver	ND		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Sodium	91		36	mg/Kg-dry	2	02/28/12 07:33 PM
Thallium	ND		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Vanadium	19		0.90	mg/Kg-dry	2	02/28/12 07:33 PM
Zinc	45		1.8	mg/Kg-dry	2	02/28/12 07:33 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.40	mg/Kg-dry	1	Prep Date: 02/22/12 02/27/12 05:13 PM
2,4,5-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2,4,6-Trichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2,4-Dichlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2,4-Dimethylphenol	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
2,4-Dinitrophenol	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
2,4-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2,6-Dinitrotoluene	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2-Chloronaphthalene	ND		0.097	mg/Kg-dry	1	02/27/12 05:13 PM
2-Chlorophenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
2-Methylnaphthalene	ND		0.097	mg/Kg-dry	1	02/27/12 05:13 PM
2-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B08-S01-021712 **Lab ID:** 1202556-25
Collection Date: 02/17/12 12:10 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
2-Nitrophenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
3,3'-Dichlorobenzidine	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
3-Nitroaniline	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
4,6-Dinitro-2-methylphenol	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
4-Bromophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
4-Chloro-3-methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
4-Chloroaniline	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
4-Chlorophenyl phenyl ether	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
4-Methylphenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
4-Nitroaniline	ND VJ		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
4-Nitrophenol	ND		0.80	mg/Kg-dry	1	02/27/12 05:13 PM
Acenaphthene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Acenaphthylene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Acetophenone	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Atrazine	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Benzaldehyde	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Benzo(a)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Benzo(a)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Benzo(b)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Benzo(g,h,i)perylene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Benzo(k)fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Bis(2-chloroethoxy)methane	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Bis(2-chloroethyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Bis(2-chloroisopropyl)ether	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Bis(2-ethylhexyl)phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Butyl benzyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Caprolactam	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Carbazole	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Chrysene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Dibenzo(a,h)anthracene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Dibenzofuran	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Diethyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Dimethyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Di-n-butyl phthalate	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Di-n-octyl phthalate	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Fluoranthene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Fluorene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Hexachlorobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

29
3/15/12

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B08-S01-021712

Lab ID: 1202556-25

Collection Date: 02/17/12 12:10 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Hexachlorocyclopentadiene	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Hexachloroethane	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Indeno(1,2,3-cd)pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Isophorone	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Naphthalene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Nitrobenzene	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
N-Nitrosodi-n-propylamine	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
N-Nitrosodiphenylamine	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Pentachlorophenol	ND		0.40	mg/Kg-dry	1	02/27/12 05:13 PM
Phenanthrene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
Phenol	ND		0.19	mg/Kg-dry	1	02/27/12 05:13 PM
Pyrene	ND		0.036	mg/Kg-dry	1	02/27/12 05:13 PM
<i>Surr: 2,4,6-Tribromophenol</i>	88.6		34-140	%REC	1	02/27/12 05:13 PM
<i>Surr: 2-Fluorobiphenyl</i>	80.6		12-100	%REC	1	02/27/12 05:13 PM
<i>Surr: 2-Fluorophenol</i>	83.9		33-117	%REC	1	02/27/12 05:13 PM
<i>Surr: 4-Terphenyl-d14</i>	83.3		25-137	%REC	1	02/27/12 05:13 PM
<i>Surr: Nitrobenzene-d5</i>	73.6		37-107	%REC	1	02/27/12 05:13 PM
<i>Surr: Phenol-d6</i>	82.7		40-106	%REC	1	02/27/12 05:13 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,1,2,2-Tetrachloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
1,1,2-Trichloroethane	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
1,1,2-Trichlorotrifluoroethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,1-Dichloroethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,1-Dichloroethene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,2,4-Trichlorobenzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,2-Dibromo-3-chloropropane	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
1,2-Dibromoethane	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
1,2-Dichlorobenzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,2-Dichloroethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,2-Dichloropropane	ND		0.22	mg/Kg-dry	50	02/26/12 03:08 AM
1,3-Dichlorobenzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
1,4-Dichlorobenzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
2-Butanone	ND		0.46	mg/Kg-dry	50	02/26/12 03:08 AM
2-Hexanone	ND		0.31	mg/Kg-dry	50	02/26/12 03:08 AM
4-Methyl-2-pentanone	ND		0.31	mg/Kg-dry	50	02/26/12 03:08 AM
Acetone	ND		0.28	mg/Kg-dry	50	02/26/12 03:08 AM
Benzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Bromodichloromethane	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B08-S01-021712

Lab ID: 1202556-25

Collection Date: 02/17/12 12:10 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Bromomethane	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Carbon disulfide	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Carbon tetrachloride	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Chlorobenzene	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Chloroethane	ND		0.19	mg/Kg-dry	50	02/26/12 03:08 AM
Chloroform	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Chloromethane	ND		0.19	mg/Kg-dry	50	02/26/12 03:08 AM
cis-1,2-Dichloroethene	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
cis-1,3-Dichloropropene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Cyclohexane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Dibromochloromethane	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
Dichlorodifluoromethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Ethylbenzene	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
Isopropylbenzene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Methyl acetate	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Methyl tert-butyl ether	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Methylcyclohexane	ND		1.2	mg/Kg-dry	50	02/26/12 03:08 AM
Methylene chloride	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
Styrene	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Tetrachloroethene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Toluene	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
trans-1,2-Dichloroethene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
trans-1,3-Dichloropropene	ND		0.093	mg/Kg-dry	50	02/26/12 03:08 AM
Trichloroethene	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Trichlorofluoromethane	ND		0.062	mg/Kg-dry	50	02/26/12 03:08 AM
Vinyl chloride	ND		0.12	mg/Kg-dry	50	02/26/12 03:08 AM
Xylenes, Total	ND		0.19	mg/Kg-dry	50	02/26/12 03:08 AM
Surr: 1,2-Dichloroethane-d4	96.7		70-120	%REC	50	02/26/12 03:08 AM
Surr: 4-Bromofluorobenzene	103		75-120	%REC	50	02/26/12 03:08 AM
Surr: Dibromofluoromethane	92.4		85-115	%REC	50	02/26/12 03:08 AM
Surr: Toluene-d8	101		85-115	%REC	50	02/26/12 03:08 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.61	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	19		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B09-S01-021712

Lab ID: 1202556-26

Collection Date: 02/17/12 04:30 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0054	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.011	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0054	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	77.8	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	Analyst: JD
Aroclor 1221	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
Aroclor 1232	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
Aroclor 1242	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
Aroclor 1248	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
Aroclor 1254	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
Aroclor 1260	ND	0.044	mg/Kg-dry	1	02/26/12 05:06 PM	
<i>Surr: Decachlorobiphenyl</i>	89.1	40-140	%REC	1	02/26/12 05:06 PM	
PESTICIDES						
4,4'-DDD	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	Analyst: JD
4,4'-DDE	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
4,4'-DDT	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Aldrin	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
alpha-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
alpha-Chlordane	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
beta-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Chlordane, Technical	ND	0.028	mg/Kg-dry	1	02/29/12 02:12 AM	
delta-BHC	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Dieldrin	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endosulfan I	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endosulfan II	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endosulfan sulfate	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endrin	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endrin aldehyde	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Endrin ketone	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
gamma-BHC (Lindane)	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
gamma-Chlordane	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Heptachlor	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Heptachlor epoxide	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Methoxychlor	ND	0.011	mg/Kg-dry	1	02/29/12 02:12 AM	
Toxaphene	ND	0.067	mg/Kg-dry	1	02/29/12 02:12 AM	
<i>Surr: Decachlorobiphenyl</i>	73.1	45-135	%REC	1	02/29/12 02:12 AM	
<i>Surr: Tetrachloro-m-xylene</i>	88.1	45-124	%REC	1	02/29/12 02:12 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S01-021712 **Lab ID:** 1202556-26
Collection Date: 02/17/12 04:30 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	0.021		SW7471 0.018	mg/Kg-dry	1	02/27/12 03:09 PM
METALS BY ICP-MS						
Aluminum	5,300		SW6020A 1.5	mg/Kg-dry	2	02/28/12 07:39 PM
Antimony	ND		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Arsenic	8.3		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Barium	24		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Beryllium	ND		3.1	mg/Kg-dry	20	02/29/12 03:18 PM
Boron	ND		31	mg/Kg-dry	20	02/29/12 03:18 PM
Cadmium	ND		0.31	mg/Kg-dry	2	02/28/12 07:39 PM
Calcium	1,900		77	mg/Kg-dry	2	02/28/12 07:39 PM
Chromium	8.3		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Cobalt	6.3		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Copper	16		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Iron	15,000		12	mg/Kg-dry	2	02/28/12 07:39 PM
Lead	7.4		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Magnesium	1,700		31	mg/Kg-dry	2	02/28/12 07:39 PM
Manganese	430		7.7	mg/Kg-dry	20	02/29/12 03:18 PM
Nickel	16		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Potassium	690		31	mg/Kg-dry	2	02/28/12 07:39 PM
Selenium	1.2		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Silver	ND		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Sodium	51		31	mg/Kg-dry	2	02/28/12 07:39 PM
Thallium	ND		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Vanadium	14		0.77	mg/Kg-dry	2	02/28/12 07:39 PM
Zinc	38		1.5	mg/Kg-dry	2	02/28/12 07:39 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.37	mg/Kg-dry	1	02/27/12 05:40 PM
2,4,5-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2,4,6-Trichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2,4-Dichlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2,4-Dimethylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
2,4-Dinitrophenol	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
2,4-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2,6-Dinitrotoluene	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2-Chloronaphthalene	ND		0.089	mg/Kg-dry	1	02/27/12 05:40 PM
2-Chlorophenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
2-Methylnaphthalene	ND		0.089	mg/Kg-dry	1	02/27/12 05:40 PM
2-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12
Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00 / E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B09-S01-021712

Lab ID: 1202556-26

Collection Date: 02/17/12 04:30 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
2-Nitrophenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
3,3'-Dichlorobenzidine	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
3-Nitroaniline	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
4,6-Dinitro-2-methylphenol	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
4-Bromophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
4-Chloro-3-methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
4-Chloroaniline	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
4-Chlorophenyl phenyl ether	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
4-Methylphenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
4-Nitroaniline	ND <i>WT</i>		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
4-Nitrophenol	ND		0.73	mg/Kg-dry	1	02/27/12 05:40 PM
Acenaphthene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Acenaphthylene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Acetophenone	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Anthracene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Atrazine	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Benzaldehyde	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Benzo(a)anthracene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Benzo(a)pyrene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Benzo(b)fluoranthene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Benzo(g,h,i)perylene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Benzo(k)fluoranthene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Bis(2-chloroethoxy)methane	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Bis(2-chloroethyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Bis(2-chloroisopropyl)ether	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Bis(2-ethylhexyl)phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Butyl benzyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Caprolactam	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Carbazole	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Chrysene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Dibenzo(a,h)anthracene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Dibenzofuran	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Diethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Dimethyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Di-n-butyl phthalate	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Di-n-octyl phthalate	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Fluoranthene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Fluorene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Hexachlorobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

*20
3/15/12*

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B09-S01-021712

Lab ID: 1202556-26

Collection Date: 02/17/12 04:30 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Hexachlorocyclopentadiene	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Hexachloroethane	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Indeno(1,2,3-cd)pyrene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Isophorone	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Naphthalene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Nitrobenzene	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
N-Nitrosodi-n-propylamine	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
N-Nitrosodiphenylamine	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Pentachlorophenol	ND		0.37	mg/Kg-dry	1	02/27/12 05:40 PM
Phenanthrene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
Phenol	ND		0.18	mg/Kg-dry	1	02/27/12 05:40 PM
Pyrene	ND		0.033	mg/Kg-dry	1	02/27/12 05:40 PM
<i>Surr: 2,4,6-Tribromophenol</i>	85.6		34-140	%REC	1	02/27/12 05:40 PM
<i>Surr: 2-Fluorobiphenyl</i>	77.0		12-100	%REC	1	02/27/12 05:40 PM
<i>Surr: 2-Fluorophenol</i>	81.8		33-117	%REC	1	02/27/12 05:40 PM
<i>Surr: 4-Terphenyl-d14</i>	81.8		25-137	%REC	1	02/27/12 05:40 PM
<i>Surr: Nitrobenzene-d5</i>	71.6		37-107	%REC	1	02/27/12 05:40 PM
<i>Surr: Phenol-d6</i>	79.1		40-106	%REC	1	02/27/12 05:40 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,1,2,2-Tetrachloroethane	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
1,1,2-Trichloroethane	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
1,1,2-Trichlorotrifluoroethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,1-Dichloroethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,1-Dichloroethene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,2,4-Trichlorobenzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,2-Dibromo-3-chloropropane	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
1,2-Dibromoethane	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
1,2-Dichlorobenzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,2-Dichloroethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,2-Dichloropropane	ND		0.19	mg/Kg-dry	50	02/26/12 03:33 AM
1,3-Dichlorobenzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
1,4-Dichlorobenzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
2-Butanone	ND		0.42	mg/Kg-dry	50	02/26/12 03:33 AM
2-Hexanone	ND		0.28	mg/Kg-dry	50	02/26/12 03:33 AM
4-Methyl-2-pentanone	ND		0.28	mg/Kg-dry	50	02/26/12 03:33 AM
Acetone	ND		0.25	mg/Kg-dry	50	02/26/12 03:33 AM
Benzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Bromodichloromethane	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S01-021712 **Lab ID:** 1202556-26
Collection Date: 02/17/12 04:30 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Bromomethane	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Carbon disulfide	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Carbon tetrachloride	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Chlorobenzene	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Chloroethane	ND		0.17	mg/Kg-dry	50	02/26/12 03:33 AM
Chloroform	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Chloromethane	ND		0.17	mg/Kg-dry	50	02/26/12 03:33 AM
cis-1,2-Dichloroethene	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
cis-1,3-Dichloropropene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Cyclohexane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Dibromochloromethane	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
Dichlorodifluoromethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Ethylbenzene	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
Isopropylbenzene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Methyl acetate	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Methyl tert-butyl ether	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Methylcyclohexane	ND		1.1	mg/Kg-dry	50	02/26/12 03:33 AM
Methylene chloride	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
Styrene	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Tetrachloroethene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Toluene	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
trans-1,2-Dichloroethene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
trans-1,3-Dichloropropene	ND		0.083	mg/Kg-dry	50	02/26/12 03:33 AM
Trichloroethene	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Trichlorofluoromethane	ND		0.056	mg/Kg-dry	50	02/26/12 03:33 AM
Vinyl chloride	ND		0.11	mg/Kg-dry	50	02/26/12 03:33 AM
Xylenes, Total	ND		0.17	mg/Kg-dry	50	02/26/12 03:33 AM
<i>Surr: 1,2-Dichloroethane-d4</i>	94.1		70-120	%REC	50	02/26/12 03:33 AM
<i>Surr: 4-Bromofluorobenzene</i>	102		75-120	%REC	50	02/26/12 03:33 AM
<i>Surr: Dibromofluoromethane</i>	90.3		85-115	%REC	50	02/26/12 03:33 AM
<i>Surr: Toluene-d8</i>	99.8		85-115	%REC	50	02/26/12 03:33 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.55	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	10		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S02-021712 **Lab ID:** 1202556-27
Collection Date: 02/17/12 04:40 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0062	mg/Kg-dry	1	02/25/12 03:09 AM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.012	mg/Kg-dry	1	02/25/12 03:09 AM	
2,4-D	ND	0.0062	mg/Kg-dry	1	02/25/12 03:09 AM	
<i>Surr: DCAA</i>	65.2	30-150	%REC	1	02/25/12 03:09 AM	
PCBS						
Aroclor 1016	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	Analyst: JD
Aroclor 1221	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
Aroclor 1232	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
Aroclor 1242	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
Aroclor 1248	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
Aroclor 1254	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
Aroclor 1260	ND	0.050	mg/Kg-dry	1	02/26/12 05:26 PM	
<i>Surr: Decachlorobiphenyl</i>	89.1	40-140	%REC	1	02/26/12 05:26 PM	
PESTICIDES						
4,4'-DDD	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	Analyst: JD
4,4'-DDE	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
4,4'-DDT	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Aldrin	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
alpha-BHC	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
alpha-Chlordane	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
beta-BHC	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Chlordane, Technical	ND	0.062	mg/Kg-dry	2	02/29/12 02:27 AM	
delta-BHC	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Dieldrin	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endosulfan I	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endosulfan II	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endosulfan sulfate	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endrin	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endrin aldehyde	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Endrin ketone	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
gamma-BHC (Lindane)	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
gamma-Chlordane	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Heptachlor	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Heptachlor epoxide	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Methoxychlor	ND	0.025	mg/Kg-dry	2	02/29/12 02:27 AM	
Toxaphene	ND	0.15	mg/Kg-dry	2	02/29/12 02:27 AM	
<i>Surr: Decachlorobiphenyl</i>	74.1	45-135	%REC	2	02/29/12 02:27 AM	
<i>Surr: Tetrachloro-m-xylene</i>	86.1	45-124	%REC	2	02/29/12 02:27 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S02-021712 **Lab ID:** 1202556-27
Collection Date: 02/17/12 04:40 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA						
Mercury	ND		SW7471 0.023	mg/Kg-dry	1	02/27/12 03:12 PM
METALS BY ICP-MS						
Aluminum	3,200		SW6020A 1.9	mg/Kg-dry	2	02/28/12 07:45 PM
Antimony	ND		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Arsenic	1.8		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Barium	11		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Beryllium	ND		0.39	mg/Kg-dry	2	02/28/12 07:45 PM
Boron	ND		3.9	mg/Kg-dry	2	02/29/12 03:25 PM
Cadmium	ND		0.39	mg/Kg-dry	2	02/28/12 07:45 PM
Calcium	13,000		97	mg/Kg-dry	2	02/28/12 07:45 PM
Chromium	6.3		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Cobalt	2.8		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Copper	6.2		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Iron	8,900		16	mg/Kg-dry	2	02/28/12 07:45 PM
Lead	4.5		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Magnesium	2,600		39	mg/Kg-dry	2	02/28/12 07:45 PM
Manganese	160		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Nickel	8.0		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Potassium	530		39	mg/Kg-dry	2	02/28/12 07:45 PM
Selenium	ND		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Silver	ND		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Sodium	74		39	mg/Kg-dry	2	02/28/12 07:45 PM
Thallium	ND		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Vanadium	14		0.97	mg/Kg-dry	2	02/28/12 07:45 PM
Zinc	20		1.9	mg/Kg-dry	2	02/28/12 07:45 PM
SEMI-VOLATILE ORGANIC COMPOUNDS						
1,1'-Biphenyl	ND		SW8270 0.41	mg/Kg-dry	1	02/27/12 06:07 PM
2,4,5-Trichlorophenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2,4,6-Trichlorophenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2,4-Dichlorophenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2,4-Dimethylphenol	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
2,4-Dinitrophenol	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
2,4-Dinitrotoluene	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2,6-Dinitrotoluene	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2-Chloronaphthalene	ND		0.10	mg/Kg-dry	1	02/27/12 06:07 PM
2-Chlorophenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
2-Methylnaphthalene	ND		0.10	mg/Kg-dry	1	02/27/12 06:07 PM
2-Methylphenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S02-021712 **Lab ID:** 1202556-27
Collection Date: 02/17/12 04:40 PM **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Nitroaniline	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
2-Nitrophenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
3,3'-Dichlorobenzidine	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
3-Nitroaniline	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
4,6-Dinitro-2-methylphenol	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
4-Bromophenyl phenyl ether	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
4-Chloro-3-methylphenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
4-Chloroaniline	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
4-Chlorophenyl phenyl ether	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
4-Methylphenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
4-Nitroaniline	ND	UJ	0.83	mg/Kg-dry	1	02/27/12 06:07 PM
4-Nitrophenol	ND		0.83	mg/Kg-dry	1	02/27/12 06:07 PM
Acenaphthene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Acenaphthylene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Acetophenone	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Anthracene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Atrazine	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Benzaldehyde	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Benzo(a)anthracene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Benzo(a)pyrene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Benzo(b)fluoranthene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Benzo(g,h,i)perylene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Benzo(k)fluoranthene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Bis(2-chloroethoxy)methane	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Bis(2-chloroethyl)ether	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Bis(2-chloroisopropyl)ether	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Bis(2-ethylhexyl)phthalate	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Butyl benzyl phthalate	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Caprolactam	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Carbazole	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Chrysene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Dibenzo(a,h)anthracene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Dibenzofuran	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Diethyl phthalate	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Dimethyl phthalate	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Di-n-butyl phthalate	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Di-n-octyl phthalate	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Fluoranthene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Fluorene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Hexachlorobenzene	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B09-S02-021712

Lab ID: 1202556-27

Collection Date: 02/17/12 04:40 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobutadiene	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Hexachlorocyclopentadiene	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Hexachloroethane	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Indeno(1,2,3-cd)pyrene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Isophorone	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Naphthalene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Nitrobenzene	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
N-Nitrosodi-n-propylamine	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
N-Nitrosodiphenylamine	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Pentachlorophenol	ND		0.41	mg/Kg-dry	1	02/27/12 06:07 PM
Phenanthrene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
Phenol	ND		0.20	mg/Kg-dry	1	02/27/12 06:07 PM
Pyrene	ND		0.038	mg/Kg-dry	1	02/27/12 06:07 PM
<i>Surr: 2,4,6-Tribromophenol</i>	88.0		34-140	%REC	1	02/27/12 06:07 PM
<i>Surr: 2-Fluorobiphenyl</i>	75.3		12-100	%REC	1	02/27/12 06:07 PM
<i>Surr: 2-Fluorophenol</i>	82.7		33-117	%REC	1	02/27/12 06:07 PM
<i>Surr: 4-Terphenyl-d14</i>	81.1		25-137	%REC	1	02/27/12 06:07 PM
<i>Surr: Nitrobenzene-d5</i>	72.2		37-107	%REC	1	02/27/12 06:07 PM
<i>Surr: Phenol-d6</i>	79.4		40-106	%REC	1	02/27/12 06:07 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,1,2,2-Tetrachloroethane	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
1,1,2-Trichloroethane	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
1,1,2-Trichlorotrifluoroethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,1-Dichloroethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,1-Dichloroethene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,2,4-Trichlorobenzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,2-Dibromo-3-chloropropane	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
1,2-Dibromoethane	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
1,2-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,2-Dichloroethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,2-Dichloropropane	ND		0.22	mg/Kg-dry	50	02/26/12 03:58 AM
1,3-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
1,4-Dichlorobenzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
2-Butanone	ND		0.47	mg/Kg-dry	50	02/26/12 03:58 AM
2-Hexanone	ND		0.31	mg/Kg-dry	50	02/26/12 03:58 AM
4-Methyl-2-pentanone	ND		0.31	mg/Kg-dry	50	02/26/12 03:58 AM
Acetone	ND		0.28	mg/Kg-dry	50	02/26/12 03:58 AM
Benzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Bromodichloromethane	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B09-S02-021712

Lab ID: 1202556-27

Collection Date: 02/17/12 04:40 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromoform	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Bromomethane	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Carbon disulfide	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Carbon tetrachloride	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Chlorobenzene	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Chloroethane	ND		0.19	mg/Kg-dry	50	02/26/12 03:58 AM
Chloroform	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Chloromethane	ND		0.19	mg/Kg-dry	50	02/26/12 03:58 AM
cis-1,2-Dichloroethene	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
cis-1,3-Dichloropropene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Cyclohexane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Dibromochloromethane	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
Dichlorodifluoromethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Ethylbenzene	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
Isopropylbenzene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Methyl acetate	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Methyl tert-butyl ether	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Methylcyclohexane	ND		1.3	mg/Kg-dry	50	02/26/12 03:58 AM
Methylene chloride	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
Styrene	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Tetrachloroethene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Toluene	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
trans-1,2-Dichloroethene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
trans-1,3-Dichloropropene	ND		0.094	mg/Kg-dry	50	02/26/12 03:58 AM
Trichloroethene	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Trichlorofluoromethane	ND		0.063	mg/Kg-dry	50	02/26/12 03:58 AM
Vinyl chloride	ND		0.13	mg/Kg-dry	50	02/26/12 03:58 AM
Xylenes, Total	ND		0.19	mg/Kg-dry	50	02/26/12 03:58 AM
Surr: 1,2-Dichloroethane-d4	97.0		70-120	%REC	50	02/26/12 03:58 AM
Surr: 4-Bromofluorobenzene	102		75-120	%REC	50	02/26/12 03:58 AM
Surr: Dibromofluoromethane	92.8		85-115	%REC	50	02/26/12 03:58 AM
Surr: Toluene-d8	100		85-115	%REC	50	02/26/12 03:58 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 02/22/12	Analyst: MB
Chromium, Hexavalent	ND		0.63	mg/Kg-dry	1	02/24/12 04:11 PM
MOISTURE			A2540 G			Analyst: CG
Moisture	20		0.050	% of sample	1	02/21/12 12:27 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B05-S01-021712 **Lab ID:** 1202556-28
Collection Date: 02/17/12 03:55 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	96.8		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 05:08 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 05:08 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 05:08 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 05:08 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 05:08 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 05:08 AM
<i>Surr: Decachlorobiphenyl</i>	62.0		30-135	%REC	1	02/26/12 05:08 AM
<i>Surr: Tetrachloro-m-xylene</i>	64.0		25-140	%REC	1	02/26/12 05:08 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:30 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:19 AM
Barium	0.69		0.050	mg/L	1	02/25/12 07:19 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:19 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:19 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:19 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:19 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:19 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 07:28 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:28 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:28 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 07:28 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 07:28 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 07:28 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 07:28 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 07:28 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 07:28 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 07:28 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 07:28 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 07:28 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 07:28 PM
<i>Surr: 2,4,6-Tribromophenol</i>	80.4		21-125	%REC	1	02/27/12 07:28 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B05-S01-021712 **Lab ID:** 1202556-28
Collection Date: 02/17/12 03:55 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	66.6		39-94	%REC	1	02/27/12 07:28 PM
Surr: 2-Fluorophenol	51.4		10-75	%REC	1	02/27/12 07:28 PM
Surr: 4-Terphenyl-d14	73.9		26-119	%REC	1	02/27/12 07:28 PM
Surr: Nitrobenzene-d5	65.6		41-104	%REC	1	02/27/12 07:28 PM
Surr: Phenol-d6	31.1		11-50	%REC	1	02/27/12 07:28 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 11:27 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 11:27 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 11:27 AM
Benzene	ND		0.020	mg/L	20	02/24/12 11:27 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 11:27 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 11:27 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 11:27 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 11:27 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 11:27 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 11:27 AM
Surr: 1,2-Dichloroethane-d4	108		70-130	%REC	20	02/24/12 11:27 AM
Surr: 4-Bromofluorobenzene	92.8		70-130	%REC	20	02/24/12 11:27 AM
Surr: Dibromofluoromethane	101		70-130	%REC	20	02/24/12 11:27 AM
Surr: Toluene-d8	102		70-130	%REC	20	02/24/12 11:27 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B05-S02-021712 **Lab ID:** 1202556-29
Collection Date: 02/17/12 03:50 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	91.2		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 05:23 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 05:23 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 05:23 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 05:23 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 05:23 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 05:23 AM
<i>Surr: Decachlorobiphenyl</i>	74.0		30-135	%REC	1	02/26/12 05:23 AM
<i>Surr: Tetrachloro-m-xylene</i>	65.0		25-140	%REC	1	02/26/12 05:23 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:33 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:24 AM
Barium	0.79		0.050	mg/L	1	02/25/12 07:24 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:24 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:24 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:24 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:24 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:24 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 07:55 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:55 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 07:55 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 07:55 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 07:55 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 07:55 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 07:55 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 07:55 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 07:55 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 07:55 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 07:55 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 07:55 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 07:55 PM
<i>Surr: 2,4,6-Tribromophenol</i>	82.6		21-125	%REC	1	02/27/12 07:55 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B05-S02-021712**Lab ID:** 1202556-29**Collection Date:** 02/17/12 03:50 PM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	67.8		39-94	%REC	1	02/27/12 07:55 PM
Surr: 2-Fluorophenol	47.1		10-75	%REC	1	02/27/12 07:55 PM
Surr: 4-Terphenyl-d14	68.3		26-119	%REC	1	02/27/12 07:55 PM
Surr: Nitrobenzene-d5	66.3		41-104	%REC	1	02/27/12 07:55 PM
Surr: Phenol-d6	28.5		11-50	%REC	1	02/27/12 07:55 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/24/12 11:52 AM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/24/12 11:52 AM
2-Butanone	ND		0.20	mg/L	20	02/24/12 11:52 AM
Benzene	ND		0.020	mg/L	20	02/24/12 11:52 AM
Carbon tetrachloride	ND		0.020	mg/L	20	02/24/12 11:52 AM
Chlorobenzene	ND		0.020	mg/L	20	02/24/12 11:52 AM
Chloroform	ND		0.020	mg/L	20	02/24/12 11:52 AM
Tetrachloroethene	ND		0.020	mg/L	20	02/24/12 11:52 AM
Trichloroethene	ND		0.020	mg/L	20	02/24/12 11:52 AM
Vinyl chloride	ND		0.020	mg/L	20	02/24/12 11:52 AM
Surr: 1,2-Dichloroethane-d4	107		70-130	%REC	20	02/24/12 11:52 AM
Surr: 4-Bromofluorobenzene	94.4		70-130	%REC	20	02/24/12 11:52 AM
Surr: Dibromofluoromethane	100		70-130	%REC	20	02/24/12 11:52 AM
Surr: Toluene-d8	103		70-130	%REC	20	02/24/12 11:52 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B06-S01-021712 **Lab ID:** 1202556-30
Collection Date: 02/17/12 10:15 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	97.2		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 05:37 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 05:37 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 05:37 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 05:37 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 05:37 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 05:37 AM
<i>Surr: Decachlorobiphenyl</i>	71.0		30-135	%REC	1	02/26/12 05:37 AM
<i>Surr: Tetrachloro-m-xylene</i>	70.0		25-140	%REC	1	02/26/12 05:37 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:35 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:29 AM
Barium	1.4		0.050	mg/L	1	02/25/12 07:29 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:29 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:29 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:29 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:29 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:29 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 08:22 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 08:22 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 08:22 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 08:22 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 08:22 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 08:22 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 08:22 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 08:22 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 08:22 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 08:22 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 08:22 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 08:22 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 08:22 PM
<i>Surr: 2,4,6-Tribromophenol</i>	85.1		21-125	%REC	1	02/27/12 08:22 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B06-S01-021712**Lab ID:** 1202556-30**Collection Date:** 02/17/12 10:15 AM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	71.0		39-94	%REC	1	02/27/12 08:22 PM
Surr: 2-Fluorophenol	51.9		10-75	%REC	1	02/27/12 08:22 PM
Surr: 4-Terphenyl-d14	73.6		26-119	%REC	1	02/27/12 08:22 PM
Surr: Nitrobenzene-d5	68.1		41-104	%REC	1	02/27/12 08:22 PM
Surr: Phenol-d6	31.5		11-50	%REC	1	02/27/12 08:22 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/28/12 05:05 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/28/12 05:05 PM
2-Butanone	ND		0.20	mg/L	20	02/28/12 05:05 PM
Benzene	ND		0.020	mg/L	20	02/28/12 05:05 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/28/12 05:05 PM
Chlorobenzene	ND		0.020	mg/L	20	02/28/12 05:05 PM
Chloroform	ND		0.020	mg/L	20	02/28/12 05:05 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/28/12 05:05 PM
Trichloroethene	ND		0.020	mg/L	20	02/28/12 05:05 PM
Vinyl chloride	ND		0.020	mg/L	20	02/28/12 05:05 PM
Surr: 1,2-Dichloroethane-d4	105		70-130	%REC	20	02/28/12 05:05 PM
Surr: 4-Bromofluorobenzene	96.7		70-130	%REC	20	02/28/12 05:05 PM
Surr: Dibromofluoromethane	98.0		70-130	%REC	20	02/28/12 05:05 PM
Surr: Toluene-d8	101		70-130	%REC	20	02/28/12 05:05 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B06-S02-021712
Collection Date: 02/17/12 10:25 AM

Work Order: 1202556
Lab ID: 1202556-31
Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
Surr: DCAA	94.6		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/26/12 05:52 AM
Endrin	ND		0.00050	mg/L	1	02/26/12 05:52 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/26/12 05:52 AM
Heptachlor	ND		0.00025	mg/L	1	02/26/12 05:52 AM
Methoxychlor	ND		0.0025	mg/L	1	02/26/12 05:52 AM
Toxaphene	ND		0.020	mg/L	1	02/26/12 05:52 AM
Surr: Decachlorobiphenyl	73.0		30-135	%REC	1	02/26/12 05:52 AM
Surr: Tetrachloro-m-xylene	59.0		25-140	%REC	1	02/26/12 05:52 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:38 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:34 AM
Barium	2.3		0.050	mg/L	1	02/25/12 07:34 AM
Cadmium	0.011		0.0020	mg/L	1	02/25/12 07:34 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:34 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:34 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:34 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:34 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 08:49 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 08:49 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 08:49 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 08:49 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 08:49 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 08:49 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 08:49 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 08:49 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 08:49 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 08:49 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 08:49 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 08:49 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 08:49 PM
Surr: 2,4,6-Tribromophenol	83.2		21-125	%REC	1	02/27/12 08:49 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B06-S02-021712**Lab ID:** 1202556-31**Collection Date:** 02/17/12 10:25 AM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	68.9		39-94	%REC	1	02/27/12 08:49 PM
Surr: 2-Fluorophenol	51.7		10-75	%REC	1	02/27/12 08:49 PM
Surr: 4-Terphenyl-d14	71.3		26-119	%REC	1	02/27/12 08:49 PM
Surr: Nitrobenzene-d5	66.8		41-104	%REC	1	02/27/12 08:49 PM
Surr: Phenol-d6	31.6		11-50	%REC	1	02/27/12 08:49 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: RS
1,1-Dichloroethene	ND		0.020	mg/L	20	02/27/12 02:59 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/27/12 02:59 PM
2-Butanone	ND		0.20	mg/L	20	02/27/12 02:59 PM
Benzene	ND		0.020	mg/L	20	02/27/12 02:59 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/27/12 02:59 PM
Chlorobenzene	ND		0.020	mg/L	20	02/27/12 02:59 PM
Chloroform	ND		0.020	mg/L	20	02/27/12 02:59 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/27/12 02:59 PM
Trichloroethene	ND		0.020	mg/L	20	02/27/12 02:59 PM
Vinyl chloride	ND		0.020	mg/L	20	02/27/12 02:59 PM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/27/12 02:59 PM
Surr: 4-Bromofluorobenzene	96.6		70-130	%REC	20	02/27/12 02:59 PM
Surr: Dibromofluoromethane	99.1		70-130	%REC	20	02/27/12 02:59 PM
Surr: Toluene-d8	101		70-130	%REC	20	02/27/12 02:59 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S01-021712 **Lab ID:** 1202556-32
Collection Date: 02/17/12 10:45 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	76.8		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0010	mg/L	1	02/26/12 06:07 AM
Endrin	ND		0.00010	mg/L	1	02/26/12 06:07 AM
gamma-BHC (Lindane)	ND		0.000050	mg/L	1	02/26/12 06:07 AM
Heptachlor	ND		0.000050	mg/L	1	02/26/12 06:07 AM
Methoxychlor	ND		0.00050	mg/L	1	02/26/12 06:07 AM
Toxaphene	ND		0.0040	mg/L	1	02/26/12 06:07 AM
<i>Surr: Decachlorobiphenyl</i>	76.0		30-135	%REC	1	02/26/12 06:07 AM
<i>Surr: Tetrachloro-m-xylene</i>	70.0		25-140	%REC	1	02/26/12 06:07 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:40 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 07:39 AM
Barium	1.6		0.050	mg/L	1	02/25/12 07:39 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 07:39 AM
Chromium	ND		0.020	mg/L	1	02/25/12 07:39 AM
Lead	ND		0.010	mg/L	1	02/25/12 07:39 AM
Selenium	ND		0.020	mg/L	1	02/25/12 07:39 AM
Silver	ND		0.0050	mg/L	1	02/25/12 07:39 AM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 09:16 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 09:16 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 09:16 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 09:16 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 09:16 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 09:16 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 09:16 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 09:16 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 09:16 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 09:16 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 09:16 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 09:16 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 09:16 PM
<i>Surr: 2,4,6-Tribromophenol</i>	84.0		21-125	%REC	1	02/27/12 09:16 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202556**Sample ID:** LD-B07-S01-021712**Lab ID:** 1202556-32**Collection Date:** 02/17/12 10:45 AM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	64.6		39-94	%REC	1	02/27/12 09:16 PM
Surr: 2-Fluorophenol	56.0		10-75	%REC	1	02/27/12 09:16 PM
Surr: 4-Terphenyl-d14	77.4		26-119	%REC	1	02/27/12 09:16 PM
Surr: Nitrobenzene-d5	67.8		41-104	%REC	1	02/27/12 09:16 PM
Surr: Phenol-d6	34.2		11-50	%REC	1	02/27/12 09:16 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: RS
1,1-Dichloroethene	ND		0.020	mg/L	20	02/27/12 03:24 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/27/12 03:24 PM
2-Butanone	ND		0.20	mg/L	20	02/27/12 03:24 PM
Benzene	ND		0.020	mg/L	20	02/27/12 03:24 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/27/12 03:24 PM
Chlorobenzene	ND		0.020	mg/L	20	02/27/12 03:24 PM
Chloroform	ND		0.020	mg/L	20	02/27/12 03:24 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/27/12 03:24 PM
Trichloroethene	ND		0.020	mg/L	20	02/27/12 03:24 PM
Vinyl chloride	ND		0.020	mg/L	20	02/27/12 03:24 PM
Surr: 1,2-Dichloroethane-d4	106		70-130	%REC	20	02/27/12 03:24 PM
Surr: 4-Bromofluorobenzene	96.9		70-130	%REC	20	02/27/12 03:24 PM
Surr: Dibromofluoromethane	98.1		70-130	%REC	20	02/27/12 03:24 PM
Surr: Toluene-d8	102		70-130	%REC	20	02/27/12 03:24 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B07-S02-021712 **Lab ID:** 1202556-33
Collection Date: 02/17/12 10:55 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	103		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/29/12 05:11 AM
Endrin	ND		0.00050	mg/L	1	02/29/12 05:11 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/29/12 05:11 AM
Heptachlor	ND		0.00025	mg/L	1	02/29/12 05:11 AM
Methoxychlor	ND		0.0025	mg/L	1	02/29/12 05:11 AM
Toxaphene	ND		0.020	mg/L	1	02/29/12 05:11 AM
<i>Surr: Decachlorobiphenyl</i>	101		30-135	%REC	1	02/29/12 05:11 AM
<i>Surr: Tetrachloro-m-xylene</i>	70.0		25-140	%REC	1	02/29/12 05:11 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:42 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 12:21 PM
Barium	1.5		0.050	mg/L	1	02/25/12 12:21 PM
Cadmium	0.0021		0.0020	mg/L	1	02/25/12 12:21 PM
Chromium	ND		0.020	mg/L	1	02/25/12 12:21 PM
Lead	ND		0.010	mg/L	1	02/25/12 12:21 PM
Selenium	ND		0.020	mg/L	1	02/25/12 12:21 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:21 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 09:43 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 09:43 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 09:43 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 09:43 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 09:43 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 09:43 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 09:43 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 09:43 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 09:43 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 09:43 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 09:43 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 09:43 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 09:43 PM
<i>Surr: 2,4,6-Tribromophenol</i>	83.7		21-125	%REC	1	02/27/12 09:43 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202556

Sample ID: LD-B07-S02-021712

Lab ID: 1202556-33

Collection Date: 02/17/12 10:55 AM

Matrix: TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	67.4		39-94	%REC	1	02/27/12 09:43 PM
Surr: 2-Fluorophenol	54.0		10-75	%REC	1	02/27/12 09:43 PM
Surr: 4-Terphenyl-d14	75.0		26-119	%REC	1	02/27/12 09:43 PM
Surr: Nitrobenzene-d5	68.3		41-104	%REC	1	02/27/12 09:43 PM
Surr: Phenol-d6	33.3		11-50	%REC	1	02/27/12 09:43 PM
TCLP VOLATILE ORGANICS		SW8260		Prep Date: 02/23/12	Analyst: BG	
1,1-Dichloroethene	ND		0.020	mg/L	20	02/27/12 03:28 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/27/12 03:28 PM
2-Butanone	ND		0.20	mg/L	20	02/27/12 03:28 PM
Benzene	ND		0.020	mg/L	20	02/27/12 03:28 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/27/12 03:28 PM
Chlorobenzene	ND		0.020	mg/L	20	02/27/12 03:28 PM
Chloroform	ND		0.020	mg/L	20	02/27/12 03:28 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/27/12 03:28 PM
Trichloroethene	ND		0.020	mg/L	20	02/27/12 03:28 PM
Vinyl chloride	ND		0.020	mg/L	20	02/27/12 03:28 PM
Surr: 1,2-Dichloroethane-d4	93.9		70-130	%REC	20	02/27/12 03:28 PM
Surr: 4-Bromofluorobenzene	97.3		70-130	%REC	20	02/27/12 03:28 PM
Surr: Dibromofluoromethane	99.4		70-130	%REC	20	02/27/12 03:28 PM
Surr: Toluene-d8	99.2		70-130	%REC	20	02/27/12 03:28 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B08-S01-021712 **Lab ID:** 1202556-34
Collection Date: 02/17/12 12:10 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	107		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/29/12 05:26 AM
Endrin	ND		0.00050	mg/L	1	02/29/12 05:26 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/29/12 05:26 AM
Heptachlor	ND		0.00025	mg/L	1	02/29/12 05:26 AM
Methoxychlor	ND		0.0025	mg/L	1	02/29/12 05:26 AM
Toxaphene	ND		0.020	mg/L	1	02/29/12 05:26 AM
<i>Surr: Decachlorobiphenyl</i>	98.0		30-135	%REC	1	02/29/12 05:26 AM
<i>Surr: Tetrachloro-m-xylene</i>	81.0		25-140	%REC	1	02/29/12 05:26 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:50 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 12:26 PM
Barium	1.7		0.050	mg/L	1	02/25/12 12:26 PM
Cadmium	ND		0.0020	mg/L	1	02/25/12 12:26 PM
Chromium	ND		0.020	mg/L	1	02/25/12 12:26 PM
Lead	ND		0.010	mg/L	1	02/25/12 12:26 PM
Selenium	ND		0.020	mg/L	1	02/25/12 12:26 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:26 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 10:11 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 10:11 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 10:11 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 10:11 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 10:11 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 10:11 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 10:11 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 10:11 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 10:11 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 10:11 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 10:11 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 10:11 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 10:11 PM
<i>Surr: 2,4,6-Tribromophenol</i>	84.2		21-125	%REC	1	02/27/12 10:11 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B08-S01-021712 **Lab ID:** 1202556-34
Collection Date: 02/17/12 12:10 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	68.2		39-94	%REC	1	02/27/12 10:11 PM
Surr: 2-Fluorophenol	54.7		10-75	%REC	1	02/27/12 10:11 PM
Surr: 4-Terphenyl-d14	77.9		26-119	%REC	1	02/27/12 10:11 PM
Surr: Nitrobenzene-d5	68.4		41-104	%REC	1	02/27/12 10:11 PM
Surr: Phenol-d6	33.0		11-50	%REC	1	02/27/12 10:11 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/27/12 03:53 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/27/12 03:53 PM
2-Butanone	ND		0.20	mg/L	20	02/27/12 03:53 PM
Benzene	ND		0.020	mg/L	20	02/27/12 03:53 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/27/12 03:53 PM
Chlorobenzene	ND		0.020	mg/L	20	02/27/12 03:53 PM
Chloroform	ND		0.020	mg/L	20	02/27/12 03:53 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/27/12 03:53 PM
Trichloroethene	ND		0.020	mg/L	20	02/27/12 03:53 PM
Vinyl chloride	ND		0.020	mg/L	20	02/27/12 03:53 PM
Surr: 1,2-Dichloroethane-d4	91.5		70-130	%REC	20	02/27/12 03:53 PM
Surr: 4-Bromofluorobenzene	98.9		70-130	%REC	20	02/27/12 03:53 PM
Surr: Dibromofluoromethane	97.5		70-130	%REC	20	02/27/12 03:53 PM
Surr: Toluene-d8	98.4		70-130	%REC	20	02/27/12 03:53 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S01-021712 **Lab ID:** 1202556-35
Collection Date: 02/17/12 04:30 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	107		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/29/12 05:41 AM
Endrin	ND		0.00050	mg/L	1	02/29/12 05:41 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/29/12 05:41 AM
Heptachlor	ND		0.00025	mg/L	1	02/29/12 05:41 AM
Methoxychlor	ND		0.0025	mg/L	1	02/29/12 05:41 AM
Toxaphene	ND		0.020	mg/L	1	02/29/12 05:41 AM
<i>Surr: Decachlorobiphenyl</i>	90.0		30-135	%REC	1	02/29/12 05:41 AM
<i>Surr: Tetrachloro-m-xylene</i>	76.0		25-140	%REC	1	02/29/12 05:41 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:52 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 12:31 PM
Barium	0.91		0.050	mg/L	1	02/25/12 12:31 PM
Cadmium	ND		0.0020	mg/L	1	02/25/12 12:31 PM
Chromium	ND		0.020	mg/L	1	02/25/12 12:31 PM
Lead	ND		0.010	mg/L	1	02/25/12 12:31 PM
Selenium	ND		0.020	mg/L	1	02/25/12 12:31 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:31 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 10:38 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 10:38 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 10:38 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 10:38 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 10:38 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 10:38 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 10:38 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 10:38 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 10:38 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 10:38 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 10:38 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 10:38 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 10:38 PM
<i>Surr: 2,4,6-Tribromophenol</i>	78.6		21-125	%REC	1	02/27/12 10:38 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S01-021712 **Lab ID:** 1202556-35
Collection Date: 02/17/12 04:30 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	55.4		39-94	%REC	1	02/27/12 10:38 PM
Surr: 2-Fluorophenol	47.6		10-75	%REC	1	02/27/12 10:38 PM
Surr: 4-Terphenyl-d14	71.5		26-119	%REC	1	02/27/12 10:38 PM
Surr: Nitrobenzene-d5	62.3		41-104	%REC	1	02/27/12 10:38 PM
Surr: Phenol-d6	28.0		11-50	%REC	1	02/27/12 10:38 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/28/12 04:40 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/28/12 04:40 PM
2-Butanone	ND		0.20	mg/L	20	02/28/12 04:40 PM
Benzene	ND		0.020	mg/L	20	02/28/12 04:40 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/28/12 04:40 PM
Chlorobenzene	ND		0.020	mg/L	20	02/28/12 04:40 PM
Chloroform	ND		0.020	mg/L	20	02/28/12 04:40 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/28/12 04:40 PM
Trichloroethene	ND		0.020	mg/L	20	02/28/12 04:40 PM
Vinyl chloride	ND		0.020	mg/L	20	02/28/12 04:40 PM
Surr: 1,2-Dichloroethane-d4	105		70-130	%REC	20	02/28/12 04:40 PM
Surr: 4-Bromofluorobenzene	97.9		70-130	%REC	20	02/28/12 04:40 PM
Surr: Dibromofluoromethane	97.2		70-130	%REC	20	02/28/12 04:40 PM
Surr: Toluene-d8	101		70-130	%REC	20	02/28/12 04:40 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S02-021712 **Lab ID:** 1202556-36
Collection Date: 02/17/12 04:40 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/27/12 05:29 PM
2,4-D	ND		0.0050	mg/L	1	02/27/12 05:29 PM
<i>Surr: DCAA</i>	110		30-150	%REC	1	02/27/12 05:29 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0050	mg/L	1	02/29/12 05:55 AM
Endrin	ND		0.00050	mg/L	1	02/29/12 05:55 AM
gamma-BHC (Lindane)	ND		0.00025	mg/L	1	02/29/12 05:55 AM
Heptachlor	ND		0.00025	mg/L	1	02/29/12 05:55 AM
Methoxychlor	ND		0.0025	mg/L	1	02/29/12 05:55 AM
Toxaphene	ND		0.020	mg/L	1	02/29/12 05:55 AM
<i>Surr: Decachlorobiphenyl</i>	108		30-135	%REC	1	02/29/12 05:55 AM
<i>Surr: Tetrachloro-m-xylene</i>	83.0		25-140	%REC	1	02/29/12 05:55 AM
TCLP MERCURY BY CVAA						
Mercury	ND		0.0020	mg/L	1	02/24/12 02:55 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.010	mg/L	1	02/25/12 12:36 PM
Barium	0.69		0.050	mg/L	1	02/25/12 12:36 PM
Cadmium	ND		0.0020	mg/L	1	02/25/12 12:36 PM
Chromium	ND		0.020	mg/L	1	02/25/12 12:36 PM
Lead	ND		0.010	mg/L	1	02/25/12 12:36 PM
Selenium	ND		0.020	mg/L	1	02/25/12 12:36 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:36 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.10	mg/L	1	02/27/12 11:05 PM
2,4,5-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 11:05 PM
2,4,6-Trichlorophenol	ND		0.10	mg/L	1	02/27/12 11:05 PM
2,4-Dinitrotoluene	ND		0.10	mg/L	1	02/27/12 11:05 PM
Hexachloro-1,3-butadiene	ND		0.10	mg/L	1	02/27/12 11:05 PM
Hexachlorobenzene	ND		0.10	mg/L	1	02/27/12 11:05 PM
Hexachloroethane	ND		0.10	mg/L	1	02/27/12 11:05 PM
m-Cresol	ND		0.10	mg/L	1	02/27/12 11:05 PM
Nitrobenzene	ND		0.10	mg/L	1	02/27/12 11:05 PM
o-Cresol	ND		0.10	mg/L	1	02/27/12 11:05 PM
p-Cresol	ND		0.10	mg/L	1	02/27/12 11:05 PM
Pentachlorophenol	ND		0.40	mg/L	1	02/27/12 11:05 PM
Pyridine	ND		0.40	mg/L	1	02/27/12 11:05 PM
<i>Surr: 2,4,6-Tribromophenol</i>	84.4		21-125	%REC	1	02/27/12 11:05 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: LD-B09-S02-021712 **Lab ID:** 1202556-36
Collection Date: 02/17/12 04:40 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	58.9		39-94	%REC	1	02/27/12 11:05 PM
Surr: 2-Fluorophenol	52.4		10-75	%REC	1	02/27/12 11:05 PM
Surr: 4-Terphenyl-d14	78.4		26-119	%REC	1	02/27/12 11:05 PM
Surr: Nitrobenzene-d5	66.4		41-104	%REC	1	02/27/12 11:05 PM
Surr: Phenol-d6	31.1		11-50	%REC	1	02/27/12 11:05 PM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/23/12	Analyst: BG
1,1-Dichloroethene	ND		0.020	mg/L	20	02/28/12 04:14 PM
1,2-Dichloroethane	ND		0.020	mg/L	20	02/28/12 04:14 PM
2-Butanone	ND		0.20	mg/L	20	02/28/12 04:14 PM
Benzene	ND		0.020	mg/L	20	02/28/12 04:14 PM
Carbon tetrachloride	ND		0.020	mg/L	20	02/28/12 04:14 PM
Chlorobenzene	ND		0.020	mg/L	20	02/28/12 04:14 PM
Chloroform	ND		0.020	mg/L	20	02/28/12 04:14 PM
Tetrachloroethene	ND		0.020	mg/L	20	02/28/12 04:14 PM
Trichloroethene	ND		0.020	mg/L	20	02/28/12 04:14 PM
Vinyl chloride	ND		0.020	mg/L	20	02/28/12 04:14 PM
Surr: 1,2-Dichloroethane-d4	103		70-130	%REC	20	02/28/12 04:14 PM
Surr: 4-Bromofluorobenzene	97.2		70-130	%REC	20	02/28/12 04:14 PM
Surr: Dibromofluoromethane	98.6		70-130	%REC	20	02/28/12 04:14 PM
Surr: Toluene-d8	101		70-130	%REC	20	02/28/12 04:14 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: Trip Blank
Collection Date: 02/17/12

Work Order: 1202556
Lab ID: 1202556-37
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS						
			SW8260			Analyst: RS
1,1,1-Trichloroethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,1,2,2-Tetrachloroethane	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
1,1,2-Trichloroethane	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
1,1,2-Trichlorotrifluoroethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,1-Dichloroethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,1-Dichloroethene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,2,4-Trichlorobenzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,2-Dibromo-3-chloropropane	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
1,2-Dibromoethane	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
1,2-Dichlorobenzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,2-Dichloroethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,2-Dichloropropane	ND		0.18	mg/Kg	50	02/25/12 08:26 PM
1,3-Dichlorobenzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
1,4-Dichlorobenzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
2-Butanone	ND		0.38	mg/Kg	50	02/25/12 08:26 PM
2-Hexanone	ND		0.25	mg/Kg	50	02/25/12 08:26 PM
4-Methyl-2-pentanone	ND		0.25	mg/Kg	50	02/25/12 08:26 PM
Acetone	ND		0.22	mg/Kg	50	02/25/12 08:26 PM
Benzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Bromodichloromethane	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Bromoform	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Bromomethane	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Carbon disulfide	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Carbon tetrachloride	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Chlorobenzene	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Chloroethane	ND		0.15	mg/Kg	50	02/25/12 08:26 PM
Chloroform	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Chloromethane	ND		0.15	mg/Kg	50	02/25/12 08:26 PM
cis-1,2-Dichloroethene	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
cis-1,3-Dichloropropene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Cyclohexane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Dibromochloromethane	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
Dichlorodifluoromethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Ethylbenzene	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
Isopropylbenzene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Methyl acetate	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Methyl tert-butyl ether	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Methylcyclohexane	ND		1.0	mg/Kg	50	02/25/12 08:26 PM
Methylene chloride	ND		0.10	mg/Kg	50	02/25/12 08:26 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 01-Mar-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202556
Sample ID: Trip Blank **Lab ID:** 1202556-37
Collection Date: 02/17/12 **Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Styrene	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Tetrachloroethene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Toluene	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
trans-1,2-Dichloroethene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
trans-1,3-Dichloropropene	ND		0.075	mg/Kg	50	02/25/12 08:26 PM
Trichloroethene	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Trichlorofluoromethane	ND		0.050	mg/Kg	50	02/25/12 08:26 PM
Vinyl chloride	ND		0.10	mg/Kg	50	02/25/12 08:26 PM
Xylenes, Total	ND		0.15	mg/Kg	50	02/25/12 08:26 PM
<i>Surr: 1,2-Dichloroethane-d4</i>	88.8		70-120	%REC	50	02/25/12 08:26 PM
<i>Surr: 4-Bromofluorobenzene</i>	98.4		75-120	%REC	50	02/25/12 08:26 PM
<i>Surr: Dibromofluoromethane</i>	90.9		85-115	%REC	50	02/25/12 08:26 PM
<i>Surr: Toluene-d8</i>	98.3		85-115	%REC	50	02/25/12 08:26 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

**EASTERN SANDUSKY COUNTY DUMPS
SANDUSKY COUNTY, OHIO
DATA VALIDATION REPORT**

Date: March 16, 2012

Laboratory: ALS Environmental (ALS), Holland, Michigan

Laboratory Project #: 1202557

Data Validation Performed By: Lisa Graczyk, Weston Solutions, Inc. (WESTON[®]) Superfund Technical Assessment and Response Team (START)

Weston Analytical Work Order #/TDD #: 20405.016.001.1731.00/S05-0001-1201-020

This data validation report has been prepared by WESTON START under the START III Region V contract. This report documents the data validation for two water samples plus one trip blank collected for the Eastern Sandusky County Dumps Site that were analyzed for the following parameters and U.S. Environmental Protection Agency (U.S. EPA) methods:

- Volatile Organic Compounds (VOC) by SW-846 Method 8260
- Toxicity Characteristic Leaching Procedure (TCLP) VOCs by SW-846 Methods 1311 and 8260
- Semivolatile Organic Carbons (SVOC) by SW-846 Method 8270
- TCLP SVOCs by SW-846 Methods 1311 and 8270
- Polychlorinated Biphenyls (PCB) by SW-846 Method 8082
- Pesticides by SW-846 Method 8081
- TCLP Pesticides by SW-846 Methods 1311 and 8081
- Herbicides by SW-846 Method 8151
- TCLP Herbicides by SW-846 Methods 1311 and 8151
- Metals by SW-846 Methods 6020A and 7470A
- TCLP Metals by SW-846 Methods 1311, 6020A, and 7470A
- Flashpoint by ASTM D93
- pH by SW-846 Method 9040

A level II data package was requested from ALS. The data validation was conducted in general accordance with the U.S. EPA “Contract Laboratory Program National Functional Guidance for Superfund Organic Methods Data Review” dated June 2008 and “Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review” dated January 2010. The Attachment contains the results summary sheets with the hand-written qualifiers applied during data validation.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

VOCs by SW-846 METHOD 8260

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/27/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/27/2012
Trip Blank	1202557-05	Water	2/17/2012	2/27/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection.

3. Blanks

A method blank was analyzed with the VOC analyses. The method blank was free of target compound contamination above the reporting limit.

In addition, the trip blank contained no detection of target analytes.

4. Surrogate Results

The surrogate recovery results were within the laboratory-established quality control (QC) limits.

5. Laboratory Control Sample (LCS) Results

The LCS and LCS duplicate (LCSD) recoveries and relative percent differences (RPD) were within laboratory QC limits.

6. Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The VOC data are acceptable for use based on the information received.

TCLP VOCs by SW-846 METHODS 1311 AND 8260

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
GC-B02-W01-021712	1202557-03	Water	2/17/2012	2/27/2012
LD-B02-W01-021712	1202557-04	Water	2/17/2012	2/27/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 14 days from sample collection.

3. Blanks

A method blank was analyzed with the VOC analyses. The method blank was free of target compound contamination above the reporting limit.

4. Surrogate Results

The surrogate recovery results were within the laboratory-established QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within laboratory QC limits.

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The TCLP VOC data are acceptable for use based on the information received.

SVOCs BY SW-846 METHOD 8270

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/22/2012	2/24/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/22/2012	2/24/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the SVOC analyses. The method blanks were free of target compound contamination above the reporting limits.

4. Surrogate Results

The surrogate recoveries were within the laboratory-established QC limits.

5. LCS Results

The percent recoveries and RPDs for the LCS and LCSD results were within the laboratory-established QC limits except for as follows. Two target SVOCs were detected above the QC limit for percent recovery; however, these compounds were not detected in the samples and no qualifications are warranted.

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The SVOC data are acceptable for use based on the information received.

TCLP SVOCs BY SW-846 METHODS 1311 AND 8270

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-03	Water	2/17/2012	2/22/2012	2/24/2012
LD-B02-W01-021712	1202557-04	Water	2/17/2012	2/22/2012	2/24/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the TCLP SVOC analyses. The method blanks were free of target compound contamination above the reporting limits.

4. Surrogate Results

The surrogate recoveries were within the laboratory-established QC limits.

5. LCS Results

The percent recoveries and RPDs for the LCS and LCSD results were within the laboratory-established QC limits.

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The TCLP SVOC data are acceptable for use based on the information received.

PCBs BY U.S. EPA SW-846 METHOD 8082

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/22/2012	2/24/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/22/2012	2/24/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

A method blank was analyzed with the PCB analyses and was free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

7. Field Duplicate Results

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The PCB data are acceptable for use based on the information received.

PESTICIDES BY U.S. EPA SW-846 METHOD 8081

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/22/2012	2/23/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/22/2012	2/23/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the pesticide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The pesticide data are acceptable for use based on the information received.

TCLP PESTICIDES BY U.S. EPA SW-846 METHODS 1311 AND 8081

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-03	Water	2/17/2012	2/22/2012	2/22/2012
LD-B02-W01-021712	1202557-04	Water	2/17/2012	2/22/2012	2/22/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the TCLP pesticide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

6. MS and MSD Results

An MS and MSD were not analyzed using a sample from this work order; therefore matrix interferences could not be evaluated for samples in this work order using the MS/MSD.

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The TCLP pesticide data are acceptable for use based on the information received.

HERBICIDES BY U.S. EPA SW-846 METHOD 8151

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/23/2012	2/24/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/23/2012	2/24/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the herbicide analyses. The method blanks were free of target compound contamination above the reporting limit.

4. Surrogates

The surrogate recoveries were within QC limits.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

An MS and MSD were analyzed using a sample from another work order; therefore matrix interferences could not be evaluated for the sample in this work order.

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The herbicide data are acceptable for use based on the information received.

TCLP HERBICIDES BY U.S. EPA SW-846 METHODS 1311 AND 8151

1. Samples

The following table summarizes the samples for which this data validation was conducted.

Samples	Lab ID	Matrix	Date Collected	Date Prepared	Date Analyzed
GC-B02-W01-021712	1202557-03	Water	2/17/2012	2/23/2012	2/24/2012
LD-B02-W01-021712	1202557-04	Water	2/17/2012	2/23/2012	2/24/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 7 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the TCLP herbicide analyses. The method blanks were free of target compound contamination above the reporting limit.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

4. Surrogates

The surrogate recoveries were within QC limits.

5. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

6. MS and MSD Results

An MS and MSD were analyzed using a sample from another work order; therefore matrix interferences could not be evaluated for the sample in this work order.

7. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

8. Overall Assessment

The TCLP herbicide data are acceptable for use based on the information received.

TOTAL METALS BY SW-846 METHODS 6020A AND 7470A

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/22/2012 – 2/28/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/22/2012 – 2/29/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 28 days from sample collection to analysis for mercury and 180 days from sample collection to analysis for all other metals.

3. Blank Results

Method blanks were analyzed with the metals analysis. The blanks were free of target analyte contamination above the reporting limits. Some metals were detected below the reporting limits in the method blanks; however, the sample concentrations were either non-detect or much higher than the blank concentrations. No qualifications were required.

4. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits.

5. MS and MSD Results

A site-specific MS and MSD were analyzed using a sample from another work order. No qualifications are required.

6. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

7. Overall Assessment

The metals data are acceptable for use as qualified based on the information received.

TCLP METALS BY SW-846 METHODS 1311, 6020, AND 7470A

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
GC-B02-W01-021712	1202557-03	Water	2/17/2012	2/22/2012 – 2/25/2012
LD-B02-W01-021712	1202557-04	Water	2/17/2012	2/22/2012 – 2/25/2012

2. Holding Times

The samples were analyzed within the required holding time limit of 28 days from sample collection to analysis for mercury and 180 days from sample collection to analysis for all other metals.

3. Blank Results

Method blanks were analyzed with the TCLP metals analysis. The blanks were free of target analyte contamination above the reporting limits. Some metals were detected below the reporting limits in the method blanks; however, the sample concentrations were either non-detect or much higher than the blank concentrations. No qualifications were required.

4. LCS Results

The LCS and LCSD recoveries and RPDs were within the laboratory-established QC limits for target analytes.

5. MS and MSD Results

An MS and MSD were analyzed using a soil sample from another work order. The percent recoveries and RPDs were acceptable.

6. Field Duplicate Results

Field duplicate samples are not included in the work order associated with this data review.

7. Overall Assessment

The TCLP metals data are acceptable for use based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

GENERAL CHEMISTRY PARAMETERS (Flashpoint by ASTM D93 and pH by SW-846 9040)

1. Samples

The following table summarizes the samples for which this data validation is being conducted.

Samples	Lab ID	Matrix	Date Collected	Date Analyzed
GC-B02-W01-021712	1202557-01	Water	2/17/2012	2/21/2012 – 2/27/2012
LD-B02-W01-021712	1202557-02	Water	2/17/2012	2/21/2012 – 2/27/2012

2. Holding Times

The methods state that flashpoint and pH should be analyzed as soon as possible. For pH, the sample was analyzed 4 days from collection which seems a little excessive for pH in water. The pH results were flagged “J” as estimated.

The flashpoint analysis holding time is fairly high at approximately 10 days. However, because this is a water sample, the sample is not expected to flash and no qualifications were applied.

3. LCS Results

The percent recoveries for the LCSs were within QC limits.

5. Laboratory Duplicate Results

A laboratory duplicate was analyzed with the pH analysis. The RPD was within QC limits.

6. Field Duplicate Results

Field duplicate samples are not included in the work orders associated with this data review.

7. Overall Assessment

The pH and flashpoint data are acceptable for use based on the information received.

Data Validation Report
Eastern Sandusky County Dumps Site
ALS Environmental
Laboratory Project #: 1202557

ATTACHMENT

**ALS ENVIRONMENTAL
RESULTS SUMMARY WITH QUALIFIERS**

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
WorkOrder: 1202557

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
SD	Serial Dilution
TDL	Target Detection Limit

<u>Units Reported</u>	<u>Description</u>
°F	Degrees Fahrenheit
mg/L	Milligrams per Liter
s.u.	Standard Units

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: GC-B02-W01-021712
Collection Date: 02/17/12 09:48 AM

Work Order: 1202557
Lab ID: 1202557-01
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0010	mg/L	1	02/24/12 12:26 PM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.0020	mg/L	1	02/24/12 12:26 PM	
2,4-D	ND	0.0020	mg/L	1	02/24/12 12:26 PM	
<i>Surr: DCAA</i>	90.0	30-150	%REC	1	02/24/12 12:26 PM	
PCBS						
Aroclor 1016	ND	0.00040	mg/L	1	02/24/12 10:28 AM	Analyst: JD
Aroclor 1221	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
Aroclor 1232	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
Aroclor 1242	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
Aroclor 1248	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
Aroclor 1254	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
Aroclor 1260	ND	0.00040	mg/L	1	02/24/12 10:28 AM	
<i>Surr: Decachlorobiphenyl</i>	54.0	40-140	%REC	1	02/24/12 10:28 AM	
PESTICIDES						
4,4'-DDD	ND	0.000020	mg/L	1	02/23/12 01:55 AM	Analyst: JD
4,4'-DDE	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
4,4'-DDT	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Aldrin	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
alpha-BHC	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
alpha-Chlordane	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
beta-BHC	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
Chlordane, Technical	ND	0.00050	mg/L	1	02/23/12 01:55 AM	
delta-BHC	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
Dieldrin	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endosulfan I	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endosulfan II	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endosulfan sulfate	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endrin	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endrin aldehyde	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Endrin ketone	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
gamma-BHC (Lindane)	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
gamma-Chlordane	ND	0.000020	mg/L	1	02/23/12 01:55 AM	
Heptachlor	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
Heptachlor epoxide	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
Hexachlorobenzene	ND	0.000010	mg/L	1	02/23/12 01:55 AM	
Methoxychlor	ND	0.000040	mg/L	1	02/23/12 01:55 AM	
Toxaphene	ND	0.0020	mg/L	1	02/23/12 01:55 AM	
<i>Surr: Decachlorobiphenyl</i>	83.0	30-145	%REC	1	02/23/12 01:55 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202557
Sample ID: GC-B02-W01-021712 **Lab ID:** 1202557-01
Collection Date: 02/17/12 09:48 AM **Matrix:** GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: Tetrachloro-m-xylene	51.0		25-140	%REC	1	02/23/12 01:55 AM
MERCURY BY CVAA			SW7470		Prep Date: 02/22/12	Analyst: LR
Mercury	ND		0.00020	mg/L	1	02/22/12 03:15 PM
METALS BY ICP-MS			SW6020A		Prep Date: 02/24/12	Analyst: RH
Aluminum	0.11		0.010	mg/L	1	02/25/12 12:41 PM
Antimony	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Arsenic	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Barium	0.22		0.0050	mg/L	1	02/25/12 12:41 PM
Beryllium	ND		0.0020	mg/L	1	02/25/12 12:41 PM
Boron	2.9		0.20	mg/L	10	02/28/12 04:33 PM
Cadmium	ND		0.0020	mg/L	1	02/25/12 12:41 PM
Calcium	390		5.0	mg/L	10	02/28/12 04:33 PM
Chromium	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Cobalt	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Copper	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Iron	0.33		0.080	mg/L	1	02/25/12 12:41 PM
Lead	0.030		0.0050	mg/L	1	02/25/12 12:41 PM
Magnesium	130		0.20	mg/L	1	02/25/12 12:41 PM
Manganese	0.48		0.0050	mg/L	1	02/25/12 12:41 PM
Nickel	0.0051		0.0050	mg/L	1	02/25/12 12:41 PM
Potassium	20		0.20	mg/L	1	02/25/12 12:41 PM
Selenium	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Sodium	42		0.20	mg/L	1	02/25/12 12:41 PM
Thallium	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Vanadium	ND		0.0050	mg/L	1	02/25/12 12:41 PM
Zinc	0.057		0.010	mg/L	1	02/25/12 12:41 PM
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 02/22/12	Analyst: HL
1,1'-Biphenyl	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4,5-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4,6-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4-Dichlorophenol	ND		0.010	mg/L	1	02/24/12 05:06 AM
2,4-Dimethylphenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4-Dinitrophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,6-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2-Chloronaphthalene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2-Chlorophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2-Methylnaphthalene	ND		0.0050	mg/L	1	02/24/12 05:06 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: GC-B02-W01-021712
Collection Date: 02/17/12 09:48 AM

Work Order: 1202557
Lab ID: 1202557-01
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Methylphenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:06 AM
2-Nitrophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
3,3'-Dichlorobenzidine	ND		0.0050	mg/L	1	02/24/12 05:06 AM
3-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:06 AM
4,6-Dinitro-2-methylphenol	ND		0.020	mg/L	1	02/24/12 05:06 AM
4-Bromophenyl phenyl ether	ND		0.0050	mg/L	1	02/24/12 05:06 AM
4-Chloro-3-methylphenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
4-Chloroaniline	ND		0.020	mg/L	1	02/24/12 05:06 AM
4-Chlorophenyl phenyl ether	ND		0.0050	mg/L	1	02/24/12 05:06 AM
4-Methylphenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
4-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:06 AM
4-Nitrophenol	ND		0.020	mg/L	1	02/24/12 05:06 AM
Acenaphthene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Acenaphthylene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Acetophenone	ND		0.0010	mg/L	1	02/24/12 05:06 AM
Anthracene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Atrazine	ND		0.010	mg/L	1	02/24/12 05:06 AM
Benzaldehyde	ND		0.0010	mg/L	1	02/24/12 05:06 AM
Benzo(a)anthracene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Benzo(a)pyrene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Benzo(b)fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Benzo(g,h,i)perylene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Benzo(k)fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Bis(2-chloroethoxy)methane	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Bis(2-chloroethyl)ether	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Bis(2-chloroisopropyl)ether	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Bis(2-ethylhexyl)phthalate	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Butyl benzyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Caprolactam	ND		0.010	mg/L	1	02/24/12 05:06 AM
Carbazole	ND		0.010	mg/L	1	02/24/12 05:06 AM
Chrysene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Dibenzo(a,h)anthracene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Dibenzofuran	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Diethyl phthalate	ND		0.020	mg/L	1	02/24/12 05:06 AM
Dimethyl phthalate	ND		0.020	mg/L	1	02/24/12 05:06 AM
Di-n-butyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Di-n-octyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Fluorene	ND		0.0050	mg/L	1	02/24/12 05:06 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202557

Sample ID: GC-B02-W01-021712

Lab ID: 1202557-01

Collection Date: 02/17/12 09:48 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Hexachlorobutadiene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Hexachlorocyclopentadiene	ND		0.020	mg/L	1	02/24/12 05:06 AM
Hexachloroethane	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Indeno(1,2,3-cd)pyrene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Isophorone	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Naphthalene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Nitrobenzene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
N-Nitrosodi-n-propylamine	ND		0.0050	mg/L	1	02/24/12 05:06 AM
N-Nitrosodiphenylamine	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Pentachlorophenol	ND		0.020	mg/L	1	02/24/12 05:06 AM
Phenanthrene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Phenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Pyrene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
<i>Surr: 2,4,6-Tribromophenol</i>	79.7		21-125	%REC	1	02/24/12 05:06 AM
<i>Surr: 2-Fluorobiphenyl</i>	55.4		36-94	%REC	1	02/24/12 05:06 AM
<i>Surr: 2-Fluorophenol</i>	35.4		10-75	%REC	1	02/24/12 05:06 AM
<i>Surr: 4-Terphenyl-d14</i>	59.7		26-119	%REC	1	02/24/12 05:06 AM
<i>Surr: Nitrobenzene-d5</i>	52.3		41-104	%REC	1	02/24/12 05:06 AM
<i>Surr: Phenol-d6</i>	23.1		11-50	%REC	1	02/24/12 05:06 AM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: BG
1,1,1-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,1,2,2-Tetrachloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,1,2-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,1,2-Trichlorotrifluoroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,1-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,1-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2,4-Trichlorobenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dibromo-3-chloropropane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dibromoethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dichlorobenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dichloropropane	ND		0.0020	mg/L	1	02/27/12 03:03 PM
1,3-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 03:03 PM
1,4-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 03:03 PM
2-Butanone	ND		0.0050	mg/L	1	02/27/12 03:03 PM
2-Hexanone	ND		0.0050	mg/L	1	02/27/12 03:03 PM
4-Methyl-2-pentanone	ND		0.0050	mg/L	1	02/27/12 03:03 PM
Acetone	ND		0.020	mg/L	1	02/27/12 03:03 PM
Benzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: GC-B02-W01-021712
Collection Date: 02/17/12 09:48 AM

Work Order: 1202557
Lab ID: 1202557-01
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromodichloromethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Bromoform	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Bromomethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Carbon disulfide	ND		0.0025	mg/L	1	02/27/12 03:03 PM
Carbon tetrachloride	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chlorobenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chloroform	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chloromethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
cis-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
cis-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Cyclohexane	ND		0.0050	mg/L	1	02/27/12 03:03 PM
Dibromochloromethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Dichlorodifluoromethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Ethylbenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Isopropylbenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Methyl acetate	ND		0.0020	mg/L	1	02/27/12 03:03 PM
Methyl tert-butyl ether	ND		0.0050	mg/L	1	02/27/12 03:03 PM
Methylcyclohexane	ND		0.0050	mg/L	1	02/27/12 03:03 PM
Methylene chloride	ND		0.0050	mg/L	1	02/27/12 03:03 PM
Styrene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Tetrachloroethene	ND		0.0020	mg/L	1	02/27/12 03:03 PM
Toluene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
trans-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
trans-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Trichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Trichlorofluoromethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Vinyl chloride	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Xylenes, Total	ND		0.0030	mg/L	1	02/27/12 03:03 PM
Surr: 1,2-Dichloroethane-d4	98.2		70-120	%REC	1	02/27/12 03:03 PM
Surr: 4-Bromofluorobenzene	101		75-120	%REC	1	02/27/12 03:03 PM
Surr: Dibromofluoromethane	100		85-115	%REC	1	02/27/12 03:03 PM
Surr: Toluene-d8	115		85-120	%REC	1	02/27/12 03:03 PM
FLASHPOINT, P-M CLOSED-CUP			D93			Analyst: NZ
Flashpoint, P-M Closed-cup	>140			°F	1	02/27/12 01:00 PM
PH			SW9040			Analyst: JJG
pH	6.84	J H		s.u.	1	02/21/12 09:00 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

2/16/12

ALS Group USA, Corp

Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B02-W01-021712
Collection Date: 02/17/12 04:50 PM

Work Order: 1202557
Lab ID: 1202557-02
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
HERBICIDES						
2,4,5-T	ND	0.0010	mg/L	1	02/24/12 12:26 PM	Analyst: JD
2,4,5-TP (Silvex)	ND	0.0020	mg/L	1	02/24/12 12:26 PM	
2,4-D	ND	0.0020	mg/L	1	02/24/12 12:26 PM	
Surr: DCAA	82.4	30-150	%REC	1	02/24/12 12:26 PM	
PCBS						
Aroclor 1016	ND	0.00040	mg/L	1	02/24/12 10:49 AM	Analyst: JD
Aroclor 1221	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Aroclor 1232	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Aroclor 1242	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Aroclor 1248	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Aroclor 1254	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Aroclor 1260	ND	0.00040	mg/L	1	02/24/12 10:49 AM	
Surr: Decachlorobiphenyl	56.0	40-140	%REC	1	02/24/12 10:49 AM	
PESTICIDES						
4,4'-DDD	ND	0.000020	mg/L	1	02/23/12 02:10 AM	Analyst: JD
4,4'-DDE	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
4,4'-DDT	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Aldrin	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
alpha-BHC	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
alpha-Chlordane	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
beta-BHC	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
Chlordane, Technical	ND	0.00050	mg/L	1	02/23/12 02:10 AM	
delta-BHC	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
Dieldrin	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endosulfan I	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endosulfan II	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endosulfan sulfate	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endrin	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endrin aldehyde	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Endrin ketone	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
gamma-BHC (Lindane)	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
gamma-Chlordane	ND	0.000020	mg/L	1	02/23/12 02:10 AM	
Heptachlor	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
Heptachlor epoxide	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
Hexachlorobenzene	ND	0.000010	mg/L	1	02/23/12 02:10 AM	
Methoxychlor	ND	0.000040	mg/L	1	02/23/12 02:10 AM	
Toxaphene	ND	0.0020	mg/L	1	02/23/12 02:10 AM	
Surr: Decachlorobiphenyl	61.0	30-145	%REC	1	02/23/12 02:10 AM	

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202557
Sample ID: LD-B02-W01-021712 **Lab ID:** 1202557-02
Collection Date: 02/17/12 04:50 PM **Matrix:** GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: Tetrachloro-m-xylene	62.0		25-140	%REC	1	02/23/12 02:10 AM
MERCURY BY CVAA			SW7470		Prep Date: 02/22/12	Analyst: LR
Mercury	ND		0.00020	mg/L	1	02/22/12 03:17 PM
METALS BY ICP-MS			SW6020A		Prep Date: 02/24/12	Analyst: RH
Aluminum	0.31		0.010	mg/L	1	02/25/12 12:46 PM
Antimony	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Arsenic	0.0087		0.0050	mg/L	1	02/25/12 12:46 PM
Barium	0.041		0.0050	mg/L	1	02/25/12 12:46 PM
Beryllium	ND		0.0020	mg/L	1	02/25/12 12:46 PM
Boron	62		2.0	mg/L	100	02/29/12 11:48 AM
Cadmium	ND		0.0020	mg/L	1	02/25/12 12:46 PM
Calcium	59		0.50	mg/L	1	02/25/12 12:46 PM
Chromium	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Cobalt	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Copper	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Iron	7.2		0.080	mg/L	1	02/25/12 12:46 PM
Lead	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Magnesium	12		0.20	mg/L	1	02/25/12 12:46 PM
Manganese	0.81		0.0050	mg/L	1	02/25/12 12:46 PM
Nickel	0.0052		0.0050	mg/L	1	02/25/12 12:46 PM
Potassium	0.40		0.20	mg/L	1	02/25/12 12:46 PM
Selenium	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Silver	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Sodium	150		0.20	mg/L	1	02/25/12 12:46 PM
Thallium	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Vanadium	ND		0.0050	mg/L	1	02/25/12 12:46 PM
Zinc	ND		0.010	mg/L	1	02/25/12 12:46 PM
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 02/22/12	Analyst: HL
1,1'-Biphenyl	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4,5-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4,6-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4-Dichlorophenol	ND		0.010	mg/L	1	02/24/12 05:32 AM
2,4-Dimethylphenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4-Dinitrophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,6-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2-Chloronaphthalene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2-Chlorophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2-Methylnaphthalene	ND		0.0050	mg/L	1	02/24/12 05:32 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B02-W01-021712
Collection Date: 02/17/12 04:50 PM

Work Order: 1202557
Lab ID: 1202557-02
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
2-Methylphenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:32 AM
2-Nitrophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
3,3'-Dichlorobenzidine	ND		0.0050	mg/L	1	02/24/12 05:32 AM
3-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:32 AM
4,6-Dinitro-2-methylphenol	ND		0.020	mg/L	1	02/24/12 05:32 AM
4-Bromophenyl phenyl ether	ND		0.0050	mg/L	1	02/24/12 05:32 AM
4-Chloro-3-methylphenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
4-Chloroaniline	ND		0.020	mg/L	1	02/24/12 05:32 AM
4-Chlorophenyl phenyl ether	ND		0.0050	mg/L	1	02/24/12 05:32 AM
4-Methylphenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
4-Nitroaniline	ND		0.020	mg/L	1	02/24/12 05:32 AM
4-Nitrophenol	ND		0.020	mg/L	1	02/24/12 05:32 AM
Acenaphthene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Acenaphthylene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Acetophenone	ND		0.0010	mg/L	1	02/24/12 05:32 AM
Anthracene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Atrazine	ND		0.010	mg/L	1	02/24/12 05:32 AM
Benzaldehyde	ND		0.0010	mg/L	1	02/24/12 05:32 AM
Benzo(a)anthracene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Benzo(a)pyrene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Benzo(b)fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Benzo(g,h,i)perylene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Benzo(k)fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Bis(2-chloroethoxy)methane	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Bis(2-chloroethyl)ether	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Bis(2-chloroisopropyl)ether	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Bis(2-ethylhexyl)phthalate	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Butyl benzyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Caprolactam	ND		0.010	mg/L	1	02/24/12 05:32 AM
Carbazole	ND		0.010	mg/L	1	02/24/12 05:32 AM
Chrysene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Dibenzo(a,h)anthracene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Dibenzofuran	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Diethyl phthalate	ND		0.020	mg/L	1	02/24/12 05:32 AM
Dimethyl phthalate	ND		0.020	mg/L	1	02/24/12 05:32 AM
Di-n-butyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Di-n-octyl phthalate	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Fluoranthene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Fluorene	ND		0.0050	mg/L	1	02/24/12 05:32 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc

Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps

Work Order: 1202557

Sample ID: LD-B02-W01-021712

Lab ID: 1202557-02

Collection Date: 02/17/12 04:50 PM

Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Hexachlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Hexachlorobutadiene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Hexachlorocyclopentadiene	ND		0.020	mg/L	1	02/24/12 05:32 AM
Hexachloroethane	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Indeno(1,2,3-cd)pyrene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Isophorone	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Naphthalene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Nitrobenzene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
N-Nitrosodi-n-propylamine	ND		0.0050	mg/L	1	02/24/12 05:32 AM
N-Nitrosodiphenylamine	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Pentachlorophenol	ND		0.020	mg/L	1	02/24/12 05:32 AM
Phenanthrene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Phenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Pyrene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
<i>Surr: 2,4,6-Tribromophenol</i>	80.0		21-125	%REC	1	02/24/12 05:32 AM
<i>Surr: 2-Fluorobiphenyl</i>	59.3		36-94	%REC	1	02/24/12 05:32 AM
<i>Surr: 2-Fluorophenol</i>	46.4		10-75	%REC	1	02/24/12 05:32 AM
<i>Surr: 4-Terphenyl-d14</i>	60.7		26-119	%REC	1	02/24/12 05:32 AM
<i>Surr: Nitrobenzene-d5</i>	60.9		41-104	%REC	1	02/24/12 05:32 AM
<i>Surr: Phenol-d6</i>	28.7		11-50	%REC	1	02/24/12 05:32 AM
VOLATILE ORGANIC COMPOUNDS						
			SW8260			Analyst: BG
1,1,1-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,1,2,2-Tetrachloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,1,2-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,1,2-Trichlorotrifluoroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,1-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,1-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2,4-Trichlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dibromo-3-chloropropane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dibromoethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dichlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dichloropropane	ND		0.0020	mg/L	1	02/27/12 02:35 PM
1,3-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 02:35 PM
1,4-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 02:35 PM
2-Butanone	ND		0.0050	mg/L	1	02/27/12 02:35 PM
2-Hexanone	ND		0.0050	mg/L	1	02/27/12 02:35 PM
4-Methyl-2-pentanone	ND		0.0050	mg/L	1	02/27/12 02:35 PM
Acetone	ND		0.020	mg/L	1	02/27/12 02:35 PM
Benzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: LD-B02-W01-021712
Collection Date: 02/17/12 04:50 PM

Work Order: 1202557
Lab ID: 1202557-02
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Bromodichloromethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Bromoform	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Bromomethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Carbon disulfide	ND		0.0025	mg/L	1	02/27/12 02:35 PM
Carbon tetrachloride	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chloroform	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chloromethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
cis-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
cis-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Cyclohexane	ND		0.0050	mg/L	1	02/27/12 02:35 PM
Dibromochloromethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Dichlorodifluoromethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Ethylbenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Isopropylbenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Methyl acetate	ND		0.0020	mg/L	1	02/27/12 02:35 PM
Methyl tert-butyl ether	ND		0.0050	mg/L	1	02/27/12 02:35 PM
Methylcyclohexane	ND		0.0050	mg/L	1	02/27/12 02:35 PM
Methylene chloride	ND		0.0050	mg/L	1	02/27/12 02:35 PM
Styrene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Tetrachloroethene	ND		0.0020	mg/L	1	02/27/12 02:35 PM
Toluene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
trans-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
trans-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Trichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Trichlorofluoromethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Vinyl chloride	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Xylenes, Total	ND		0.0030	mg/L	1	02/27/12 02:35 PM
Surr: 1,2-Dichloroethane-d4	100		70-120	%REC	1	02/27/12 02:35 PM
Surr: 4-Bromofluorobenzene	111		75-120	%REC	1	02/27/12 02:35 PM
Surr: Dibromofluoromethane	104		85-115	%REC	1	02/27/12 02:35 PM
Surr: Toluene-d8	111		85-120	%REC	1	02/27/12 02:35 PM

FLASHPOINT, P-M CLOSED-CUP

Flashpoint, P-M Closed-cup **D93** **Analyst: NZ**
 02/27/12 01:00 PM

PH **SW9040** **Analyst: JJG**
 pH 7.03 \pm H s.u. 02/21/12 09:00 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

LJ
3/16/12

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202557
Sample ID: GC-B02-W01-021712 **Lab ID:** 1202557-03
Collection Date: 02/17/12 09:48 AM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	90.0		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0010	mg/L	1	02/22/12
Endrin	ND		0.00010	mg/L	1	02/22/12
gamma-BHC (Lindane)	ND		0.000050	mg/L	1	02/22/12
Heptachlor	ND		0.000050	mg/L	1	02/22/12
Methoxychlor	ND		0.00050	mg/L	1	02/22/12
Toxaphene	ND		0.0040	mg/L	1	02/22/12
<i>Surr: Decachlorobiphenyl</i>	83.0		30-135	%REC	1	02/22/12
<i>Surr: Tetrachloro-m-xylene</i>	51.0		25-140	%REC	1	02/22/12
TCLP MERCURY BY CVAA						
Mercury	ND		0.00020	mg/L	1	02/22/12 03:15 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	ND		0.0010	mg/L	1	02/25/12 12:41 PM
Barium	0.22		0.0050	mg/L	1	02/25/12 12:41 PM
Cadmium	ND		0.00020	mg/L	1	02/25/12 12:41 PM
Chromium	0.0021		0.0020	mg/L	1	02/25/12 12:41 PM
Lead	0.030		0.0010	mg/L	1	02/25/12 12:41 PM
Selenium	ND		0.0020	mg/L	1	02/25/12 12:41 PM
Silver	ND		0.00050	mg/L	1	02/25/12 12:41 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4,5-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4,6-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
2,4-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Hexachloro-1,3-butadiene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Hexachlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Hexachloroethane	ND		0.0050	mg/L	1	02/24/12 05:06 AM
m-Cresol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Nitrobenzene	ND		0.0050	mg/L	1	02/24/12 05:06 AM
o-Cresol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
p-Cresol	ND		0.0050	mg/L	1	02/24/12 05:06 AM
Pentachlorophenol	ND		0.020	mg/L	1	02/24/12 05:06 AM
Pyridine	ND		0.020	mg/L	1	02/24/12 05:06 AM
<i>Surr: 2,4,6-Tribromophenol</i>	79.7		21-125	%REC	1	02/24/12 05:06 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 29-Feb-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202557**Sample ID:** GC-B02-W01-021712**Lab ID:** 1202557-03**Collection Date:** 02/17/12 09:48 AM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	55.4		39-94	%REC	1	02/24/12 05:06 AM
Surr: 2-Fluorophenol	35.4		10-75	%REC	1	02/24/12 05:06 AM
Surr: 4-Terphenyl-d14	59.7		26-119	%REC	1	02/24/12 05:06 AM
Surr: Nitrobenzene-d5	52.3		41-104	%REC	1	02/24/12 05:06 AM
Surr: Phenol-d6	23.1		11-50	%REC	1	02/24/12 05:06 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
1,2-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 03:03 PM
2-Butanone	ND		0.010	mg/L	1	02/27/12 03:03 PM
Benzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Carbon tetrachloride	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chlorobenzene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Chloroform	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Tetrachloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Trichloroethene	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Vinyl chloride	ND		0.0010	mg/L	1	02/27/12 03:03 PM
Surr: 1,2-Dichloroethane-d4	98.2		70-130	%REC	1	02/27/12 03:03 PM
Surr: 4-Bromofluorobenzene	101		70-130	%REC	1	02/27/12 03:03 PM
Surr: Dibromofluoromethane	100		70-130	%REC	1	02/27/12 03:03 PM
Surr: Toluene-d8	115		70-130	%REC	1	02/27/12 03:03 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp
Date: 29-Feb-12

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps **Work Order:** 1202557
Sample ID: LD-B02-W01-021712 **Lab ID:** 1202557-04
Collection Date: 02/17/12 04:50 PM **Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TCLP HERBICIDES						
2,4,5-TP (Silvex)	ND		0.0050	mg/L	1	02/24/12 12:26 PM
2,4-D	ND		0.0050	mg/L	1	02/24/12 12:26 PM
<i>Surr: DCAA</i>	82.4		30-150	%REC	1	02/24/12 12:26 PM
TCLP PESTICIDES						
Chlordane, Technical	ND		0.0010	mg/L	1	02/22/12
Endrin	ND		0.00010	mg/L	1	02/22/12
gamma-BHC (Lindane)	ND		0.000050	mg/L	1	02/22/12
Heptachlor	ND		0.000050	mg/L	1	02/22/12
Methoxychlor	ND		0.00050	mg/L	1	02/22/12
Toxaphene	ND		0.0040	mg/L	1	02/22/12
<i>Surr: Decachlorobiphenyl</i>	61.0		30-135	%REC	1	02/22/12
<i>Surr: Tetrachloro-m-xylene</i>	62.0		25-140	%REC	1	02/22/12
TCLP MERCURY BY CVAA						
Mercury	ND		0.00020	mg/L	1	02/22/12 03:17 PM
TCLP METALS ANALYSIS BY ICP-MS						
Arsenic	0.0087		0.0010	mg/L	1	02/25/12 12:46 PM
Barium	0.041		0.0050	mg/L	1	02/25/12 12:46 PM
Cadmium	ND		0.00020	mg/L	1	02/25/12 12:46 PM
Chromium	ND		0.0020	mg/L	1	02/25/12 12:46 PM
Lead	ND		0.0010	mg/L	1	02/25/12 12:46 PM
Selenium	ND		0.0020	mg/L	1	02/25/12 12:46 PM
Silver	ND		0.00050	mg/L	1	02/25/12 12:46 PM
TCLP SEMI-VOLATILE ORGANICS						
1,4-Dichlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4,5-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4,6-Trichlorophenol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
2,4-Dinitrotoluene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Hexachloro-1,3-butadiene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Hexachlorobenzene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Hexachloroethane	ND		0.0050	mg/L	1	02/24/12 05:32 AM
m-Cresol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Nitrobenzene	ND		0.0050	mg/L	1	02/24/12 05:32 AM
o-Cresol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
p-Cresol	ND		0.0050	mg/L	1	02/24/12 05:32 AM
Pentachlorophenol	ND		0.020	mg/L	1	02/24/12 05:32 AM
Pyridine	ND		0.020	mg/L	1	02/24/12 05:32 AM
<i>Surr: 2,4,6-Tribromophenol</i>	80.0		21-125	%REC	1	02/24/12 05:32 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 29-Feb-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202557**Sample ID:** LD-B02-W01-021712**Lab ID:** 1202557-04**Collection Date:** 02/17/12 04:50 PM**Matrix:** TCLP EXTRACT

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Surr: 2-Fluorobiphenyl	59.3		39-94	%REC	1	02/24/12 05:32 AM
Surr: 2-Fluorophenol	46.4		10-75	%REC	1	02/24/12 05:32 AM
Surr: 4-Terphenyl-d14	60.7		26-119	%REC	1	02/24/12 05:32 AM
Surr: Nitrobenzene-d5	60.9		41-104	%REC	1	02/24/12 05:32 AM
Surr: Phenol-d6	28.7		11-50	%REC	1	02/24/12 05:32 AM
TCLP VOLATILE ORGANICS			SW8260		Prep Date: 02/22/12	Analyst: BG
1,1-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
1,2-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 02:35 PM
2-Butanone	ND		0.010	mg/L	1	02/27/12 02:35 PM
Benzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Carbon tetrachloride	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Chloroform	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Tetrachloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Trichloroethene	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Vinyl chloride	ND		0.0010	mg/L	1	02/27/12 02:35 PM
Surr: 1,2-Dichloroethane-d4	100		70-130	%REC	1	02/27/12 02:35 PM
Surr: 4-Bromofluorobenzene	111		70-130	%REC	1	02/27/12 02:35 PM
Surr: Dibromofluoromethane	104		70-130	%REC	1	02/27/12 02:35 PM
Surr: Toluene-d8	111		70-130	%REC	1	02/27/12 02:35 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Weston Solutions, Inc
Project: 20405.016.001.17XX.00/ E Sandusky Co Dumps
Sample ID: Trip Blank
Collection Date: 02/17/12

Work Order: 1202557
Lab ID: 1202557-05
Matrix: WATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS						
			SW8260			Analyst: BG
1,1,1-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,1,2,2-Tetrachloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,1,2-Trichloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,1,2-Trichlorotrifluoroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,1-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,1-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2,4-Trichlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2-Dibromo-3-chloropropane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2-Dibromoethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2-Dichlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2-Dichloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
1,2-Dichloropropane	ND		0.0020	mg/L	1	02/27/12 02:08 PM
1,3-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 02:08 PM
1,4-Dichlorobenzene	ND		0.0020	mg/L	1	02/27/12 02:08 PM
2-Butanone	ND		0.0050	mg/L	1	02/27/12 02:08 PM
2-Hexanone	ND		0.0050	mg/L	1	02/27/12 02:08 PM
4-Methyl-2-pentanone	ND		0.0050	mg/L	1	02/27/12 02:08 PM
Acetone	ND		0.020	mg/L	1	02/27/12 02:08 PM
Benzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Bromodichloromethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Bromoform	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Bromomethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Carbon disulfide	ND		0.0025	mg/L	1	02/27/12 02:08 PM
Carbon tetrachloride	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Chlorobenzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Chloroethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Chloroform	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Chloromethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
cis-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
cis-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Cyclohexane	ND		0.0050	mg/L	1	02/27/12 02:08 PM
Dibromochloromethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Dichlorodifluoromethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Ethylbenzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Isopropylbenzene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Methyl acetate	ND		0.0020	mg/L	1	02/27/12 02:08 PM
Methyl tert-butyl ether	ND		0.0050	mg/L	1	02/27/12 02:08 PM
Methylcyclohexane	ND		0.0050	mg/L	1	02/27/12 02:08 PM
Methylene chloride	ND		0.0050	mg/L	1	02/27/12 02:08 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp**Date:** 29-Feb-12**Client:** Weston Solutions, Inc**Project:** 20405.016.001.17XX.00/ E Sandusky Co Dumps**Work Order:** 1202557**Sample ID:** Trip Blank**Lab ID:** 1202557-05**Collection Date:** 02/17/12**Matrix:** WATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Styrene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Tetrachloroethene	ND		0.0020	mg/L	1	02/27/12 02:08 PM
Toluene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
trans-1,2-Dichloroethene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
trans-1,3-Dichloropropene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Trichloroethene	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Trichlorofluoromethane	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Vinyl chloride	ND		0.0010	mg/L	1	02/27/12 02:08 PM
Xylenes, Total	ND		0.0030	mg/L	1	02/27/12 02:08 PM
<i>Surr: 1,2-Dichloroethane-d4</i>	99.9		70-120	%REC	1	02/27/12 02:08 PM
<i>Surr: 4-Bromofluorobenzene</i>	101		75-120	%REC	1	02/27/12 02:08 PM
<i>Surr: Dibromofluoromethane</i>	100		85-115	%REC	1	02/27/12 02:08 PM
<i>Surr: Toluene-d8</i>	101		85-120	%REC	1	02/27/12 02:08 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.